

ISSN 2518-170X (Online)

ISSN 2224-5278 (Print)



«ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ҒЫЛЫМ
АКАДЕМИЯСЫ» РҚБ

«ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫ» РҚБ

Х А Б А Р Л А Р Ы

ИЗВЕСТИЯ

РОО «НАЦИОНАЛЬНОЙ
АКАДЕМИИ НАУК
РЕСПУБЛИКИ КАЗАХСТАН»

N E W S

OF THE ACADEMY OF SCIENCES
OF THE REPUBLIC OF
KAZAKHSTAN

SERIES

OF GEOLOGY AND TECHNICAL SCIENCES

4 (465)

JULY – AUGUST 2024

THE JOURNAL WAS FOUNDED IN 1940

PUBLISHED 6 TIMES A YEAR

ALMATY, NAS RK

NAS RK is pleased to announce that News of NAS RK. Series of geology and technical sciences scientific journal has been accepted for indexing in the Emerging Sources Citation Index, a new edition of Web of Science. Content in this index is under consideration by Clarivate Analytics to be accepted in the Science Citation Index Expanded, the Social Sciences Citation Index, and the Arts & Humanities Citation Index. The quality and depth of content Web of Science offers to researchers, authors, publishers, and institutions sets it apart from other research databases. The inclusion of News of NAS RK. Series of geology and technical sciences in the Emerging Sources Citation Index demonstrates our dedication to providing the most relevant and influential content of geology and engineering sciences to our community.

Қазақстан Республикасы Ұлттық ғылым академиясы «ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы» ғылыми журналының Web of Science-тің жаңаланған нұсқасы Emerging Sources Citation Index-те индекстелуге қабылданғанын хабарлайды. Бұл индекстелу барысында Clarivate Analytics компаниясы журналды одан әрі the Science Citation Index Expanded, the Social Sciences Citation Index және the Arts & Humanities Citation Index-ке қабылдау мәселесін қарастыруда. Web of Science зерттеушілер, авторлар, баспашылар мен мекемелерге контент тереңдігі мен сапасын ұсынады. ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы Emerging Sources Citation Index-ке енуі біздің қоғамдастық үшін ең өзекті және беделді геология және техникалық ғылымдар бойынша контентке адалдығымызды білдіреді.

НАНПК сообщает, что научный журнал «Известия НАНПК. Серия геологии и технических наук» был принят для индексирования в Emerging Sources Citation Index, обновленной версии Web of Science. Содержание в этом индексировании находится в стадии рассмотрения компанией Clarivate Analytics для дальнейшего принятия журнала в the Science Citation Index Expanded, the Social Sciences Citation Index и the Arts & Humanities Citation Index. Web of Science предлагает качество и глубину контента для исследователей, авторов, издателей и учреждений. Включение Известия НАНПК. Серия геологии и технических наук в Emerging Sources Citation Index демонстрирует нашу приверженность к наиболее актуальному и влиятельному контенту по геологии и техническим наукам для нашего сообщества.

Бас редактор

ЖҰРЫНОВ Мұрат Жұрынұлы, химия ғылымдарының докторы, профессор, ҚР ҰҒА академигі, «Қазақстан Республикасы Ұлттық ғылым академиясы» РҚБ-нің президенті, АҚ «Д.В. Сокольский атындағы отын, катализ және электрохимия институтының» бас директоры (Алматы, Қазақстан) **Н = 4**

Ғылыми хатшы

АБСАДЫКОВ Бахыт Нарикбайұлы, техника ғылымдарының докторы, профессор, ҚР ҰҒА жауапты хатшысы, А.Б. Бектұров атындағы химия ғылымдары институты (Алматы, Қазақстан) **Н = 5**

Редакциялық алқа:

ӘБСАМЕТОВ Мәліс Құдысұлы (бас редактордың орынбасары), геология-минералогия ғылымдарының докторы, профессор, ҚР ҰҒА академигі, «У.М. Ахмедсафина атындағы гидрогеология және геоэкология институтының» директоры (Алматы, Қазақстан) **Н = 2**

ЖОЛТАЕВ Герой Жолтайұлы (бас редактордың орынбасары), геология-минералогия ғылымдарының докторы, профессор, Қ.И. Сатпаев атындағы геология ғылымдары институтының директоры (Алматы, Қазақстан) **Н = 2**

СНОУ Дэниел, Ph.D, қауымдастырылған профессор, Небраска университетінің Су ғылымдары зертханасының директоры (Небраска штаты, АҚШ) **Н = 32**

ЗЕЛЬТМАН Реймар, Ph.D, табиғи тарих мұражайының Жер туралы ғылымдар бөлімінде петрология және пайдалы қазбалар кен орындары саласындағы зерттеулердің жетекшісі (Лондон, Англия) **Н = 37**

ПАНФИЛОВ Михаил Борисович, техника ғылымдарының докторы, Нанси университетінің профессоры (Нанси, Франция) **Н = 15**

ШЕН Пин, Ph.D, Қытай геологиялық қоғамының тау геологиясы комитеті директорының орынбасары, Американдық экономикалық геологтар қауымдастығының мүшесі (Пекин, Қытай) **Н = 25**

ФИШЕР Аксель, Ph.D, Дрезден техникалық университетінің қауымдастырылған профессоры (Дрезден, Берлин) **Н = 6**

КОНТОРОВИЧ Алексей Эмильевич, геология-минералогия ғылымдарының докторы, профессор, РҒА академигі, А.А. Трофимука атындағы мұнай-газ геологиясы және геофизика институты (Новосибирск, Ресей) **Н = 19**

АГАБЕКОВ Владимир Енокович, химия ғылымдарының докторы, Беларусь ҰҒА академигі, Жаңа материалдар химиясы институтының құрметті директоры (Минск, Беларусь) **Н = 13**

КАТАЛИН Стефан, Ph.D, Дрезден техникалық университетінің қауымдастырылған профессоры (Дрезден, Берлин) **Н = 20**

СЕЙТМҰРАТОВА Элеонора Юсуповна, геология-минералогия ғылымдарының докторы, профессор, ҚР ҰҒА корреспондент-мүшесі, Қ.И. Сатпаев атындағы Геология ғылымдары институты зертханасының меңгерушісі (Алматы, Қазақстан) **Н = 11**

САҒЫНТАЕВ Жанай, Ph.D, қауымдастырылған профессор, Назарбаев университеті (Нұр-Сұлтан, Қазақстан) **Н = 11**

ФРАТТИНИ Паоло, Ph.D, Бикокк Милан университеті қауымдастырылған профессоры (Милан, Италия) **Н = 28**

«ҚР ҰҒА» РҚБ Хабарлары. Геология және техникалық ғылымдар сериясы».

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Меншіктеуші: «Қазақстан Республикасының Ұлттық ғылым академиясы» РҚБ (Алматы қ.).

Қазақстан Республикасының Ақпарат және қоғамдық даму министрлігінің Ақпарат комитетінде 29.07.2020 ж. берілген № **KZ39VPU00025420** мерзімдік басылым тіркеуіне қойылу туралы куәлік.

Тақырыптық бағыты: *геология, мұнай және газды өңдеудің химиялық технологиялары, мұнай химиясы, металдарды алу және олардың қосындыларының технологиясы.*

Мерзімділігі: жылына 6 рет.

Тиражы: 300 дана.

Редакцияның мекен-жайы: 050010, Алматы қ., Шевченко көш., 28, 219 бөл., тел.: 272-13-19

<http://www.geolog-technical.kz/index.php/en/>

© «Қазақстан Республикасының Ұлттық ғылым академиясы» РҚБ, 2024

Главный редактор

ЖУРИНОВ Мурат Журинович, доктор химических наук, профессор, академик НАН РК, президент РОО «Национальной академии наук Республики Казахстан», генеральный директор АО «Институт топлива, катализа и электрохимии им. Д.В. Сокольского» (Алматы, Казахстан) **Н = 4**

Ученый секретарь

АБСАДЫКОВ Бахыт Нарикбаевич, доктор технических наук, профессор, ответственный секретарь НАН РК, Институт химических наук им. А.Б. Бектурова (Алматы, Казахстан) **Н = 5**

Редакционная коллегия:

АБСАМЕТОВ Малис Кудысович, (заместитель главного редактора), доктор геологоминералогических наук, профессор, академик НАН РК, директор Института гидрогеологии и геоэкологии им. У.М. Ахмедсафина (Алматы, Казахстан) **Н = 2**

ЖОЛТАЕВ Герой Жолтаевич, (заместитель главного редактора), доктор геологоминералогических наук, профессор, директор Института геологических наук им. К.И. Сатпаева (Алматы, Казахстан) **Н=2**

СНОУ Дэниел, Ph.D, ассоциированный профессор, директор Лаборатории водных наук университета Небраски (штат Небраска, США) **Н = 32**

ЗЕЛЬТМАН Реймар, Ph.D, руководитель исследований в области петрологии и месторождений полезных ископаемых в Отделе наук о Земле Музея естественной истории (Лондон, Англия) **Н = 37**

ПАНФИЛОВ Михаил Борисович, доктор технических наук, профессор Университета Нанси (Нанси, Франция) **Н=15**

ШЕН Пин, Ph.D, заместитель директора Комитета по горной геологии Китайского геологического общества, член Американской ассоциации экономических геологов (Пекин, Китай) **Н = 25**

ФИШЕР Аксель, ассоциированный профессор, Ph.D, технический университет Дрезден (Дрезден, Берлин) **Н = 6**

КОНТОРОВИЧ Алексей Эмильевич, доктор геолого-минералогических наук, профессор, академик РАН, Институт нефтегазовой геологии и геофизики им. А.А. Трофимука СО РАН (Новосибирск, Россия) **Н = 19**

АГАБЕКОВ Владимир Енокович, доктор химических наук, академик НАН Беларуси, почетный директор Института химии новых материалов (Минск, Беларусь) **Н = 13**

КАТАЛИН Стефан, Ph.D, ассоциированный профессор, Технический университет (Дрезден, Берлин) **Н = 20**

СЕЙТМУРАТОВА Элеонора Юсуповна, доктор геолого-минералогических наук, профессор, член-корреспондент НАН РК, заведующая лабораторией Института геологических наук им. К.И. Сатпаева (Алматы, Казахстан) **Н=11**

САГИНТАЕВ Жанай, Ph.D, ассоциированный профессор, Назарбаев университет (Нурсултан, Казахстан) **Н = 11**

ФРАТТИНИ Паоло, Ph.D, ассоциированный профессор, Миланский университет Бикокк (Милан, Италия) **Н = 28**

«Известия РОО «НАН РК». Серия геологии и технических наук».

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Собственник: Республиканское общественное объединение «Национальная академия наук Республики Казахстан» (г. Алматы).

Свидетельство о постановке на учет периодического печатного издания в Комитете информации Министерства информации и общественного развития Республики Казахстан № **KZ39VPY00025420**, выданное 29.07.2020 г.

Тематическая направленность: *геология, химические технологии переработки нефти и газа, нефтехимия, технологии извлечения металлов и их соединений.*

Периодичность: 6 раз в год.

Тираж: 300 экземпляров.

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, оф. 219, тел.: 272-13-19

<http://www.geolog-technical.kz/index.php/en/>

© РОО «Национальная академия наук Республики Казахстан», 2024

Editorial chief

ZHURINOV Murat Zhurinovich, doctor of chemistry, professor, academician of NAS RK, president of the National Academy of Sciences of the Republic of Kazakhstan, general director of JSC “Institute of fuel, catalysis and electrochemistry named after D.V. Sokolsky» (Almaty, Kazakhstan) **H = 4**

Scientific secretary

ABSADYKOV Bakhyt Narikbaevich, doctor of technical sciences, professor, executive secretary of NAS RK, Bekturov Institute of chemical sciences (Almaty, Kazakhstan) **H = 5**

Editorial board:

ABSAMETOV Malis Kudysovich, (deputy editor-in-chief), doctor of geological and mineralogical sciences, professor, academician of NAS RK, director of the Akhmedsafin Institute of hydrogeology and hydrophysics (Almaty, Kazakhstan) **H=2**

ZHOLTAEV Geroy Zholtaevich, (deputy editor-in-chief), doctor of geological and mineralogical sciences, professor, director of the institute of geological sciences named after K.I. Satpayev (Almaty, Kazakhstan) **H=2**

SNOW Daniel, Ph.D, associate professor, director of the laboratory of water sciences, Nebraska University (Nebraska, USA) **H = 32**

ZELTMAN Reyman, Ph.D, head of research department in petrology and mineral deposits in the Earth sciences section of the museum of natural history (London, England) **H = 37**

PANFILOV Mikhail Borisovich, doctor of technical sciences, professor at the Nancy University (Nancy, France) **H=15**

SHEN Ping, Ph.D, deputy director of the Committee for Mining geology of the China geological Society, Fellow of the American association of economic geologists (Beijing, China) **H = 25**

FISCHER Axel, Ph.D, associate professor, Dresden University of technology (Dresden, Germany) **H=6**

KONTOROVICH Aleksey Emilievich, doctor of geological and mineralogical sciences, professor, academician of RAS, Trofimuk Institute of petroleum geology and geophysics SB RAS (Novosibirsk, Russia) **H = 19**

AGABEKOV Vladimir Enokovich, doctor of chemistry, academician of NAS of Belarus, honorary director of the Institute of chemistry of new materials (Minsk, Belarus) **H = 13**

KATALIN Stephan, Ph.D, associate professor, Technical university (Dresden, Berlin) **H = 20**

SEITMURATOVA Eleonora Yusupovna, doctor of geological and mineralogical sciences, professor, corresponding member of NAS RK, head of the laboratory of the Institute of geological sciences named after K.I. Satpayev (Almaty, Kazakhstan) **H=11**

SAGINTAYEV Zhanay, Ph.D, associate professor, Nazarbayev University (Nursultan, Kazakhstan) **H = 11**

FRATTINI Paolo, Ph.D, associate professor, university of Milano-Bicocca (Milan, Italy) **H = 28**

News of the National Academy of Sciences of the Republic of Kazakhstan. Series of geology and technology sciences.

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Owner: RPA «National Academy of Sciences of the Republic of Kazakhstan» (Almaty).

The certificate of registration of a periodical printed publication in the Committee of information of the Ministry of Information and Social Development of the Republic of Kazakhstan **No. KZ39VPY00025420**, issued 29.07.2020.

Thematic scope: *geology, chemical technologies for oil and gas processing, petrochemistry, technologies for extracting metals and their connections.*

Periodicity: 6 times a year.

Circulation: 300 copies.

Editorial address: 28, Shevchenko str., of. 219, Almaty, 050010, tel. 272-13-19

<http://www.geolog-technical.kz/index.php/en/>

© National Academy of Sciences of the Republic of Kazakhstan, 2024

NEWS of the National Academy of Sciences of the Republic of Kazakhstan

SERIES OF GEOLOGY AND TECHNICAL SCIENCES

ISSN 2224–5278

Volume 4. Number 466 (2024), 131–142

<https://doi.org/10.32014/2024.2518-170X.430>

UDC 5.504.61

© **Z.M. Kerimbekova¹, A.A. Tashimova¹, G.I. Issayev², E.K. Ibragimova²,
M.Zh. Makhambetov³, 2024**

¹M. Auezov South Kazakhstan University, Shymkent, Kazakhstan;

²K.A. Yassawi International Kazakh-Turkish University, Turkestan, Kazakhstan;

³K. Zhubanov Aktobe Regional University, Aktobe, Kazakhstan.

E-mail: aliyamaulen@mail.ru

CALCULATION OF ENVIRONMENTAL AND ECONOMIC DAMAGE CAUSED BY CURRENT SYSTEMS OF SOLID WASTE MOVEMENT IN OIL PRODUCTION

Kerimbekova Zaurekul — Candidate of technical sciences, Associate professor at M.Auezov South Kazakhstan University, Shymkent, Kazakhstan

E-mail: zaure.kerimbekova@mail.ru, <https://orcid.org/0000-0001-8431-563X>;

Tashimova Aliya — PhD doctor student, M.Auezov South Kazakhstan University, Shymkent, Kazakhstan

E-mail: aliyamaulen@mail.ru, <https://orcid.org/0000-0003-1703-3792>;

Issayev Gani — Candidate of technical sciences, Associate Professor, K. Yassawi International Kazakh-Turkish University, Turkestan, Republic of Kazakhstan

E-mail: gani.isayev@ayu.edu.kz, <https://orcid.org/0000-0001-5120-8387>;

Ibragimova Elmira — Candidate of technical sciences, Associate Professor Khoja Akhmet Yassawi International Kazakh-Turkish University, Turkistan, Kazakhstan

E-mail: elmira.ibragimova@ayu.edu.kz, <https://orcid.org/0000-0001-8944-5433>;

Makhambetov Murat — PhD, Associate Professor, K. Zhubanov Aktobe Regional University, Aktobe, Republic of Kazakhstan

E-mail: murat.makhambetov@zhubanov.edu.kz, <https://orcid.org/0000-0002-8356-296X>.

Abstract. In our country, oil and gas production among industrial sectors is considered to be at high risk from an environmental point of view. An increase in the amount of petroleum products leads to a decrease in the quality indicator of nature and a deterioration in the health of local people. The main types of environmental pollution in the field area and the reasons for their occurrence are identified. Hydrocarbons and impurities released into the atmosphere by the wind in the drilling of oil wells, in the production process and during accidents can pollute the environment and land, dangerous to humans, plants, as well as animals. The analysis of the currently existing methods for calculating harmfulness was carried out. The need to improve the waste management system, which includes organizational measures to control the formation of waste, control over their collection and storage, disposal and neutralization, is indicated. The impact of waste generated in the process of work on the environment will be minimized only if the principles of collection, storage, export, disposal and disposal of all types of waste are observed. The main factors for determining the amount of damage are the area, depth of contamination and concentration of petroleum products, which are determined on the basis of laboratory analyzes carried out on the basis of land survey materials and current regulatory and methodological documents. Reports on

the determination of environmental damage in case of emergency spills of oil and petroleum products, solid waste in production are given.

Keywords: oil and gas production, accidental spills, environmental damage, oil-contaminated soil, solid waste

© **З.М. Керимбекова¹, А.А. Ташимова¹, Ғ.И. Исаев², Э.Қ. Ибрагимова², М.Ж. Махамбетов³, 2024**

¹М. Әуезов атындағы Оңтүстік Қазақстан университеті, Шымкент, Қазақстан;

²Қ.А. Яссауи атындағы Халықаралық қазақ-түрік университеті, Түркістан, Қазақстан;

³Қ. Жұбанов атындағы Ақтөбе өңірлік университеті, Ақтөбе, Қазақстан.

E-mail: aliyamaulen@mail.ru

МҰНАЙ ӨНДІРУДЕГІ ҚАТТЫ ҚАЛДЫҚТАР ҚОЗҒАЛЫСЫНЫҢ ҚОЛДАНЫСТАҒЫ ЖҮЙЕЛЕРІНЕН БОЛАТЫН ЭКОЛОГО- ЭКОНОМИКАЛЫҚ ЗАЛАЛДЫ ЕСЕПТЕУ

Керимбекова Заурекуль — техника ғылымдарының кандидаты, қауымдастырылған профессор, М. Әуезов атындағы Оңтүстік Қазақстан университеті, Шымкент, Қазақстан

E-mail: zaure.kerimbekova@mail.ru, <https://orcid.org/0000-0001-8431-563X>;

Ташимова Алия — PhD докторанты, М.Әуезов атындағы Оңтүстік Қазақстан университеті, Шымкент, Қазақстан

E-mail: aliyamaulen@mail.ru, <https://orcid.org/0000-0003-1703-3792>;

Исаев Ғани — техника ғылымдарының кандидаты, Қауымдастырылған профессор, Қ.А.Яссауи атындағы Халықаралық қазақ-түрік университеті, Түркістан, Қазақстан

E-mail: gani.isayev@ayu.edu.kz, <https://orcid.org/0000-0001-5120-8387>;

Ибрагимова Эльмира — техника ғылымдарының кандидаты, доцент м.а., Қожа Ахмет Ясауи атындағы Халықаралық қазақ-түрік университеті, Түркістан, Қазақстан

E-mail: elmira.ibragimova@ayu.edu.kz, <https://orcid.org/0000-0001-8944-5433>;

Махамбетов Мурат — PhD, қауымдастырылған профессор, Қ.Жұбанов атындағы Ақтөбе өңірлік университеті, Ақтөбе, Қазақстан

E-mail: murat.makhambetov@zhubanov.edu.kz, <https://orcid.org/0000-0002-8356-296X>.

Аннотация. Өнеркәсіп салаларының арасында мұнай мен газ өндіру экологиялық тұрғыдан қауіпі жоғары екені белгілі. Мұнай өнімдері мөлшерінің артуы қоршаған ортаның сапалық көрсеткішінің төмендеуіне және жергілікті адамдардың денсаулығының нашарлауына әкеп соқтырады. Кен орны аймағында қоршаған ортаның ластануының негізгі себептері қарастырылды, келтірілетін зияндылықты есептеу әдістемелеріне талдау жүргізілді. Қалдықтардың пайда болуын бақылау, оларды жинақтау мен сақтауды, кәдеге жаратуды және залалсыздандыруды бақылауды қамтамасыз ететін қалдықтардың басқару жүйесін жетілдіру қажеттілігі көрсетілген. Зақымдану дәрежесін анықтаудың негізгі факторлары ауданы, ластану тереңдігі және зертханалық зерттеулер негізінде анықталатын мұнай өнімдерінің концентрациясы негізінде жүзеге асырылады. Мұнайдың және мұнай өнімдерінің апаттық жағдайда төгілуінің, өндіру кезінде пайда болатын техногендік қатты қалдықтардың экологиялық зиянын анықтау есептеулері келтірілген.

Түйін сөздер: мұнай-газ өндіру, авариялық төгілулер, экологиялық залал, мұнаймен ластанған топырақ, қатты қалдықтар

© З.М. Керимбекова¹, А.А. Ташимова¹, Г.И. Исаев², Э.К. Ибрагимова²,
М.Ж. Махамбетов³, 2024

¹Южно-Казахстанский университет им. М. Ауэзова, Шымкент, Казахстан;

²Международный Казахско-Турецкий университет имени Х.А. Ясави, Туркестан,
Казахстан;

³Актюбинский региональный университет имени К. Жубанова, Актобе, Казахстан.
E-mail: aliyamaulen@mail.ru

РАСЧЕТ ЭКОЛОГО-ЭКОНОМИЧЕСКОГО УЩЕРБА ОТ СУЩЕСТВУЮЩИХ СИСТЕМ ДВИЖЕНИЯ ТВЕРДЫХ ОТХОДОВ ПРИ ДОБЫЧЕ НЕФТИ

Керимбекова Заурекуль — кандидат технических наук, ассоциированный профессор, Южно-Казахстанский университет имени М. Ауэзова, Шымкент, Казахстан

E-mail: zaure.kerimbekova@mail.ru, <https://orcid.org/0000-0001-8431-563X>;

Ташимова Алия — докторант PhD, Южно-Казахстанский университет имени М. Ауэзова, Шымкент, Казахстан

E-mail: aliyamaulen@mail.ru, <https://orcid.org/0000-0003-1703-3792>;

Исаев Гани — кандидат технических наук, доцент, Международный казахско-турецкий университет имени Х.А. Ясави, Туркестан, Казахстан

E-mail: gani.isaev@ayu.edu.kz, <https://orcid.org/0000-0001-5120-8387>;

Ибрагимова Эльмира — кандидат технических наук, и.о. доцента, Международный казахско-турецкий университет имени Х.А. Ясави, Туркестан, Казахстан

E-mail: elmira.ibragimova@ayu.edu.kz, <https://orcid.org/0000-0001-8944-5433>;

Махамбетов Мурат — PhD, ассоциированный профессор, Актюбинский региональный университет имени К. Жубанова, Актобе, Казахстан

E-mail: murat.makhambetov@zhubanov.edu.kz, <https://orcid.org/0000-0002-8356-296X>.

Аннотация. В нашей стране добыча нефти и газа среди промышленных секторов считается подверженной высокому риску с экологической точки зрения. Увеличение количества нефтепродуктов приводит к снижению показателя качества природы и ухудшению здоровья местных жителей. Выявлены основные виды загрязнения окружающей среды в районе месторождения и причины их возникновения. Углеводороды и примеси, выбрасываемые в атмосферу ветром при бурении нефтяных скважин, в процессе добычи и во время аварий, могут загрязнять окружающую среду и землю, опасны для людей, растений, а также животных. Был проведен анализ существующих в настоящее время методов расчета вредоносности. Указывается на необходимость совершенствования системы управления отходами, которая включает организационные меры по контролю за образованием отходов, контроль за их сбором и хранением, утилизацией и обезвреживанием. Воздействие отходов, образующихся в процессе работы, на окружающую среду будет сведено к минимуму только при соблюдении принципов сбора, хранения, экспорта, утилизации и обезвреживания всех видов отходов. Основными факторами для определения размера ущерба являются площадь, глубина загрязнения и концентрация нефтепродуктов, которые определяются на основании лабораторных анализов, проведенных на основании материалов землеустройства и действующих нормативно-методических документов. Приведены расчеты по выявлению экологического ущерба твердых отходов при аварийных разливах нефти и нефтепродуктов, добыче.

Ключевые слова: нефтегазодобыча, аварийные разливы, экологический

ущерб, нефтезагрязненная почва, твердые отходы

Introduction

Oil and gas production is considered one of the most environmentally dangerous industries. It is dispersed into the atmosphere during the drilling of wells with oil products, the production process and during an accident, and hydrocarbons and various substances pollute the environment, land, and become dangerous to the population, plants, and animals. Environmental safety is a very important condition for the development of society. Environmental safety is the basis for the preservation of natural systems and the stability of the quality of the environment. However, many nature users do not pay much attention to environmental issues. Therefore, an increase in the amount of oil products leads to a decrease in the quality of nature and the deterioration of the health of local people. At the present time, the methods of calculating harmfulness to the environment have a number of shortcomings, so when calculating the amount of ecological damage caused by oil spilled on the surface of the air, land, and water resources, there are disputes between enterprises on the basis of court. The amount of pollution with chemical substances is determined based on the calculation of the rules of payment of oil products, soil pollution with groundwater. These rules provide for the types of compensation for placing oil objects without permission. But it can be seen that many factors are left out of this rule.

Research materials and methods

It can be said that the existing methodology for determining the impact on the environment has some shortcomings, as a result of which legal disputes arise between controlling and production organizations when compensating for damage caused by pollution of the atmosphere, land and water resources from accidental spills of oil and petroleum products. When determining the amount of damage caused by chemical pollution, it establishes rules for calculating compensation for damage caused by soil and groundwater pollution, including from the placement of unauthorized oil reservoirs. In this regard, it is necessary to develop a methodology that provides an objective concept for calculating the amount of harm caused by pollution of the atmosphere, land and water resources during the use of harmful substances in the processes of production, transportation and processing of oil and oil products. The methodology for calculating economic damage from pollution of the natural environment (atmosphere, soil, water) should take into account a complex of values and determine the amount of damage caused to certain types of recipients within the pollution zone. At the same time, the damage caused by environmental pollution should be understood as the loss of labor costs, material and financial resources due to the elimination of the consequences of pollution in the economic sector, as well as the deterioration of social and hygienic conditions. The amount of damage caused by the pollution of the land with oil products, including the installation of unauthorized reservoirs, is collected from enterprises, institutions, organizations and other legal entities, including joint ventures with the participation of foreign legal entities and citizens, regardless of their organizational and legal forms and forms of ownership. For the pollution of the land with oil products, aquifers, including the placement of unsanctioned reservoirs, fines for compensation of environmental damage are made and proposed to guilty organizations, environmental enterprises, nature protection organizations by authorized bodies and responsible officials. Organizations guilty of polluting the natural environment are also obliged to take necessary measures to eliminate the consequences of pollution.

To determine the extent of damage, the area, depth and concentration of petroleum

products are determined based on laboratory analyzes carried out according to land management data and current regulatory and methodological documents. Each stage of the flow of oil waste is accompanied by the release of pollutants into the environment. The qualitative and quantitative composition of emissions differs in stages and is associated with the technological methods used in working with oil waste. To analyze the existing scheme for working with solid oil waste, it is necessary to assess the level of damage caused by pollutants to natural components in the process of working with oil waste. The assessment of environmental and economic damage was carried out according to (Rozhkova et al., 2021: 151–158; Bektenov et al., 2016: 95–101; Kireev et al., 1998: 132–138; Kuanbayeva et al., 2024: 1640–1647). Total environmental damage to the natural environment (D) means an assessment in monetary terms of negative consequences caused by anthropogenic impact of oil waste. Defined as the sum of damage caused by pollution of waste disposal with all its components: soil and land resources (D_s), soil with chemicals (D_{ch}), atmospheric air (D_a), water resources. D_w).

$$D = D_s + D_{ch} + D_a + D_w \quad (1)$$

Hazard class 1 stabilization of the ecological system based on oil waste recycling the magnitude of the environmental damage caused in advance to the natural environment as a result of waste disposal is determined by the following formula:

$$D_s = D_{sl} \cdot \sum_i V_i \cdot \rho K_{li} \quad \text{tenge} \quad (2)$$

here: V_i - the amount of placement of waste of hazard class i of the object, t; K_{li} - coefficient taking into account the hazard class of the chemical substance of waste i ($K_{li} = 2$ for oil waste of hazard class 3); D_{sl} - index of damage to the natural environment of region i as a result of disposal of 1 ton of dangerous IV class waste, tenge/t (For Kyzylorda region $D_{sl} = 692$ tenge/t). The amount of damage caused to the earth by chemical contamination (D_{ch}), tenge, is determined by the following formula:

$$D_{ch} = D_{chs} \cdot \sum_j S_j \cdot K_{li} \cdot K_{sj} \quad (3)$$

here: D_{chs} - environmental damage caused by contamination of the earth with a hazardous chemical substance during the reporting period (for Kyzylorda region $D_{chs} = 122,0$ thousands tenge/ha); S_j - land area of j type contaminated with chemical substance i hazard class during the reporting period, ha; K_{li} - soil pollutant i is a coefficient that takes into account the hazard class of the chemical substance (for oil sludges of hazard class 3 is $K_{li} = 2$); K_{sj} - coefficient of natural and economic value of j -type soil and lands (for industrially undeveloped lands $K_{sj} = 1,3$).

The amount of damage caused by emissions of harmful substances into the atmosphere (D_a), tenge, is determined by the following formula:

$$D_a = D_{as} \cdot \sum_i M_{ia} \cdot K_{cia} \cdot K_{ac} \quad (4)$$

here: D_{as} - regional indicator of specific damage to the atmospheric air caused by the emissions of the unit mass of pollutants at the end of the reporting time period, tenge/t (for the Kyzylorda economic district $D_{as} = 34,4$); M_{ia} - actual mass of a pollutant or a group of substances with the same coefficient of relative environmental and economic danger during the reporting period, t; K_{cia} - and the relative environmental and economic hazard coefficient of the pollutant (for hydrocarbons $K_{cia} = 0,7$); K_{ac2} - regional coefficient of ecological importance of the territory's ecological climate and atmospheric air condition (for the Kyzylorda economic district $K_{ac2} = 1,7$). According to the methodological instructions for calculating the total emissions of harmful substances into the atmosphere for oil refining and petrochemical enterprises (Tanzharikov et al., 2021: 99–108), the amount of emissions of harmful substances from ponds and sludge accumulators can be calculated according to the equation.

The amount of environmental damage caused by pollution of water resources (Z_{su}), tenge, is determined by the following formula:

$$D_w = \sum_j (D_{ws} \cdot \sum_i M_{iw} \cdot K_{ciw}) \cdot K_{wc} \quad (5)$$

here: D_{ws} - indicator of the relative damage to water resources caused by the unit of mass of pollutants at the end of the reporting period for water object j in the region under review, tenge/contract, t (for Kyzylorda region $D_{ws} = 25264$ tenge/t); M_{iw} - the actual mass of a state pollutant or a group of substances with the same coefficient of environmental and economic danger during the reporting period, t; K_{ciw} - relative environmental and economic hazard coefficients for a pollutant or a group of substances (for sulfate and chloride $K_{ciw} = 0,05$, for oil products $K_{ciw} = 20$); K_{wc} - coefficient of the ecological condition and ecological importance of water bodies in the main river basins (for the Syrdaria River is $K_{wc} = 1,09-1,16$). As an example for the calculation, the indicators of the accident that occurred in the main oil pipeline Kumkol and Zhosaly were used (Figure 1–2). In 2004, it became known that a large amount of oil was spilled on the ground due to an accident in the trunk pipeline, which occurred on the 29–30 km of the highway, polluting a number of land areas and causing some damage to the ecological condition of nature. Therefore, the amount of damage caused by the accident to nature was calculated. The territories damaged by oil products are divided into sections, and the depth of seepage into the ground in each section is given below: section 1–80 cm, section 2–80 cm, section 3–80 cm, section 4–80 cm, section 5–150 cm.



Figure 1 - View of the oil spill area



Figure 2 - An oil-contaminated area of a main oil pipeline

During the research, it was found that the area of the land damaged by oil products, penetrated to a depth of 80 cm, is 13490 m², and the area of the land damaged to a depth of 150 cm is equal to 260 m². These areas were divided into several sections, and samples were taken from those areas to determine the amount of oil products that entered the soil and

make an examination. The results of the conducted research and the amount of oil products that entered the soil are given in Table 1.

Table 1 - Results of conducted studies

№	Location of sampling	Sampled depth, m	Possible reference factor, mg/kg	Amount of oil in the soil, mg/kg
1	Part 1. Upper floor	0-0,2	1000	65500
2	Part 1. Middle layer	0,5	1000	25000
3	Part 1. Lower floor	0,8	1000	10000
4	Part 2. Upper floor	0-0,2	1000	59020
5	Part 2. Middle layer	0,5	1000	56020
6	Part 3. Upper floor	0-0,5	1000	51700
7	Part 3. Middle layer	0,5	1000	22800
8	Part 3. Lower floor	0,8	1000	9000
9	Section 4. Upper floor	0-0,2	1000	60000
10	Section 4. Middle layer	0,5	1000	51700
11	Section 4. Lower floor	0,8	1000	22800
12	Section 5. Middle layer	0,5	1000	25020

As we can see from the table, it can be seen that the considered areas are highly polluted by oil products. It can be seen that it is 9-65,5 times more than the standard coefficient. Table 2 lists the values necessary for calculating the environmental damage measure (Tanzharikov et al., 2020: 332; Gilazhov, 2013: 338; Tanzharikov et al., 2018: 4360–4364; Abilbek et al., 2019: 4270–4276; Tusupkaliev et al., 2021: 251–258; Guidance document GD-17-89, 1990: 25).

Table 2 - Necessary values for calculating the environmental damage measure

Values name	Value	Source of values
1	2	3
D_{sl} – payment standard for placement of 1 t of harmful waste on the ground	298,53	№232, 06.12.2005 Decision of regional council
K_{li} - soil pollutant i is a coefficient that takes into account the hazard class of a chemical substance	2	Methodology for calculating the harm caused by pollution of oil products to air, land and water sources
K_{lj} - j -type soil and coefficient of natural and economic importance of lands ($K_{lj} = 1.3$ for undeveloped industrial lands)	1,3	Provisional methodology for calculating damage to air, land and water resources polluted by oil products
K_{dia} - the relative environmental and economic hazard coefficient i of the pollutant (for hydrocarbons $K_{dia} = 0,7$)	0,7	Provisional methodology for calculating damage to air, land and water resources polluted by oil products
K_{lia} – soil damage factor		
K_{ae2} - regional coefficient of ecological importance of the territory's ecological climate and atmospheric air condition (for the Kyzylorda economic district $K_{ae2} = 1,7$)	1,7	Provisional methodology for calculating damage to air, land and water resources polluted by oil products

K_{ac} – indicators showing the atmospheric conditions in the studied area		Provisional methodology for calculating damage to air, land and water resources polluted by oil products
ρ – density of oiled soil	1,37	
h_1, h_2, h_3 – depth of oil penetration into the soil	130 cm 130 cm 130 cm	14.05.2004 №104 act - according to instructions
S_1, S_2, S_3 – the area of contaminated land with oil products	5460 m ² 5600 m ² 11340 m ²	14.05.2004 №104 act - according to instructions
MM is the amount of oil in oiled soil	672,9 t	Determined by calculating the value obtained by measuring contaminated soil (chemical examination results)

We determine the amount of damage caused to the territory contaminated by oil products as follows:

$$D = D_s + D_{ch} + D_a + D_w$$

Here:

D_s – damage caused to the location of oil waste.

D_{ch} – damage of chemicals to earth resources.

D_a – harm of chemicals to atmospheric air.

D_w – amount of damage caused by chemicals to water sources.

$$D_s = D_{s1} \cdot \Sigma i V_i \cdot \rho K_{i1} \text{ tenge}$$

Here: D_{s1} – the amount of damage caused to the location of 1 t of oil residue, tenge.
 $D_{s1} = 298,53 \text{ tenge/t. (№232, 06.12.2005 Approved by the council of Kyzylorda region).}$

V_i – amount of oil spread on the ground, t.

$$V_i = (S_1 \cdot h_1 + S_2 \cdot h_2 + S_3 \cdot h_3)$$

S_1, S_2, S_3 – the area of contaminated land with oil products.

h_1, h_2, h_3 – depth of oil penetration into the soil.

ρ – density of oiled soil.

K_{i12} – coefficient of calculation of danger due to ecology of the land contaminated with oil product residues.

$$D_s = 298,53 \text{ t/tenge} \cdot 39894,4 \text{ t} \cdot 1,37 \cdot 2 = 23819350,464 \text{ tenge}$$

$$V_i = (1,3 \text{ m} \cdot 5460 \text{ m}^2 + 1,3 \text{ m} \cdot 5600 \text{ m}^2 + 1,3 \text{ m} \cdot 11340 \text{ m}^2) = (7098+7280+14742) = 39894,4 \text{ tenge}$$

$$D_{ch} = D_{ch1} \cdot \Sigma j S_j \cdot K_{i1} \cdot K_{sj}$$

D_{ch1} – amount of damage caused to earth resources by chemicals, tenge.

According to (Rozhkova et al., 2021: 151–158), is 110 000 tenge/ha.

$$D_{ch1} = 110000 \cdot 2,24 \text{ ha} = 246400 \text{ tenge/ha.}$$

$$D_{ch1} = 246400 \text{ tenge/ha.}$$

S_j – areas of lands damaged by oil waste, ha.

$$S_j = S_1 + S_2 + S_3$$

$$S_j = 5460 \text{ m}^2 + 5600 \text{ m}^2 + 11340 \text{ m}^2 = 22400 \text{ m}^2 = 2,24 \text{ ha}$$

$$S_j = 2,24 \text{ ha.}$$

$$K_{li} = 2.$$

K_{lj} – coefficient of need for economy and nature.

$$K_{lj} = 1,3.$$

$$D_s = 246400 \text{ tenge/ha} \cdot 2,24 \text{ ha} \cdot 2 \cdot 1,3 = 1435033,6 \text{ tenge.}$$

$$D_a = D_{as} \cdot \Sigma i M_{ia} \cdot K_{cia} \cdot K_{ac}$$

D_a – harmful effects of chemicals on the atmosphere.

$$D_{as} = 385 \text{ tenge/t (Rozhkova et al., 2021: 151–158)}$$

$$D_a = 385 \cdot 39894,4 \cdot 0,7 \cdot 1,7 = 18277619,36 \text{ tenge}$$

M_{ia} – amount of oil residue in the studied area, etc.

$$M_{ia} = 39894,4 \text{ tenge.}$$

K_{cia} – coefficient indicating damage to the ground.

$$K_{cia} = 0,7.$$

K_{ac} – coefficient of environmental indicator of the atmosphere in the studied area.

$$K_{ac} = 1,7.$$

$$D_w = \Sigma j \cdot (D_{ws} \cdot \Sigma i M_{iw} \cdot K_{ciw}) \cdot K_{we}$$

Here: D_{ws} – amount of damage caused to water resources by chemicals, tenge.

$$D_{ws} = 8264 \text{ tenge/t (Rozhkova et al., 2021: 151–158)}$$

M_{iw} – mass of oil residue in the studied area, t. K_{ciw} – coefficient indicating damage to water resources (sulfate and chloride $K_{ciw} = 0,05$, for oil products $K_{ciw} = 20$); K_{we} – coefficient considering the environmental condition of objects near water resources in the studied area ($K_{we} = 1,09 - 1,16$). In the example under consideration, there is no water source near the accident $D_{ws} = 0$.

There fore:

$$D = 23819350,464 \text{ tg} + 1435033,6 \text{ tg} + 18277619,36 \text{ tg} = 43532003,424 \text{ tg.}$$

Results and discussion. Due to the dangerous environmental impact, harm to the environment and any living object, as well as to human health, is determined by the deterioration of parameters characterizing the state of environmental components, as well as the vital activity of the human body. In general, there may not be a deterioration, or it may occur during a harmful effect, or at any time after its end.

Monetary assessment of environmental damage includes an assessment of environmental damage losses in this regard, as well as costs and losses associated with the fact of the environmental harmful effects, that is, related to the fact of violations of environmental safety conditions. These last costs and losses are associated with additional control measures, monitoring with the need to take preventive measures to reduce the negative impact in the future.

Conclusions. An improved calculation of the amount of environmental damage for damage caused by oil and oil products spills and land resources as a result of the accident was proposed. The calculation method includes a correction factor, which reflects the volume of spilled oil based on the results of sample samples and chemical analyzes that determine the presence of oil in the composition.

According to the advanced method, an additional indicator was introduced into the formula for calculating the amount of environmental damage, which calculates the oil content in fuel oil. Taking into account the amount of spilled oil, the area of damaged areas, and the depth of oil absorption into the soil, it is possible to establish the amount of environmental damage caused to land resources.

As the analyzes show, for an objective comprehensive assessment of the environmental impact, it is necessary to classify the magnitude of the impact on each of its components separately, using three main indicators. Only in compliance with the requirements of technical and environmental safety standards, there will be no significant changes in the components of the environment during various activities.

REFERENCES

- Abilbek Zh., Tanzharikov P.A., Tashimova A.A., Ermukhanova N.B., Kerimbekova Z.M. (2019). Planning and mathematical processing of test results for obtaining organomineral and polymerorganic water proofing material./ *ARPN Journal of Engineering and Applied Sciences*, 2019. — 14(24). — Pp. 4270–4276.
- Bektenov N.A., Ergozhin E.E., Isakov O.A., Sadykov K.A., Baidullaeva A.K. (2016). Technology of advanced materials concrete based on oil and construction waste./ *News of the National Academy of Sciences of the Republic of Kazakhstan, Series of Geology and Technical Sciences*. — 6 (420), 2016. — Pp.95–101.
- Kireev M.A., Nadirov N.K. (1998). Environmental problems of Kazakhstan's oil industry and ways to solve them./ *Oil and gas of Kazakhstan*. — 1998. — №4. — Pp.132–138.
- Kazakhstan until 2030/ *Environmental Report*. Astana, 2018. — Pp. 52–53. https://unece.org/fileadmin/DAM/env/Projects_in_Central_Asia/Environmental_Report_SEA_Pilot_in_Kazakhstan_2018_RUS.pdf
- Kuanbayeva Bayan, Imashev Gizatulla, Mailybayeva Aiman, Mukhanbetzhanova Akmaral, Koshchanova Gulash (2024). The effectiveness of using interactive computer models when teaching physics in modern school. *Scientific Herald of Uzhhorod University. Series Physics*. — V. 55. — Pp. 1640–1647. — ISSN 24158038. <https://doi.org/10.54919/physics/55.2024.164vu0>
- Gilazhov E.G. (2013). New methods of processing and neutralization of waste from oil and gas and petrochemical industries. *Monograph*. Atyrau Institute of Oil and Gas, 2013, — 338 p.
- Guidance document GD-17-89. *Methodological guidelines for the calculation of gross emissions of harmful substances into the atmosphere for petrochemical enterprises*. — M.: Hydrometeoizdat. — 1990. — 25 p.
- On the approval of certain methodological documents in the field of environmental protection. Order of the Minister of Environment and Water Resources of the Republic of Kazakhstan dated June 12, 2014. — №221-O. Application №2. *Methodology for calculating gross emissions of harmful substances into the atmosphere for oil refining and petrochemical enterprises*. <https://adilet.zan.kz/rus/docs/V14M0009585#z60>
- Rozhkova O.V., Yermekov M.T., Tolysbayev Ye.T., Maryinsky S.G., Vetyugov A.V. (2021). Problems of storage, refinery and disposing of drilling waste of the exploration and production sector of Kazakhstan. Arrangement and operation features of sludge collectors and oil storage pits./ *News of the National Academy of Sciences of the Republic of Kazakhstan, Series of Geology and Technical Sciences*, — 2. 2021. — Pp.151–158. — ISSN 2224–5278. <https://doi.org/10.32014/2021.2518-170X.47>

Republican regulatory document. Protection of atmospheric air. RRD 211.2.02.09-2004. Methodological guidelines for determining emissions of pollutants into the atmosphere from reservoirs. https://online.zakon.kz/Document/?doc_id=30379214&doc_id2=30379214#activate_doc=2&pos=1;-8.5&pos2=48;-98.5

Redina M.M. (2016). Environmental safety in the oil and gas complex: monograph./ M.M. Redina, A.P.Haustov. — M.: RPFU, 2016. — 196 p.

Tanzharikov P.A., Yermukhanova N.B., Kerimbekova Z.M. (2021). Environmental impact of solid oil waste accumulation./ Oil and gas, №4 (124). — Almaty — 2021. — Pp. 99–108. DOI: 10.37878/2708-0080/2021-4.08

Tanzharikov P.A., Abilbek Zh., Sarabekova U.Zh. (2020). Technologies for the efficient use of industrial waste. «Jienya», Monograph. Kyzylorda, 2020. — 332 p.

Tanzharikov P., Erken A., Abilbek Zh., Sarabekova U., Ermukhanova N. (2018). The technology of preparation of the oil sludge pit with polymerorganic screen for oil waste./ ARPN Journal of Engineering and Applied Sciences, 2018. — 13(14). — Pp. 4360–4364.

Tusupkaliev E.A., Kainarbayeva Zh.N., Kydyrbay A.A. (2021). Physico-chemical studies of oil waste on disturbed lands during oil production and processing at the fields of the JSC «Ozenmunaigas»/ International Scientific and Practical Conference «Trends, prospects and innovative approaches to the development of chemical science, production and education in the context of globalization». — Almaty, 2021. — Pp.251–258.

Strategic environmental assessment (SEA). Concepts for the development of the fuel and energy complex of the Republic of Ways of effective use of man-made waste in Kyzylorda region./ Kunbazarov A.K., Tanzharikov P.A., Burhanov B.Zh., Zhumagulov T.Zh. — Kyzylorda: «Tumar», — 2009. — 288 p.

CONTENT

A.E. Abetov, A.A. Auyesbek GEOLOGICAL-GEOPHYSICAL CRITERIA OF THE JEZKAZGAN ORE DISTRICT IN CENTRAL KAZAKHSTAN.....	6
K. Akishev, K. Aryngazin, A. Tleulessov, L. Bulyga, V. Stanevich THE USE OF SIMULATION MODELING IN CALCULATING THE PRODUCTIVITY OF THE TECHNOLOGICAL SYSTEM FOR THE PRODUCTION OF BUILDING PRODUCTS WITH FILLERS FROM MAN-MADE WASTE.....	22
V.V. Gerasidi, R.G. Dubrovin, V.V. Kukartsev, T.A. Panfilova, G.V. Stas BOOST SYSTEM DIAGNOSTIC PARAMETERS OF COHERENT GAS PISTON INSTALLATIONS OF MINING ENTERPRISES.....	33
E.M. Elekeev, B.P. Stepanov TO THE ISSUE OF EFFICIENCY OF APPLICATION OF THE SAFETY CONTROL PROGRAM AT NUCLEAR FACILITIES.....	48
A.I. Epikhin, A.A. Stupina, I.A. Panfilov, V.V. Bukhtoyarov, N.A. Shepeta DETERMINANTS FOR ASSESSING THE ENERGY EFFICIENCY OF A COAL MINING ENTERPRISE.....	61
E.A. Efremenkov, E.S. Chavrov, E.P. Khaleyeva, V.V. Tynchenko EVALUATION OF TECHNIQUES FOR DETERMINING THE LOADING OF A CYCLOIDAL SATELLITE ROLLING BEARING.....	72
Zh.A. Zhanabayeva, K.T. Narbayeva, G.K. Ismailova, M.S. Ospanova, J. Rodrigo-Illarri ASSESSMENT OF THE RESERVOIRS IMPACT ON THE MAXIMUM RUNOFF OF THE SYRDARYA RIVER.....	85
M.K. Jexenov, Zh.K. Tukhfatov, E.K. Bektay, R.Sh. Abdinov, G.S. Turysbekova STRUCTURAL-TECHTONIC AND MINERALOGICAL STRUCTURE OF INDER LIFTING FIELD, MINING AND CHEMICAL RAW MATERIALS IN ATYRAU REGION.....	96
G.M. Iskaliyeva^{1,2*}, N.K. Sydyk¹, A.K. Kalybayeva^{1,3}, M.S. Sagat¹, A. Samat USE OF WATER INDICES FOR WATERBODIES IN THE ESIL WATER MANAGEMENT BASIN.....	117
Z.M. Kerimbekova, A.A. Tashimova, G.I. Issayev, E.K. Ibragimova, M.Zh. Makhambetov CALCULATION OF ENVIRONMENTAL AND ECONOMIC DAMAGE CAUSED BY CURRENT SYSTEMS OF SOLID WASTE MOVEMENT IN OIL PRODUCTION..	131
M.Zh. Makhambetov, R. Izimova, G.I. Issayev, N.A. Akhmetov, E.K. Ibragimova ECOLOGICAL-GEOLOGICAL ASSESSMENT OF TECHNOGENICALLY DISTURBED TERRITORIES OF OIL FIELDS OF THE ATYRAU REGION.....	143

A.D. Mekhtiyev, V.V. Yugay, Y.G. Neshina, N.B. Kaliaskarov, P. Madi FIBER-OPTIC SYSTEM FOR CONTROLLING OPEN PIT SIDE ROCK DISPLACEMENT.....	157
A.S. Mussina, G.U. Baitasheva, B.S. Zakirov, Ye.P. Gorbulichева CONDITIONS FOR PREPARING THE SURFACE OF CONTACT PARTS FOR WETTIBILITY WITH MERCURY.....	168
A.N. Muta, R.B. Baimakhan, G.I. Salgarayeva, N. Kurmanbekkyzy, A. Tileikhan STUDY OF THE STRENGTH PROPERTIES OF SOILS COMPOSING THE GEOLOGICAL STRUCTURE OF THE KOK TOBE MOUNTAIN.....	185
B. Mukhambetov, B. Nasiyev, Zh. Kadasheva, R. Abdinov, R. Meranzova ADAPTABILITY OF KOCHIA PROSTRATA (L.) SCHRAD AND CAMPHOROSMA MONSPELIACA AGRICULTURAL ECOSYSTEMS ON SALINE LANDS OF THE NORTHERN CASPIAN DESERT.....	197
M. Nurpeisova, G. Dzhangulova, O. Kurmanbaev, Z. Sarsembekova, A. Ormanbekova, Y.Kh. Kakimzhanov CREATION OF GEODETIC REFERENCE NETWORK FOR MONITORING TRANSPORT INTERCHANGES IN SEISMIC AREAS.....	209
B.T. Ratov, V.L. Khomenko, A.E. Kuttybayev, K.S. Togizov, Z.G. Utepov INNOVATIVE DRILL BIT TO IMPROVE THE EFFICIENCY OF DRILLING OPERATIONS AT URANIUM DEPOSITS IN KAZAKHSTAN.....	224
A.A.Tashimova, G.I. Issayev, Z.M. Kerimbekova, E.K. Ibragimova, A.M. Bostanova ANALYSIS OF THE RESOURCE POTENTIAL OF SOLID OIL PRODUCTION WASTE.....	237
M.K. Tynykulov, O.D. Shoykin, S.O. Kosanov, M.B. Khusainov, Zh.G. Ibraybekov BIOREMEDIATION OF ZONAL SOILS IN AYIRTAY DISTRICT OF NORTH KAZAKHSTAN REGION.....	246
A.S. Urazaliyev, D.A. Shoganbekova, R. Shults, M.S. Kozhakhmetov, G.M. Iskaliyeva INVESTIGATION OF LSMSA APPROACH IN LOCAL GEOID MODELING.....	261

Publication Ethics and Publication Malpractice in the journals of the National Academy of Sciences of the Republic of Kazakhstan

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the work described has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the originality detection service Cross Check <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайте:

[www:nauka-nanrk.kz](http://www.nauka-nanrk.kz)

ISSN 2518-1483 (Online), ISSN 2224-5227 (Print)

<http://geolog-technical.kz/en/archive/>

Подписано в печать 15.08.2024.

Формат 60x88¹/₈. Бумага офсетная. Печать - ризограф.

15,0 п.л. Тираж 300. Заказ 4.