

ISSN 2518-170X (Online)

ISSN 2224-5278 (Print)



«ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ҒЫЛЫМ
АКАДЕМИЯСЫ» РҚБ

«ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫ» РҚБ

Х А Б А Р Л А Р Ы

ИЗВЕСТИЯ

РОО «НАЦИОНАЛЬНОЙ
АКАДЕМИИ НАУК
РЕСПУБЛИКИ КАЗАХСТАН»

N E W S

OF THE ACADEMY OF SCIENCES
OF THE REPUBLIC OF
KAZAKHSTAN

SERIES

OF GEOLOGY AND TECHNICAL SCIENCES

4 (465)

JULY – AUGUST 2024

THE JOURNAL WAS FOUNDED IN 1940

PUBLISHED 6 TIMES A YEAR

ALMATY, NAS RK

NAS RK is pleased to announce that News of NAS RK. Series of geology and technical sciences scientific journal has been accepted for indexing in the Emerging Sources Citation Index, a new edition of Web of Science. Content in this index is under consideration by Clarivate Analytics to be accepted in the Science Citation Index Expanded, the Social Sciences Citation Index, and the Arts & Humanities Citation Index. The quality and depth of content Web of Science offers to researchers, authors, publishers, and institutions sets it apart from other research databases. The inclusion of News of NAS RK. Series of geology and technical sciences in the Emerging Sources Citation Index demonstrates our dedication to providing the most relevant and influential content of geology and engineering sciences to our community.

Қазақстан Республикасы Ұлттық ғылым академиясы «ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы» ғылыми журналының Web of Science-тің жаңаланған нұсқасы Emerging Sources Citation Index-те индекстелуге қабылданғанын хабарлайды. Бұл индекстелу барысында Clarivate Analytics компаниясы журналды одан әрі the Science Citation Index Expanded, the Social Sciences Citation Index және the Arts & Humanities Citation Index-ке қабылдау мәселесін қарастыруда. Web of Science зерттеушілер, авторлар, баспашылар мен мекемелерге контент тереңдігі мен сапасын ұсынады. ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы Emerging Sources Citation Index-ке енуі біздің қоғамдастық үшін ең өзекті және беделді геология және техникалық ғылымдар бойынша контентке адалдығымызды білдіреді.

НАНПК сообщает, что научный журнал «Известия НАНПК. Серия геологии и технических наук» был принят для индексирования в Emerging Sources Citation Index, обновленной версии Web of Science. Содержание в этом индексировании находится в стадии рассмотрения компанией Clarivate Analytics для дальнейшего принятия журнала в the Science Citation Index Expanded, the Social Sciences Citation Index и the Arts & Humanities Citation Index. Web of Science предлагает качество и глубину контента для исследователей, авторов, издателей и учреждений. Включение Известия НАНПК. Серия геологии и технических наук в Emerging Sources Citation Index демонстрирует нашу приверженность к наиболее актуальному и влиятельному контенту по геологии и техническим наукам для нашего сообщества.

Бас редактор

ЖҰРЫНОВ Мұрат Жұрынұлы, химия ғылымдарының докторы, профессор, ҚР ҰҒА академигі, «Қазақстан Республикасы Ұлттық ғылым академиясы» РҚБ-нің президенті, АҚ «Д.В. Сокольский атындағы отын, катализ және электрохимия институтының» бас директоры (Алматы, Қазақстан) **Н = 4**

Ғылыми хатшы

АБСАДЫКОВ Бахыт Нарикбайұлы, техника ғылымдарының докторы, профессор, ҚР ҰҒА жауапты хатшысы, А.Б. Бектұров атындағы химия ғылымдары институты (Алматы, Қазақстан) **Н = 5**

Редакциялық алқа:

ӘБСАМЕТОВ Мәліс Құдысұлы (бас редактордың орынбасары), геология-минералогия ғылымдарының докторы, профессор, ҚР ҰҒА академигі, «У.М. Ахмедсафина атындағы гидрогеология және геоэкология институтының» директоры (Алматы, Қазақстан) **Н = 2**

ЖОЛТАЕВ Герой Жолтайұлы (бас редактордың орынбасары), геология-минералогия ғылымдарының докторы, профессор, Қ.И. Сатпаев атындағы геология ғылымдары институтының директоры (Алматы, Қазақстан) **Н = 2**

СНОУ Дэниел, Ph.D, қауымдастырылған профессор, Небраска университетінің Су ғылымдары зертханасының директоры (Небраска штаты, АҚШ) **Н = 32**

ЗЕЛЬТМАН Реймар, Ph.D, табиғи тарих мұражайының Жер туралы ғылымдар бөлімінде петрология және пайдалы қазбалар кен орындары саласындағы зерттеулердің жетекшісі (Лондон, Англия) **Н = 37**

ПАНФИЛОВ Михаил Борисович, техника ғылымдарының докторы, Нанси университетінің профессоры (Нанси, Франция) **Н = 15**

ШЕН Пин, Ph.D, Қытай геологиялық қоғамының тау геологиясы комитеті директорының орынбасары, Американдық экономикалық геологтар қауымдастығының мүшесі (Пекин, Қытай) **Н = 25**

ФИШЕР Аксель, Ph.D, Дрезден техникалық университетінің қауымдастырылған профессоры (Дрезден, Берлин) **Н = 6**

КОНТОРОВИЧ Алексей Эмильевич, геология-минералогия ғылымдарының докторы, профессор, РҒА академигі, А.А. Трофимука атындағы мұнай-газ геологиясы және геофизика институты (Новосибирск, Ресей) **Н = 19**

АГАБЕКОВ Владимир Енокович, химия ғылымдарының докторы, Беларусь ҰҒА академигі, Жаңа материалдар химиясы институтының құрметті директоры (Минск, Беларусь) **Н = 13**

КАТАЛИН Стефан, Ph.D, Дрезден техникалық университетінің қауымдастырылған профессоры (Дрезден, Берлин) **Н = 20**

СЕЙТМҰРАТОВА Элеонора Юсуповна, геология-минералогия ғылымдарының докторы, профессор, ҚР ҰҒА корреспондент-мүшесі, Қ.И. Сатпаев атындағы Геология ғылымдары институты зертханасының меңгерушісі (Алматы, Қазақстан) **Н = 11**

САҒЫНТАЕВ Жанай, Ph.D, қауымдастырылған профессор, Назарбаев университеті (Нұр-Сұлтан, Қазақстан) **Н = 11**

ФРАТТИНИ Паоло, Ph.D, Бикокк Милан университеті қауымдастырылған профессоры (Милан, Италия) **Н = 28**

«ҚР ҰҒА» РҚБ Хабарлары. Геология және техникалық ғылымдар сериясы».

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Меншіктеуші: «Қазақстан Республикасының Ұлттық ғылым академиясы» РҚБ (Алматы қ.).

Қазақстан Республикасының Ақпарат және қоғамдық даму министрлігінің Ақпарат комитетінде 29.07.2020 ж. берілген № **KZ39VPU00025420** мерзімдік басылым тіркеуіне қойылу туралы куәлік.

Тақырыптық бағыты: *геология, мұнай және газды өңдеудің химиялық технологиялары, мұнай химиясы, металдарды алу және олардың қосындыларының технологиясы.*

Мерзімділігі: жылына 6 рет.

Тиражы: 300 дана.

Редакцияның мекен-жайы: 050010, Алматы қ., Шевченко көш., 28, 219 бөл., тел.: 272-13-19

<http://www.geolog-technical.kz/index.php/en/>

© «Қазақстан Республикасының Ұлттық ғылым академиясы» РҚБ, 2024

Главный редактор

ЖУРИНОВ Мурат Журинович, доктор химических наук, профессор, академик НАН РК, президент РОО «Национальной академии наук Республики Казахстан», генеральный директор АО «Институт топлива, катализа и электрохимии им. Д.В. Сокольского» (Алматы, Казахстан) **Н = 4**

Ученый секретарь

АБСАДЫКОВ Бахыт Нарикбаевич, доктор технических наук, профессор, ответственный секретарь НАН РК, Институт химических наук им. А.Б. Бектурова (Алматы, Казахстан) **Н = 5**

Редакционная коллегия:

АБСАМЕТОВ Малис Кудысович, (заместитель главного редактора), доктор геологоминералогических наук, профессор, академик НАН РК, директор Института гидрогеологии и геоэкологии им. У.М. Ахмедсафина (Алматы, Казахстан) **Н = 2**

ЖОЛТАЕВ Герой Жолтаевич, (заместитель главного редактора), доктор геологоминералогических наук, профессор, директор Института геологических наук им. К.И. Сатпаева (Алматы, Казахстан) **Н=2**

СНОУ Дэниел, Ph.D, ассоциированный профессор, директор Лаборатории водных наук университета Небраски (штат Небраска, США) **Н = 32**

ЗЕЛЬТМАН Реймар, Ph.D, руководитель исследований в области петрологии и месторождений полезных ископаемых в Отделе наук о Земле Музея естественной истории (Лондон, Англия) **Н = 37**

ПАНФИЛОВ Михаил Борисович, доктор технических наук, профессор Университета Нанси (Нанси, Франция) **Н=15**

ШЕН Пин, Ph.D, заместитель директора Комитета по горной геологии Китайского геологического общества, член Американской ассоциации экономических геологов (Пекин, Китай) **Н = 25**

ФИШЕР Аксель, ассоциированный профессор, Ph.D, технический университет Дрезден (Дрезден, Берлин) **Н = 6**

КОНТОРОВИЧ Алексей Эмильевич, доктор геолого-минералогических наук, профессор, академик РАН, Институт нефтегазовой геологии и геофизики им. А.А. Трофимука СО РАН (Новосибирск, Россия) **Н = 19**

АГАБЕКОВ Владимир Енокович, доктор химических наук, академик НАН Беларуси, почетный директор Института химии новых материалов (Минск, Беларусь) **Н = 13**

КАТАЛИН Стефан, Ph.D, ассоциированный профессор, Технический университет (Дрезден, Берлин) **Н = 20**

СЕЙТМУРАТОВА Элеонора Юсуповна, доктор геолого-минералогических наук, профессор, член-корреспондент НАН РК, заведующая лабораторией Института геологических наук им. К.И. Сатпаева (Алматы, Казахстан) **Н=11**

САГИНТАЕВ Жанай, Ph.D, ассоциированный профессор, Назарбаев университет (Нурсултан, Казахстан) **Н = 11**

ФРАТТИНИ Паоло, Ph.D, ассоциированный профессор, Миланский университет Бикокк (Милан, Италия) **Н = 28**

«Известия РОО «НАН РК». Серия геологии и технических наук».

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Собственник: Республиканское общественное объединение «Национальная академия наук Республики Казахстан» (г. Алматы).

Свидетельство о постановке на учет периодического печатного издания в Комитете информации Министерства информации и общественного развития Республики Казахстан № **KZ39VPY00025420**, выданное 29.07.2020 г.

Тематическая направленность: *геология, химические технологии переработки нефти и газа, нефтехимия, технологии извлечения металлов и их соединений.*

Периодичность: 6 раз в год.

Тираж: 300 экземпляров.

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, оф. 219, тел.: 272-13-19

<http://www.geolog-technical.kz/index.php/en/>

© РОО «Национальная академия наук Республики Казахстан», 2024

Editorial chief

ZHURINOV Murat Zhurinovich, doctor of chemistry, professor, academician of NAS RK, president of the National Academy of Sciences of the Republic of Kazakhstan, general director of JSC “Institute of fuel, catalysis and electrochemistry named after D.V. Sokolsky» (Almaty, Kazakhstan) **H = 4**

Scientific secretary

ABSADYKOV Bakhyt Narikbaevich, doctor of technical sciences, professor, executive secretary of NAS RK, Bekturov Institute of chemical sciences (Almaty, Kazakhstan) **H = 5**

Editorial board:

ABSAMETOV Malis Kudysovich, (deputy editor-in-chief), doctor of geological and mineralogical sciences, professor, academician of NAS RK, director of the Akhmedsafin Institute of hydrogeology and hydrophysics (Almaty, Kazakhstan) **H=2**

ZHOLTAEV Geroy Zholtaevich, (deputy editor-in-chief), doctor of geological and mineralogical sciences, professor, director of the institute of geological sciences named after K.I. Satpayev (Almaty, Kazakhstan) **H=2**

SNOW Daniel, Ph.D, associate professor, director of the laboratory of water sciences, Nebraska University (Nebraska, USA) **H = 32**

ZELTMAN Reyman, Ph.D, head of research department in petrology and mineral deposits in the Earth sciences section of the museum of natural history (London, England) **H = 37**

PANFILOV Mikhail Borisovich, doctor of technical sciences, professor at the Nancy University (Nancy, France) **H=15**

SHEN Ping, Ph.D, deputy director of the Committee for Mining geology of the China geological Society, Fellow of the American association of economic geologists (Beijing, China) **H = 25**

FISCHER Axel, Ph.D, associate professor, Dresden University of technology (Dresden, Germany) **H=6**

KONTOROVICH Aleksey Emilievich, doctor of geological and mineralogical sciences, professor, academician of RAS, Trofimuk Institute of petroleum geology and geophysics SB RAS (Novosibirsk, Russia) **H = 19**

AGABEKOV Vladimir Enokovich, doctor of chemistry, academician of NAS of Belarus, honorary director of the Institute of chemistry of new materials (Minsk, Belarus) **H = 13**

KATALIN Stephan, Ph.D, associate professor, Technical university (Dresden, Berlin) **H = 20**

SEITMURATOVA Eleonora Yusupovna, doctor of geological and mineralogical sciences, professor, corresponding member of NAS RK, head of the laboratory of the Institute of geological sciences named after K.I. Satpayev (Almaty, Kazakhstan) **H=11**

SAGINTAYEV Zhanay, Ph.D, associate professor, Nazarbayev University (Nursultan, Kazakhstan) **H = 11**

FRATTINI Paolo, Ph.D, associate professor, university of Milano-Bicocca (Milan, Italy) **H = 28**

News of the National Academy of Sciences of the Republic of Kazakhstan. Series of geology and technology sciences.

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Owner: RPA «National Academy of Sciences of the Republic of Kazakhstan» (Almaty).

The certificate of registration of a periodical printed publication in the Committee of information of the Ministry of Information and Social Development of the Republic of Kazakhstan **No. KZ39VPY00025420**, issued 29.07.2020.

Thematic scope: *geology, chemical technologies for oil and gas processing, petrochemistry, technologies for extracting metals and their connections.*

Periodicity: 6 times a year.

Circulation: 300 copies.

Editorial address: 28, Shevchenko str., of. 219, Almaty, 050010, tel. 272-13-19

<http://www.geolog-technical.kz/index.php/en/>

© National Academy of Sciences of the Republic of Kazakhstan, 2024

NEWS of the National Academy of Sciences of the Republic of Kazakhstan
SERIES OF GEOLOGY AND TECHNICAL SCIENCES
ISSN 2224-5278
Volume 4. Number 466 (2024), 22–32
<https://doi.org/10.32014/2024.2518-170X.422>
UDC 681.5:625.7:668.187
HTAMP 50.47.00:67.11.31

© **K. Akishev¹, K. Aryngazin², A. Tleulessov^{2*}, L. Bulyga², V. Stanevich², 2024**

¹Kazakh University of Technology and Business, Astana, Kazakhstan;

²Toraighyrov University, Pavlodar, Kazakhstan.

E-mail: Askaralek66@mail.ru

THE USE OF SIMULATION MODELING IN CALCULATING THE PRODUCTIVITY OF THE TECHNOLOGICAL SYSTEM FOR THE PRODUCTION OF BUILDING PRODUCTS WITH FILLERS FROM MAN-MADE WASTE

Akishev K.M. — Candidate of Technical Sciences, Associate Professor, Department of «Information Technologies», Kazakh University of Technology and Business, Astana, Republic of Kazakhstan

E-mail: akmail04cx04@mail.ru; <https://orcid.org/0000-0001-5202-3501>;

Aryngazin K.Sh. — Candidate of Technical Sciences, Professor, Department of Architecture and Design, Toraighyrov University, Pavlodar, Republic of Kazakhstan

E-mail: kapar47@mail.ru; <https://orcid.org/0000-0001-7959-024X>;

Tleulessov A.K. — Senior Lecturer of the Department of Industrial and Civil Engineering, Toraighyrov University, Pavlodar, Republic of Kazakhstan

E-mail: askaralek66@mail.ru; <https://orcid.org/0000-0001-9368-4947>;

Bulyga L.L. — Candidate of Technical Sciences, head of the Department of Architecture and Design, Toraighyrov University, Pavlodar, Republic of Kazakhstan

E-mail: clenj@rambler.ru; <https://orcid.org/0000-0001-8351-3087>;

Stanevich V.T. — Candidate of Technical Sciences, Professor, Department of Architecture and Design, Toraighyrov University, Pavlodar, Republic of Kazakhstan

E-mail: svt_18@mail.ru; <https://orcid.org/0000-0002-7581-2658>.

Abstract. Currently in Kazakhstan, the use of digital technologies to solve both applied and practical problems is quite active. One of the priority areas in scientific research is the methodology of simulation modeling. This is primarily due to the fact that simulation models are maximally adapted to real systems and adequate results are obtained in simulation. The advantages of simulation modeling include the performance of calculations by users who do not have practical experience in the construction industry. Quite often in production, when working with various types of technogenic raw materials (metallurgical slag, bauxite sludge), it is not always clear how these concrete mix fillers will affect the productivity of building products, which ultimately affects production efficiency. Therefore, the purpose of this article is to study the parameters of the system time, depending on the type of technogenic waste (metallurgical slag, bauxite sludge) used as fillers for concrete mixture and its impact on the performance of the technological system of building products production. The author's program was used as a software tool in the study. The results of the study can be used in real production.

Keywords: technogenic waste, productivity of the technological production system, simulation model, system time, modeling

© К.М. Акишев¹, К.Ш. Арынгазин², А.К. Тлеулесов², Л.Л. Булыга²,
В.Т. Станевич², 2024

¹ Қазақ технология және бизнес университеті, Астана, Қазақстан;

² Торайғыров Университеті, Павлодар, Қазақстан.

E-mail: Askaralek66@mail.ru

ҚҰРЫЛЫС БҰЙЫМДАРЫН ӨНДІРУДІҢ ТЕХНОЛОГИЯЛЫҚ ЖҮЙЕСІНІҢ ӨНІМДІЛІГІНЕ ТЕХНОГЕНДІК ШИКІЗАТТЫҢ ӘСЕРІН БАҒАЛАУ ҮШІН ИМИТАЦИЯЛЫҚ МОДЕЛЬДЕУДІ ҚОЛДАНУ

Акишев К.М. — техника ғылымдарының кандидаты, қауымдастырылған профессор, Қазақ технология және бизнес университетінің ақпараттық технологиялар кафедрасы, Астана, Қазақстан

E-mail: akmail04cx04@mail.ru; <https://orcid.org/0000-0001-5202-3501>;

Арынгазин К.Ш. — техника ғылымдарының кандидаты, Торайғыров Университеттің сәулет және дизайн кафедрасының профессоры, Павлодар, Қазақстан

E-mail: kapar47@mail.ru; <https://orcid.org/0000-0001-7959-024X>;

Тлеулесов А.К. — аға оқытушы, Торайғыров Университетінің «Өнеркәсіптік, азаматтық құрылыс» кафедрасы, Павлодар, Қазақстан

E-mail: askaralek66@mail.ru. <https://orcid.org/0000-0001-9368-4947>;

Булыга Л.Л. — техника ғылымдарының кандидаты, Торайғыров Университетінің сәулет және дизайн кафедрасының меңгерушісі, Павлодар, Қазақстан

E-mail: clenj@rambler.ru; <https://orcid.org/0000-0001-8351-3087>;

Станевич В.Т. — техника ғылымдарының кандидаты, профессор, Торайғыров Университетінің сәулет және дизайн кафедрасы, Павлодар, Қазақстан

E-mail: svt_18@mail.ru. <https://orcid.org/0000-0002-7581-2658>.

Аннотация. Қазіргі уақытта Қазақстанда қолданбалы және практикалық мәселелерді шешу үшін цифрлық технологияларды қолдану белсенді түрде қолға алынды. Ғылыми зерттеулердегі басым бағыттардың бірі имитациялық модельдеу әдіснамасы болып табылады. Бұл, ең алдымен, модельдеу модельдерінің нақты жүйелерге максималды бейімделуімен және модельдеу кезінде адекватты нәтижелер алуымен байланысты. Имитациялық модельдеудің артықшылықтары құрылыс индустриясында практикалық тәжірибесі жоқ пайдаланушылардың есептеулерді орындауын қамтиды. Көбінесе өндірісте техногендік шикізаттың әртүрлі түрлерімен (металлургиялық шлак, боксит шламы) жұмыс істегенде, бұл бетон қоспасының толтырғыштары құрылыс өнімдерінің өнімділігіне қалай әсер ететіні әрқашан анық емес, бұл түптеп келгенде өндіріс тиімділігіне әсер етеді. Осыған байланысты, осы мақаланың мақсаты бетон қоспасын толтырғыш ретінде қолданылатын техногендік қалдықтардың (металлургиялық шлак, боксит шламы) түріне байланысты жүйе уақытының параметрлерін және олардың құрылыс өнімдерін өндіруге арналған технологиялық жүйенің өнімділігіне әсерін зерттеу болып табылады. Зерттеуде бағдарламалық құрал ретінде авторлық бағдарлама пайдаланылды. Алынған зерттеу нәтижелерін нақты өндірісте пайдалануға болады.

Түйін сөздер: техногендік шикізат, өндірістің технологиялық жүйесінің өнімділігі, имитациялық модель, жүйелік уақыт, модельдеу

© К.М. Акишев¹, К.Ш. Арынгазин², А.К. Тлеулесов², Л.Л. Булыга², В.Т. Станевич², 2024

¹Казахский университет технологии и бизнеса, Астана, Казахстан;

²Торайгыров Университет, Павлодар, Казахстан.

E-mail: Askaralek66@mail.ru

ИСПОЛЬЗОВАНИЕ ИМИТАЦИОННОГО МОДЕЛИРОВАНИЯ ПРИ РАСЧЕТАХ ПРОИЗВОДИТЕЛЬНОСТИ ТЕХНОЛОГИЧЕСКОЙ СИСТЕМЫ ПРОИЗВОДСТВА СТРОИТЕЛЬНЫХ ИЗДЕЛИЙ С НАПОЛНИТЕЛЯМИ ИЗ ТЕХНОГЕННЫХ ОТХОДОВ

Акишев К.М. — кандидат технических наук, ассоциированный профессор, кафедра информационных технологий Казахского университета технологии и бизнеса, Астана, Казахстан

E-mail: akmail04cx04@mail.ru; <https://orcid.org/0000-0001-5202-3501>;

Арынгазин К.Ш. — кандидат технических наук, профессор кафедры архитектура и дизайна, Торайгыров Университет, Павлодар, Казахстан

E-mail: karar47@mail.ru; <https://orcid.org/0000-0001-7959-024X>;

Тлеулесов А.К. — старший преподаватель кафедры промышленное и гражданское строительство Торайгыров Университет, Павлодар, Казахстан

E-mail: askaralek66@mail.ru. <https://orcid.org/0000-0001-9368-4947>;

Булыга Л.Л. — кандидат технических наук, заведующий кафедрой архитектуры и дизайна, Торайгыров Университет, Павлодар, Казахстан

E-mail: clenj@rambler.ru; <https://orcid.org/0000-0001-8351-3087>;

Станевич В.Т. — кандидат технических наук, профессор, кафедра архитектуры и дизайна, Торайгыров Университет, Павлодар, Казахстан

E-mail: svt_18@mail.ru. <https://orcid.org/0000-0002-7581-2658>.

Аннотация. В настоящее время в Казахстане достаточно активно начато использование цифровых технологий для решения как прикладных, так и практических задач. Одним из приоритетных направлений при проведении научных исследований является методология имитационного моделирования. Это связано, прежде всего, с тем, что имитационные модели максимально адаптированы к реальным системам и при моделировании получают адекватные результаты. К достоинствам имитационного моделирования можно отнести и выполнение расчетов пользователями, не имеющими практического опыта в строительной отрасли. Достаточно часто на производстве при работе с различными видами техногенного сырья (металлургический шлак, бокситовый шлам) не всегда ясно, как повлияют данные наполнители бетонных смесей на производительность производства строительных изделий, что в конечном итоге влияет на эффективность производства. В этой связи целью представляемой статьи является исследование параметров системного времени в зависимости от вида техногенных отходов (металлургический шлак, бокситовый шлам), используемых в качестве наполнителей бетонной смеси и влияния их на производительность технологической системы производства строительных изделий. В качестве программного средства в исследовании использована авторская программа. Полученные результаты исследования могут быть использованы в реальном производстве.

Ключевые слова: техногенное сырье, производительность технологической системы производства, имитационная модель, системное время, моделирование

Introduction

Within the grant project №APR-SSG-17/0290P «Innovative technologies of using solid industrial waste from thermal power and metallurgy plants of Pavlodar region in the production of building materials» funded by the «Stimulating Productive Innovation» Project, supported by the World Bank and the Government of Kazakhstan, studies of industrial waste (bauxite slime, metallurgical slag) of industrial enterprises of Pavlodar region were carried out.

For the production of alumina, the Pavlodar Aluminum Plant (PAP) uses bauxite ore from the Krasnooktyabrsky deposit.

From 1 ton of Krasnooktyabrsky ore, 200 kg of alumina is obtained, the rest is bauxite sludge. The estimated amount of bauxite sludge at the technogenic PAP deposit is presented in Table 1.

Table 1 – Estimated amount of bauxite sludge stored at the at the technogenic fields of PAP

Enterprise name	The year of the enterprise’s opening	The amount of alumina produced, thousand/ton	Amount of bauxite sludge, thousand/ton
Pavlodar Aluminum Plant	1964	60000	240000

The chemical composition of bauxite sludge is shown in Figure 1. Bauxite sludge is a red-brown loose mass, granulometric analysis shows that during sieving, minimal particles can be sieved through a sieve with 0.05 cells (See Fig. 2).

Chemical composition of bauxite sludge of technogenic waste of Pavlodar Aluminum Plant in %




Figure 1 – Chemical composition of bauxite sludge



Figure 2 – Granulometric analysis of bauxite sludge

The study of bauxite sludge, chemical, strength characteristics allowed us to develop a sufficiently large number of concrete mixtures. Laboratory and field tests allowed us to obtain real statistical results that allow us to use the developed concrete mixtures based on man-made waste (bauxite sludge) for the production of construction products (Akishev, 2021).

Metallurgical slag of enterprises of the Pavlodar region is gray waste, of various sizes, formed during the smelting of steel from scrap metal Figure 3. The chemical composition of metallurgical slag is shown in Figure 4.



Figure 3 – Metallurgical slag of Pavlodar enterprises

According to open sources, the amount of metallurgical slag in the man-made deposits of Pavlodar region is 6000 thousand/ton. The data are shown based on the calculation that for the production of 1 ton of steel 4.7 tons of scrap is needed, the waste is 0.4 tons (Akishev, 2021).

Figure 5 shows the estimated amount of technogenic waste produced by enterprises of the Pavlodar region for 2019 (Akishev, 2021).




Figure 4 – Average chemical composition of metallurgical slag of Pavlodar




Figure 5 – Estimated amount of technogenic waste 2019

The amount of technogenic waste allows us to talk about the possibility of a serious raw material base for the production of construction products.

Experiments. We use technogenic waste (bauxite sludge, metallurgical slag) with various chemical properties and physical characteristics as fillers of concrete mixtures. Accordingly, we need to take this into account when organizing the production of construction products.

To assess the impact of various parameters, including technogenic raw materials, on the performance of the technological system for the production of construction products, the following methods were used in our simulation model:

1. «The principle of special states and the principle of Δt »;

For each type of technogenic raw materials, the task is to determine the system (model) time T , where T is taken as the interval of «real machine time», from the beginning of modeling and at the same time, «calendar time t_r », in the simulated system. The relationship between them can be represented by the ratio:

$$t_r = M * T \tag{1}$$

where M – is the scale factor.

In the process of modeling composite systems, the concept of «*modeling interval*» is adopted - a period of «real calendar time Δt_m », for which the behavior of a complex system is studied. It can be any period of a year or more. The simulation time can only depend on the capabilities of the computer technology, the developed simulation algorithm and a given «*simulation accuracy*».

As a rule, during the simulation process with the help of modern computer systems, the system time changes intermittently (discretely), and the real time is continuous (Rizhikov, 2004; Pichitlamken and Nelson, 2002; Karpov, 2017; Banks et al., 2003; Usupov and Sokolov, 2008; Preston, 2016; O’Sullivan, 2017; Ostauch, 2009; Ivaev, 2011).

For the «*principle Δt* », a «discrete step of the system time ΔT_d » is set at the beginning, while the system time is determined by the expression:

$$T = T + \Delta T_d, \tag{2}$$

where $T = T(0)$ to start the simulation.

Calculation by formula 2, allows you to view all events in the interval ΔT_d with subsequent changes in the system. But for this principle, there is a problem that for events occurring «close in time to each other», the value of ΔT_d is assumed to be less (usually $\Delta T_d \ll \Delta t_m$), while the time of the modeling process increases, which does not ensure high efficiency (Ivaev, 2011; Kamenev, 2011; Akishev et al., 2022).

2. Theory of state graphs.

As in real production, the simulation model used for research (Akishev, 2021) consists of objects, each of which ensures the functioning of the technological system for the production of construction products. Z_0, Z_1, Z_2 objects of the simulation model work according to the theory of graphs or graphs of states, taking into account the «principle of special states» discussed earlier. Let’s take a closer look at how each object works.

For Z_0 we accept:

// OA_0 – object class Z_0

// 0 –it is free and can form a dry mixture
 // 1 – the formation of a dry mixture without cement has been completed
 // and the dry mixture can be transferred to Z_1 , transfer time ordered
 // 2 – simple, transfer is impossible, Z_1 is busy mixing the mixture, feeding cement, lime, plasticizer
 // 3 –simple, out of any component.

Figure 6 shows the graph of states of the object Z_0 . In states 0 and 1, the object is included in the event list. In other states, the object is excluded from the list of events. In state 3, the model stops working, because there is no procedure for adding components. The transition $\langle 1, 0 \rangle$ is carried out if the dry mixture is transferred to the object Z_1 . The transition $\langle 1, 2 \rangle$ is carried out if the dry mixture has not been transferred to object Z_1 due to its occupancy. The transition $\langle 2, 0 \rangle$ is carried out by a signal from object Z_1 , at the time when it goes to state 0, that is, it is released.




Figure 6 – Object state graph Z_0

For Z_1 we accept:

// OA_1 – object class Z_1
 // 0 – free and can take a dry mixture
 // 1 – the dry mixture is passed to the Z_1 object, the transfer end time has been ordered,
 // 2 – the device is busy mixing, adding cement, water, plasticizer and mixing, the end time of mixing is ordered,
 // 3 – the time of transfer of the mixture to the matrix has been ordered,
 // 4 – simple, failed to transfer the mixture to the matrix, Z_2 is busy.

Figure 7 shows the graph of states of object Z_1 . In the state 0,1,2,3, the object is included in the list of events. In state 4, the object is excluded from the list of events. The transition $\langle 0, 1 \rangle$ is carried out if the dry mixture has been transferred to object Z_1 and the transfer end time has been ordered. The transition $\langle 1, 2 \rangle$ is carried out if the dry mixture is transferred to object Z_1 . The transition $\langle 2, 3 \rangle$ is carried out if the object Z_1 is busy mixing the mixture and adding cement, water and plasticizer and the end time of this process is determined. The transition $\langle 4, 1 \rangle$ is carried out by a signal from object Z_2 , at the time when it goes to state 0, that is, it is released.




Figure 7 – Object state graph Z_1

For Z_2 we accept:

// OA2 – object class Z_2

// 0–he is free and can take ready- made mixtures,

// 1 –engaged in the transfer of finished concrete mix, from production waste

// 2 –accepted the mixture, ordered the end time of the transfer of finished products.

The graph of states of object Z_2 is shown in Figure 8.




Figure 8. Object state graph Z_2

The Z_2 object in state 0 is disabled from the list of events. The transition $\langle 0, 1 \rangle$ is carried out by a signal from object Z_1 . The transition $\langle 0, 1 \rangle$ is carried out if there is a mixture in the object Z_1 for transfer to the forming matrix. In this case, the end time of the transfer of the mixture to the matrix is ordered. The transition $\langle 1, 2 \rangle$ is carried out at the end of the transfer of the mixture to the forming matrix. In state 2, the time of transfer of the finished product is ordered. At this moment, the transition to state 0 is performed and the object Z_2 is excluded from the list of events.

Therefore, in the simulation model, four scenarios are defined, stored in an array of events:

// ST[4]– array of events:

// ST[0] – release of block Z_0 : the end of the formation of the mixture by the Z_0 apparatus and transfer to mixing;

// ST[1] – release of block Z_1 : the end of mixing the mixture, pouring water, transferring the wet mixture to the vibrating press and molding matrix,

// ST[2] – release of block Z_2 : finishing and forming, release of finished products Z_2

// ST[3] – end of the simulation interval

// T_i – system time, in minutes.

The principle of special events (states) is as follows: The system time is adjusted each time to the nearest event. After processing this event, the system is adjusted to the next nearest event, and so on. The formula for setting the system time is as follows (3):

$$T_i = \min MS(i) \quad (3)$$

Usually, in addition to events that change the state of the system, the number of events includes reaching the value of system time, corresponding to a given simulation interval Δt_p (Kamenev, 2011; Akishev et.al., 2022). Since all special events are bound to the active blocks, the number of events N_s in the simulation system can be determined by the formula (4):

$$N_s = N_a + 1, \quad (4)$$

Results and discussion

Figure 9 shows a simulation model (developed in Russian (Akishev, 2021)) used to assess the impact of technogenic waste on the performance of the technological system for the production of construction products.

The technological parameters introduced to calculate the productivity for technogenic raw materials are obtained by calculation.



Figure 9 – Simulation model for assessing the impact of man-made raw materials on the performance of the TS

Let’s calculate the productivity of the technological system for the production of construction products using bauxite as a filler, see Figure 10.



Figure 10 – Productivity modeling for a filler made of bauxite sludge

Let’s calculate the productivity of the TS for the production of construction products using metallurgical slag as a filler, see Figure 11.




Figure 11 – Performance modeling for metallurgical slag filler

Conclusions

As can be seen from Figure 10, the productivity of the technological system for the production of construction products with filler from bauxite sludge is 1705 pieces of products with a modeling interval of 480 minutes, despite the longer system time of the technological process, and the productivity of the production of construction products with filler from metallurgical slag was 1338 pieces of products, the modeling interval is 480 minutes with a lower value of the system time, see Figure 11. In Figure 11 shows the dependence of the productivity of the technological production system on the type of technogenic waste.

Dependence of the productivity of the technological system for the production of construction products on the type of technogenic waste




Figure 12 – Dependence of the technological line productivity on the type of technogenic waste

This is primarily due to the lower density of the concrete mixture with a filler made of bauxite sludge, physical parameters, plasticity, viscosity, which makes it possible to obtain lighter construction products, in larger quantities, with sufficiently good strength char-

acteristics.

The use of concrete mixes with fillers from bauxite sludge allows to increase the efficiency of production of construction products, reduce production costs, reduce the percentage of traditional fillers, with a standard working shift duration (Akishev, 2021).

The simulation model (Akishev et al., 2022) opens up to users the possibility of calculating the performance of the technological system, when modeling changes in various parameters, factors related to the production of construction products.

REFERENCES

Akishev K.M. (2021). *Models and methods of analysis of technological systems for the production of construction products using man-made waste* [Akishev K.M. Modeli i metody analiza tekhnologicheskikh sistem proizvodstva stroitel'nykh izdelij s ispol'zovaniem tekhnogennykh othodov]. Abstract of the dissertation for the degree of Candidate of Technical Sciences, specialty 05.13.06-automation of technological processes and production (by industry). — Bishkek, (2021). — 23 p. (in Russ.). <https://vak.kg/wp-content/uploads/2021/06/Avtoreferat-Akishev-K-rus.pdf>

Akishev K.M and other. (2022). Mathematical formulation and the problem solution of clustering recipes of concrete using technogenic waste and slags of metallurgic enterprises. *Металлургия*, (2022). — 61(1)213–216. (in Russ.). <https://www.scopus.com/authid/detail.uri?authorId=57267522000>

Banks J., Hagan J.C., Lendermann P., McLean C., Page E.H., Pegden C.D., Ulgen O., Wilson J.R. (2003). The future of the simulation industry // *Proceedings of the 2003 Winter Simulation Conference* (2003). — Pp. 2033–2043. (in Eng.).

Ivaev O.O. (2011). Automation of cyclic connected dosing processes using flow integrator dispensers in the industrial production of concrete mixtures [Ivaev O.O. Avtomatizaciya processov ciklicheskogo svyaznogo dozirovaniya s ispol'zovaniem dozatorov-integratorov raskhoda pri promyshlennom proizvodstve betonnykh smesej]. Autoref. for the degree of Candidate of Technical Sciences. — Moscow, (2011). — 135 p. (in Russ.).

Karpov V.I. (2017). Simulation modeling. [Karpov V.I. Imitacionnoe modelirovanie]. Electronic textbook. Ed. «MGTU im.Bauman». — Moscow. (2017). — P. 68 (in Russ.).

Kamenev V.V. (2011). Automation of discrete dosing processes in the industrial production of cement-concrete mixtures / [Kamenev V.V. Avtomatizaciya processov diskretnogo dozirovaniya pri promyshlennom proizvodstve cementnykh smesej]. Autoref. for the degree of Candidate of Technical Sciences. — Moscow (2011). — 168 p. (in Russ.).

Ostauch A.V. (2009). Automation and modeling of the work of enterprises for the construction of industrial facilities [Ostauch A.V. Avtomatizaciya i modelirovanie raboty predpriyatij po stroitel'stvu promyshlennykh ob'ektov]. Autoreferat for the degree of Doctor of Technical Sciences. — Moscow (2009). — 356 p. (in Russ.).

Pichtlamken P., Nelson B.L. (2002). Optimization via simulation: A combined procedure for optimization via simulation. *Proceedings of the 2002 Winter Simulation Conference* (2002). — Pp. 292–300. (in Eng.).

K. Preston W.Jr. (2016). The basics of simulation/ W.Jr K.Preston// *Proceedings of the 2016 Winter Simulation Conference*. — Pp. 38–48. — 978-1-5090-4486-3/16 (2016). IEEE. (in Eng.).

Rizhikov U.I. (2004). Simulation modeling. [Rizhikov U.I. Imitacionnoe modelirovanie]. Theory and Technology, St. Petersburg: Crown print;m.: Altex. — A (2004). — With 384. (in Russ.).

M.O'Sullivan (2017). Towards aconceptual modeling framework for construction simulation// *Proceedings of the 2017 Winter Simulation Conference*. — Pp. 2372–2382. — 978-1-5386-3428-8/17 (2017). IEEE. (in Eng.).

Usupov P.M., Sokolov B.V. (2008). Simulation modeling and its application in science and technology. [Usupov P.M., Sokolov B.V. Imitacionnoe modelirovanie i ego primenenie v nauke i tekhnike.]. *Bulletin of the Russian Academy of Sciences*. (2008). — Vol.78. — No. 3. — from 471. (in Russ.).

CONTENT

A.E. Abetov, A.A. Auyesbek GEOLOGICAL-GEOPHYSICAL CRITERIA OF THE JEZKAZGAN ORE DISTRICT IN CENTRAL KAZAKHSTAN.....	6
K. Akishev, K. Aryngazin, A. Tleulessov, L. Bulyga, V. Stanevich THE USE OF SIMULATION MODELING IN CALCULATING THE PRODUCTIVITY OF THE TECHNOLOGICAL SYSTEM FOR THE PRODUCTION OF BUILDING PRODUCTS WITH FILLERS FROM MAN-MADE WASTE.....	22
V.V. Gerasidi, R.G. Dubrovin, V.V. Kukartsev, T.A. Panfilova, G.V. Stas BOOST SYSTEM DIAGNOSTIC PARAMETERS OF COHERENT GAS PISTON INSTALLATIONS OF MINING ENTERPRISES.....	33
E.M. Elekeev, B.P. Stepanov TO THE ISSUE OF EFFICIENCY OF APPLICATION OF THE SAFETY CONTROL PROGRAM AT NUCLEAR FACILITIES.....	48
A.I. Epikhin, A.A. Stupina, I.A. Panfilov, V.V. Bukhtoyarov, N.A. Shepeta DETERMINANTS FOR ASSESSING THE ENERGY EFFICIENCY OF A COAL MINING ENTERPRISE.....	61
E.A. Efremenkov, E.S. Chavrov, E.P. Khaleyeva, V.V. Tynchenko EVALUATION OF TECHNIQUES FOR DETERMINING THE LOADING OF A CYCLOIDAL SATELLITE ROLLING BEARING.....	72
Zh.A. Zhanabayeva, K.T. Narbayeva, G.K. Ismailova, M.S. Ospanova, J. Rodrigo-Illarri ASSESSMENT OF THE RESERVOIRS IMPACT ON THE MAXIMUM RUNOFF OF THE SYRDARYA RIVER.....	85
M.K. Jexenov, Zh.K. Tukhfatov, E.K. Bektay, R.Sh. Abdinov, G.S. Turysbekova STRUCTURAL-TECHTONIC AND MINERALOGICAL STRUCTURE OF INDER LIFTING FIELD, MINING AND CHEMICAL RAW MATERIALS IN ATYRAU REGION.....	96
G.M. Iskaliyeva^{1,2*}, N.K. Sydyk¹, A.K. Kalybayeva^{1,3}, M.S. Sagat¹, A. Samat USE OF WATER INDICES FOR WATERBODIES IN THE ESIL WATER MANAGEMENT BASIN.....	117
Z.M. Kerimbekova, A.A. Tashimova, G.I. Issayev, E.K. Ibragimova, M.Zh. Makhambetov CALCULATION OF ENVIRONMENTAL AND ECONOMIC DAMAGE CAUSED BY CURRENT SYSTEMS OF SOLID WASTE MOVEMENT IN OIL PRODUCTION..	131
M.Zh. Makhambetov, R. Izimova, G.I. Issayev, N.A. Akhmetov, E.K. Ibragimova ECOLOGICAL-GEOLOGICAL ASSESSMENT OF TECHNOGENICALLY DISTURBED TERRITORIES OF OIL FIELDS OF THE ATYRAU REGION.....	143

A.D. Mekhtiyev, V.V. Yugay, Y.G. Neshina, N.B. Kaliaskarov, P. Madi FIBER-OPTIC SYSTEM FOR CONTROLLING OPEN PIT SIDE ROCK DISPLACEMENT.....	157
A.S. Mussina, G.U. Baitasheva, B.S. Zakirov, Ye.P. Gorbulicheva CONDITIONS FOR PREPARING THE SURFACE OF CONTACT PARTS FOR WETTIBILITY WITH MERCURY.....	168
A.N. Muta, R.B. Baimakhan, G.I. Salgarayeva, N. Kurmanbekkyzy, A. Tileikhan STUDY OF THE STRENGTH PROPERTIES OF SOILS COMPOSING THE GEOLOGICAL STRUCTURE OF THE KOK TOBE MOUNTAIN.....	185
B. Mukhambetov, B. Nasiyev, Zh. Kadasheva, R. Abdinov, R. Meranzova ADAPTABILITY OF KOCHIA PROSTRATA (L.) SCHRAD AND CAMPHOROSMA MONSPELIACA AGRICULTURAL ECOSYSTEMS ON SALINE LANDS OF THE NORTHERN CASPIAN DESERT.....	197
M. Nurpeisova, G. Dzhangulova, O. Kurmanbaev, Z. Sarsembekova, A. Ormanbekova, Y.Kh. Kakimzhanov CREATION OF GEODETIC REFERENCE NETWORK FOR MONITORING TRANSPORT INTERCHANGES IN SEISMIC AREAS.....	209
B.T. Ratov, V.L. Khomenko, A.E. Kuttybayev, K.S. Togizov, Z.G. Utepov INNOVATIVE DRILL BIT TO IMPROVE THE EFFICIENCY OF DRILLING OPERATIONS AT URANIUM DEPOSITS IN KAZAKHSTAN.....	224
A.A.Tashimova, G.I. Issayev, Z.M. Kerimbekova, E.K. Ibragimova, A.M. Bostanova ANALYSIS OF THE RESOURCE POTENTIAL OF SOLID OIL PRODUCTION WASTE.....	237
M.K. Tynykulov, O.D. Shoykin, S.O. Kosanov, M.B. Khusainov, Zh.G. Ibraybekov BIOREMEDIATION OF ZONAL SOILS IN AYIRTAY DISTRICT OF NORTH KAZAKHSTAN REGION.....	246
A.S. Urazaliyev, D.A. Shoganbekova, R. Shults, M.S. Kozhakhmetov, G.M. Iskaliyeva INVESTIGATION OF LSMSA APPROACH IN LOCAL GEOID MODELING.....	261

Publication Ethics and Publication Malpractice in the journals of the National Academy of Sciences of the Republic of Kazakhstan

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the work described has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the originality detection service Cross Check <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайте:

[www:nauka-nanrk.kz](http://www.nauka-nanrk.kz)

ISSN 2518-1483 (Online), ISSN 2224-5227 (Print)

<http://geolog-technical.kz/en/archive/>

Подписано в печать 15.08.2024.

Формат 60x88¹/₈. Бумага офсетная. Печать - ризограф.

15,0 п.л. Тираж 300. Заказ 4.