

ISSN 2518-170X (Online)

ISSN 2224-5278 (Print)



«ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ҒЫЛЫМ
АКАДЕМИЯСЫ» РҚБ

«ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫ» РҚБ

Х А Б А Р Л А Р Ы

ИЗВЕСТИЯ

РОО «НАЦИОНАЛЬНОЙ
АКАДЕМИИ НАУК
РЕСПУБЛИКИ КАЗАХСТАН»

N E W S

OF THE ACADEMY OF SCIENCES
OF THE REPUBLIC OF
KAZAKHSTAN

SERIES

OF GEOLOGY AND TECHNICAL SCIENCES

4 (466)

JULY – AUGUST 2024

THE JOURNAL WAS FOUNDED IN 1940

PUBLISHED 6 TIMES A YEAR

ALMATY, NAS RK

NAS RK is pleased to announce that News of NAS RK. Series of geology and technical sciences scientific journal has been accepted for indexing in the Emerging Sources Citation Index, a new edition of Web of Science. Content in this index is under consideration by Clarivate Analytics to be accepted in the Science Citation Index Expanded, the Social Sciences Citation Index, and the Arts & Humanities Citation Index. The quality and depth of content Web of Science offers to researchers, authors, publishers, and institutions sets it apart from other research databases. The inclusion of News of NAS RK. Series of geology and technical sciences in the Emerging Sources Citation Index demonstrates our dedication to providing the most relevant and influential content of geology and engineering sciences to our community.

Қазақстан Республикасы Ұлттық ғылым академиясы «ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы» ғылыми журналының Web of Science-тің жаңаланған нұсқасы Emerging Sources Citation Index-те индекстелуге қабылданғанын хабарлайды. Бұл индекстелу барысында Clarivate Analytics компаниясы журналды одан әрі the Science Citation Index Expanded, the Social Sciences Citation Index және the Arts & Humanities Citation Index-ке қабылдау мәселесін қарастыруда. Web of Science зерттеушілер, авторлар, баспашылар мен мекемелерге контент тереңдігі мен сапасын ұсынады. ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы Emerging Sources Citation Index-ке енуі біздің қоғамдастық үшін ең өзекті және беделді геология және техникалық ғылымдар бойынша контентке адалдығымызды білдіреді.

НАНПК сообщает, что научный журнал «Известия НАНПК. Серия геологии и технических наук» был принят для индексирования в Emerging Sources Citation Index, обновленной версии Web of Science. Содержание в этом индексировании находится в стадии рассмотрения компанией Clarivate Analytics для дальнейшего принятия журнала в the Science Citation Index Expanded, the Social Sciences Citation Index и the Arts & Humanities Citation Index. Web of Science предлагает качество и глубину контента для исследователей, авторов, издателей и учреждений. Включение Известия НАНПК. Серия геологии и технических наук в Emerging Sources Citation Index демонстрирует нашу приверженность к наиболее актуальному и влиятельному контенту по геологии и техническим наукам для нашего сообщества.

Бас редактор

ЖҰРЫНОВ Мұрат Жұрынұлы, химия ғылымдарының докторы, профессор, ҚР ҰҒА академигі, «Қазақстан Республикасы Ұлттық ғылым академиясы» РҚБ-нің президенті, АҚ «Д.В. Сокольский атындағы отын, катализ және электрохимия институтының» бас директоры (Алматы, Қазақстан) **Н = 4**

Ғылыми хатшы

АБСАДЫКОВ Бахыт Нарикбайұлы, техника ғылымдарының докторы, профессор, ҚР ҰҒА жауапты хатшысы, А.Б. Бектұров атындағы химия ғылымдары институты (Алматы, Қазақстан) **Н = 5**

Редакциялық алқа:

ӘБСАМЕТОВ Мәліс Құдысұлы (бас редактордың орынбасары), геология-минералогия ғылымдарының докторы, профессор, ҚР ҰҒА академигі, «У.М. Ахмедсафина атындағы гидрогеология және геоэкология институтының» директоры (Алматы, Қазақстан) **Н = 2**

ЖОЛТАЕВ Герой Жолтайұлы (бас редактордың орынбасары), геология-минералогия ғылымдарының докторы, профессор, Қ.И. Сатпаев атындағы геология ғылымдары институтының директоры (Алматы, Қазақстан) **Н = 2**

СНОУ Дэниел, Ph.D, қауымдастырылған профессор, Небраска университетінің Су ғылымдары зертханасының директоры (Небраска штаты, АҚШ) **Н = 32**

ЗЕЛЬТМАН Реймар, Ph.D, табиғи тарих мұражайының Жер туралы ғылымдар бөлімінде петрология және пайдалы қазбалар кен орындары саласындағы зерттеулердің жетекшісі (Лондон, Англия) **Н = 37**

ПАНФИЛОВ Михаил Борисович, техника ғылымдарының докторы, Нанси университетінің профессоры (Нанси, Франция) **Н = 15**

ШЕН Пин, Ph.D, Қытай геологиялық қоғамының тау геологиясы комитеті директорының орынбасары, Американдық экономикалық геологтар қауымдастығының мүшесі (Пекин, Қытай) **Н = 25**

ФИШЕР Аксель, Ph.D, Дрезден техникалық университетінің қауымдастырылған профессоры (Дрезден, Берлин) **Н = 6**

КОНТОРОВИЧ Алексей Эмильевич, геология-минералогия ғылымдарының докторы, профессор, РҒА академигі, А.А. Трофимука атындағы мұнай-газ геологиясы және геофизика институты (Новосибирск, Ресей) **Н = 19**

АГАБЕКОВ Владимир Енокович, химия ғылымдарының докторы, Беларусь ҰҒА академигі, Жаңа материалдар химиясы институтының құрметті директоры (Минск, Беларусь) **Н = 13**

КАТАЛИН Стефан, Ph.D, Дрезден техникалық университетінің қауымдастырылған профессоры (Дрезден, Берлин) **Н = 20**

СЕЙТМҰРАТОВА Элеонора Юсуповна, геология-минералогия ғылымдарының докторы, профессор, ҚР ҰҒА корреспондент-мүшесі, Қ.И. Сатпаев атындағы Геология ғылымдары институты зертханасының меңгерушісі (Алматы, Қазақстан) **Н = 11**

САҒЫНТАЕВ Жанай, Ph.D, қауымдастырылған профессор, Назарбаев университеті (Нұр-Сұлтан, Қазақстан) **Н = 11**

ФРАТТИНИ Паоло, Ph.D, Бикокк Милан университеті қауымдастырылған профессоры (Милан, Италия) **Н = 28**

«ҚР ҰҒА» РҚБ Хабарлары. Геология және техникалық ғылымдар сериясы».

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Меншіктеуші: «Қазақстан Республикасының Ұлттық ғылым академиясы» РҚБ (Алматы қ.).

Қазақстан Республикасының Ақпарат және қоғамдық даму министрлігінің Ақпарат комитетінде 29.07.2020 ж. берілген № **KZ39VPY00025420** мерзімдік басылым тіркеуіне қойылу туралы куәлік.

Тақырыптық бағыты: *геология, мұнай және газды өңдеудің химиялық технологиялары, мұнай химиясы, металдарды алу және олардың қосындыларының технологиясы.*

Мерзімділігі: жылына 6 рет.

Тиражы: 300 дана.

Редакцияның мекен-жайы: 050010, Алматы қ., Шевченко көш., 28, 219 бөл., тел.: 272-13-19

<http://www.geolog-technical.kz/index.php/en/>

© «Қазақстан Республикасының Ұлттық ғылым академиясы» РҚБ, 2024

Главный редактор

ЖУРИНОВ Мурат Журинович, доктор химических наук, профессор, академик НАН РК, президент РОО «Национальной академии наук Республики Казахстан», генеральный директор АО «Институт топлива, катализа и электрохимии им. Д.В. Сокольского» (Алматы, Казахстан) **Н = 4**

Ученый секретарь

АБСАДЫКОВ Бахыт Нарикбаевич, доктор технических наук, профессор, ответственный секретарь НАН РК, Институт химических наук им. А.Б. Бектурова (Алматы, Казахстан) **Н = 5**

Редакционная коллегия:

АБСАМЕТОВ Малис Кудысович, (заместитель главного редактора), доктор геологоминералогических наук, профессор, академик НАН РК, директор Института гидрогеологии и геоэкологии им. У.М. Ахмедсафина (Алматы, Казахстан) **Н = 2**

ЖОЛТАЕВ Герой Жолтаевич, (заместитель главного редактора), доктор геологоминералогических наук, профессор, директор Института геологических наук им. К.И. Сатпаева (Алматы, Казахстан) **Н=2**

СНОУ Дэниел, Ph.D, ассоциированный профессор, директор Лаборатории водных наук университета Небраски (штат Небраска, США) **Н = 32**

ЗЕЛЬТМАН Реймар, Ph.D, руководитель исследований в области петрологии и месторождений полезных ископаемых в Отделе наук о Земле Музея естественной истории (Лондон, Англия) **Н = 37**

ПАНФИЛОВ Михаил Борисович, доктор технических наук, профессор Университета Нанси (Нанси, Франция) **Н=15**

ШЕН Пин, Ph.D, заместитель директора Комитета по горной геологии Китайского геологического общества, член Американской ассоциации экономических геологов (Пекин, Китай) **Н = 25**

ФИШЕР Аксель, ассоциированный профессор, Ph.D, технический университет Дрезден (Дрезден, Берлин) **Н = 6**

КОНТОРОВИЧ Алексей Эмильевич, доктор геолого-минералогических наук, профессор, академик РАН, Институт нефтегазовой геологии и геофизики им. А.А. Трофимука СО РАН (Новосибирск, Россия) **Н = 19**

АГАБЕКОВ Владимир Енокович, доктор химических наук, академик НАН Беларуси, почетный директор Института химии новых материалов (Минск, Беларусь) **Н = 13**

КАТАЛИН Стефан, Ph.D, ассоциированный профессор, Технический университет (Дрезден, Берлин) **Н = 20**

СЕЙТМУРАТОВА Элеонора Юсуповна, доктор геолого-минералогических наук, профессор, член-корреспондент НАН РК, заведующая лабораторией Института геологических наук им. К.И. Сатпаева (Алматы, Казахстан) **Н=11**

САГИНТАЕВ Жанай, Ph.D, ассоциированный профессор, Назарбаев университет (Нурсултан, Казахстан) **Н = 11**

ФРАТТИНИ Паоло, Ph.D, ассоциированный профессор, Миланский университет Бикокк (Милан, Италия) **Н = 28**

«Известия РОО «НАН РК». Серия геологии и технических наук».

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Собственник: Республиканское общественное объединение «Национальная академия наук Республики Казахстан» (г. Алматы).

Свидетельство о постановке на учет периодического печатного издания в Комитете информации Министерства информации и общественного развития Республики Казахстан № **KZ39VPY00025420**, выданное 29.07.2020 г.

Тематическая направленность: *геология, химические технологии переработки нефти и газа, нефтехимия, технологии извлечения металлов и их соединений.*

Периодичность: 6 раз в год.

Тираж: 300 экземпляров.

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, оф. 219, тел.: 272-13-19

<http://www.geolog-technical.kz/index.php/en/>

© РОО «Национальная академия наук Республики Казахстан», 2024

Editorial chief

ZHURINOV Murat Zhurinovich, doctor of chemistry, professor, academician of NAS RK, president of the National Academy of Sciences of the Republic of Kazakhstan, general director of JSC “Institute of fuel, catalysis and electrochemistry named after D.V. Sokolsky» (Almaty, Kazakhstan) **H = 4**

Scientific secretary

ABSADYKOV Bakhyt Narikbaevich, doctor of technical sciences, professor, executive secretary of NAS RK, Bekturov Institute of chemical sciences (Almaty, Kazakhstan) **H = 5**

Editorial board:

ABSAMETOV Malis Kudysovich, (deputy editor-in-chief), doctor of geological and mineralogical sciences, professor, academician of NAS RK, director of the Akhmedsafin Institute of hydrogeology and hydrophysics (Almaty, Kazakhstan) **H=2**

ZHOLTAEV Geroy Zholtaevich, (deputy editor-in-chief), doctor of geological and mineralogical sciences, professor, director of the institute of geological sciences named after K.I. Satpayev (Almaty, Kazakhstan) **H=2**

SNOW Daniel, Ph.D, associate professor, director of the laboratory of water sciences, Nebraska University (Nebraska, USA) **H = 32**

ZELTMAN Reyamar, Ph.D, head of research department in petrology and mineral deposits in the Earth sciences section of the museum of natural history (London, England) **H = 37**

PANFILOV Mikhail Borisovich, doctor of technical sciences, professor at the Nancy University (Nancy, France) **H=15**

SHEN Ping, Ph.D, deputy director of the Committee for Mining geology of the China geological Society, Fellow of the American association of economic geologists (Beijing, China) **H = 25**

FISCHER Axel, Ph.D, associate professor, Dresden University of technology (Dresden, Germany) **H=6**

KONTOROVICH Aleksey Emilievich, doctor of geological and mineralogical sciences, professor, academician of RAS, Trofimuk Institute of petroleum geology and geophysics SB RAS (Novosibirsk, Russia) **H = 19**

AGABEKOV Vladimir Enokovich, doctor of chemistry, academician of NAS of Belarus, honorary director of the Institute of chemistry of new materials (Minsk, Belarus) **H = 13**

KATALIN Stephan, Ph.D, associate professor, Technical university (Dresden, Berlin) **H = 20**

SEITMURATOVA Eleonora Yusupovna, doctor of geological and mineralogical sciences, professor, corresponding member of NAS RK, head of the laboratory of the Institute of geological sciences named after K.I. Satpayev (Almaty, Kazakhstan) **H=11**

SAGINTAYEV Zhanay, Ph.D, associate professor, Nazarbayev University (Nursultan, Kazakhstan) **H = 11**

FRATTINI Paolo, Ph.D, associate professor, university of Milano-Bicocca (Milan, Italy) **H = 28**

News of the National Academy of Sciences of the Republic of Kazakhstan. Series of geology and technology sciences.

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Owner: RPA «National Academy of Sciences of the Republic of Kazakhstan» (Almaty).

The certificate of registration of a periodical printed publication in the Committee of information of the Ministry of Information and Social Development of the Republic of Kazakhstan **No. KZ39VPY00025420**, issued 29.07.2020.

Thematic scope: *geology, chemical technologies for oil and gas processing, petrochemistry, technologies for extracting metals and their connections.*

Periodicity: 6 times a year.

Circulation: 300 copies.

Editorial address: 28, Shevchenko str., of. 219, Almaty, 050010, tel. 272-13-19

<http://www.geolog-technical.kz/index.php/en/>

© National Academy of Sciences of the Republic of Kazakhstan, 2024

NEWS of the National Academy of Sciences of the Republic of Kazakhstan

SERIES OF GEOLOGY AND TECHNICAL SCIENCES

ISSN 2224-5278

Volume 4. Number 466 (2024), 72–84

<https://doi.org/10.32014/2024.2518-170X.426>

UDC 621.833.6

© E.A. Efremenkov^{1,2}, E.S. Chavrov¹, E.P.Khaleyeva³, V.V. Tynchenko^{4,5}, 2024

¹National Research Tomsk Polytechnic University, Tomsk, Russia;

²Tomsk State University of Control Systems and Radioelectronics, Tomsk, Russia;

³Admiral Ushakov Maritime State University, Novorossiysk, Russia;

⁴Reshetnev Siberian State University of Science and Technology, Krasnoyarsk, Russia;

⁵Siberian Federal University, Krasnoyarsk, Russia.

E-mail: ephrea@mail.ru

EVALUATION OF TECHNIQUES FOR DETERMINING THE LOADING OF A CYCLOIDAL SATELLITE ROLLING BEARING

Efremenkov Egor Alekseevich — PhD, Associate Professor, National Research Tomsk Polytechnic University, Tomsk, Russia; Tomsk State University of Control Systems and Radioelectronics, Tomsk, Russia

E-mail: ephrea@mail.ru, <https://orcid.org/0000-0001-6617-9152>;

Chavrov Egor Sergeevich — graduate student, National Research Tomsk Polytechnic University, Tomsk, Russia

E-mail: esc12@tpu.ru, <https://orcid.org/0009-0007-0617-0624>;

Khaleyeva Elena Petrovna — Candidate of Pedagogical Sciences, Associate Professor, Admiral Ushakov Maritime University, Novorossiysk, Russia

E-mail: zur_mga@nsma.ru, <https://orcid.org/0000-0002-9733-8459>;

Tynchenko Valeria Valerievna — PhD in Engineering, associate professor, Reshetnev Siberian State University of Science and Technology, Krasnoyarsk, Russia; Siberian Federal University, Krasnoyarsk, Russia

E-mail: vvtynchenko@sfu-kras.ru, <https://orcid.org/0000-0002-9701-7460>.

Abstract. Relevance. In the mining industry there is a need for small-sized winches, gearboxes, slewing mechanisms and various motion drives that transmit high torques and can provide high transmission ratios. These are mechanisms based on gears with intermediate rolling bodies (IRB) and, in particular, a gear with intermediate rolling bodies and free cage (IRBFC). The most heavily loaded unit of IRB gears is the rolling bearing of the cycloidal satellite located on the generator. In its own way, this bearing is a bearing. For the correct selection of such a bearing, it is necessary to determine the resultant force acting on the rolling bearing of the cycloidal satellite. No methods for determining this force have been found in the public domain. Objective. Determination and evaluation of techniques for determining the loading of the rolling support of a cycloidal satellite. Methods. Vector decomposition and reduced force methods were used to achieve the objective. Results and Conclusions. Two methods for determining the force on the rolling support of a cycloidal satellite are presented: the method of vector decomposition and the method of reduced force. According to the derived methods the calculations were performed and the results were obtained. The analysis of the obtained results according to which the error of calculations of both methods is 6,5 % is carried out. Therefore, the convergence of the results is proved. The calculation using the vector decomposition method can be recommended for

use for verification calculation, since the resulting force acting on the rolling support and is obtained by this method is the largest from the two methods. Therefore, it will ensure the reliability of the selected bearing. The method of the leading force can be recommended as a method for preliminary (design) calculation, since its implementation requires less time and gives an acceptable result for the preliminary selection of the satellite bearing of the gear with intermediate rolling elements and free cage.

Keywords: geo-environment, mining equipment, gearbox, rolling bearing, intermediate rolling bodies, cycloidal satellite, cycloidal profile, mechanism, cycloid, force

© Е.А. Ефременков^{1,2}, Е.С. Чавров¹, Е.П. Халеева³, В.В. Тынченко^{4,5}, 2024

¹Ұлттық зерттеу Томск политехникалық университеті, Томск, Ресей;

²Томск мемлекеттік басқару жүйелері және радиоэлектроника университеті, Томск, Ресей;

³Адмирал Ф.Ф. Ушаков атындағы Мемлекеттік теңіз университеті, Новороссийск, Ресей; ⁴Академик М.Ф. Решетнев атындағы Сібір мемлекеттік ғылым және технология университеті, Красноярск, Ресей;

⁵Сібір федералды университеті, Красноярск, Ресей.

E-mail: ephrea@mail.ru

ЦИКЛОИДТЫ СПУТНИКТИҢ ДОМАЛАУ ТІРЕГІНІҢ ЖҮКТЕМЕСІН АНЫҚТАУ ӘДІСТЕРІН БАҒАЛАУ

Ефременков Егор Алексеевич — PhD доктор, қауымдастырылған профессор, Ұлттық зерттеу Томск политехникалық университеті, Томск, Ресей; Томск мемлекеттік басқару жүйелері және радиоэлектроника университеті, Томск, Ресей

E-mail: ephrea@mail.ru, <https://orcid.org/0000-0001-6617-9152>;

Чавров Егор Сергеевич — аспирант, Ұлттық зерттеу Томск политехникалық университеті, Томск, Ресей

E-mail: esc12@tpu.ru, <https://orcid.org/0009-0007-0617-0624>;

Халеева Елена Петровна — педагогика ғылымдарының кандидаты, қауымдастырылған профессор, адмирал Ф.Ф. Ушаков атындағы Мемлекеттік теңіз университеті, Новороссийск, Ресей

E-mail: zur_mga@nsma.ru, <https://orcid.org/0000-0002-9733-8459>;

Тынченко Валерия Валериевна — PhD доктор, қауымдастырылған профессор, Академик М.Ф. Решетнев атындағы Сібір мемлекеттік ғылым және технология университеті, Красноярск, Ресей; Сібір федералды университеті, Красноярск, Ресей

E-mail: vvtynchenko@sfu-kras.ru, <https://orcid.org/0000-0002-9701-7460>.

Аннотация. Өзектілігі. Тау-кен өнеркәсібінде жоғары айналу моменттерін беретін және жоғары беріліс қатынасын қамтамасыз ете алатын шағын жүкшығырларды, беріліс қораптарын, бұрылу механизмдерін және әртүрлі қозғалыс жетектерін пайдалану қажеттілігі туындайды. Бұл аралық домалау элементтері (РТС) бар берілістерге негізделген механизмдер, атап айтқанда, аралық домалау элементтері және бос ұстағыш (РТКСО). ПТК бар ең көп жүктелген беріліс блогы генераторда орналасқан циклоидты спутниктің домалау тірегі болып табылады. Бұл тірек өз түрі бойынша мойынтірек болып табылады. Мұндай подшипникті дұрыс таңдау үшін циклоидты спутниктің домалау тірегіне әсер ететін алынған күшті анықтау қажет. Бұл әрекетті анықтау үшін еркін қол жетімді әдістер жоқ. Мақсат. Циклоидты спутниктің домалау тірегінің жүктемесін анықтау әдістерін анықтау және бағалау. Әдістер. Бұл мақсатқа жету үшін аналитикалық геометрия, векторлық ыдырау және берілген күш

әдістері қолданылды. Нәтижелер мен қорытындылар. Циклоидты спутниктің домалау тірегіндегі күшті анықтаудың екі әдісі ұсынылған: векторлық ыдырау әдісі және берілген күш әдісі. Ұсынылған әдістер бойынша есептеулер жүргізіліп, нәтижелер алынды. Алынған нәтижелерге талдау жүргізілді, оған сәйкес екі әдісті есептеудегі қате шамамен 6,5 % құрайды. Демек, нәтижелердің конвергенциясы дәлелденді. Векторлық ыдырау әдісін қолданатын есептеуді тексеру есебі үшін пайдалану ұсынылуы мүмкін, өйткені осы әдіспен алынған тірекке әсер ететін нәтиже күш екі әдістің ең үлкені болып табылады. Сондықтан таңдалған мойынтіректің сенімділігі қамтамасыз етіледі. Берілген күш әдісін алдын ала (жобалау) есептеу әдісі ретінде ұсынуға болады, өйткені оны жүзеге асыру аз уақытты және аралық домалау элементтері мен бос торы бар беріліс спутниктік домалау тірегін алдын ала таңдау үшін қолайлы нәтижені талап етеді.

Түйін сөздер: геоорта, тау-кен жабдықтары, беріліс қорабы, домалау тірегі, аралық домалау элементтері, циклоидты спутник, циклоидты профиль, механизм, циклоид, күш

© Е.А. Ефременков^{1,2}, Е.С. Чавров¹, Е.П. Халеева³, В.В. Тынченко^{4,5}, 2024

¹Национальный исследовательский Томский политехнический университет, Томск, Россия,

²Томский государственный университет систем управления и радиоэлектроники, Томск, Россия;

³Государственный морской университет имени адмирала Ф.Ф. Ушакова, Новороссийск, Россия;

⁴Сибирский государственный университет науки и технологий имени академика М.Ф. Решетнева, Красноярск, Россия;

⁵Сибирский федеральный университет, Красноярск, Россия.

E-mail: ephrea@mail.ru

ОЦЕНКА МЕТОДИК ПО ОПРЕДЕЛЕНИЮ НАГРУЖЕНИЯ ОПОРЫ КАЧЕНИЯ ЦИКЛОИДАЛЬНОГО САТЕЛЛИТА

Ефременков Егор Алексеевич — доктор PhD, ассоциированный профессор, Национальный исследовательский Томский политехнический университет, Томск, Россия; Томский государственный университет систем управления и радиоэлектроники, Томск, Россия
E-mail: ephrea@mail.ru, <https://orcid.org/0000-0001-6617-9152>;

Чавров Егор Сергеевич — аспирант, Национальный исследовательский Томский политехнический университет, Томск, Россия
E-mail: esc12@tpu.ru, <https://orcid.org/0009-0007-0617-0624>;

Халеева Елена Петровна — кандидат педагогических наук, ассоциированный профессор, Государственный морской университет имени адмирала Ф.Ф. Ушакова, Новороссийск, Россия
E-mail: zur_mga@nsma.ru, <https://orcid.org/0000-0002-9733-8459>;

Тынченко Валерия Валериевна — доктор PhD, ассоциированный профессор, Сибирский государственный университет науки и технологий имени академика М.Ф. Решетнева, Красноярск, Россия; Сибирский федеральный университет, Красноярск, Россия
E-mail: vvtynchenko@sfu-kras.ru, <https://orcid.org/0000-0002-9701-7460>.

Аннотация. Актуальность. В горнодобывающей промышленности есть потребность в использовании малогабаритных лебедок, редукторов, механизмов

поворота и различных приводов движения, осуществляющих передачу высоких крутящих моментов и способных обеспечивать высокие передаточные отношения. Такими являются механизмы на базе передач с промежуточными телами качения (ПТК), а в частности с промежуточными телами качения и свободной обоймой (ПТКСО). Наиболее нагруженным узлом передач с ПТК значится опора качения циклоидального сателлита, расположенная на генераторе. В своем роде эта опора представляет собой подшипник. Для правильного подбора такого подшипника требуется определение результирующего усилия, действующего на опору качения циклоидального сателлита. В свободном доступе методик определения этого усилия не найдено. Цель. Определение и оценка методик для определения нагружения опоры качения циклоидального сателлита. Методы. Для достижения поставленной цели использовались методы аналитической геометрии, векторного разложения и приведенного усилия. Результаты и выводы. Представлены две методики определения усилия на опору качения циклоидального сателлита: метод векторного разложения и метод приведенного усилия. По предложенным методикам произведены расчеты и получены результаты. Выполнен анализ полученных результатов, согласно которому погрешность расчетов обеих методик составляет примерно 6,5 %. Следовательно, сходимость результатов доказана. Расчет по методу векторного разложения можно рекомендовать к применению для проверочного расчета, поскольку результирующее усилие, действующее на опору и полученное по данному методу, является наибольшим из двух методов. Следовательно, будет обеспечиваться надежность выбранного подшипника. Метод приведенного усилия можно рекомендовать как метод для предварительного (проектировочного) расчета, т.к. для его реализации требуется меньше времени и приемлемый результат для предварительного подбора опоры качения сателлита передачи с промежуточными телами качения и свободной обоймой.

Ключевые слова: геосреда, горнодобывающее оборудование, редуктор, опора качения, промежуточные тела качения, циклоидальный сателлит, циклоидальный профиль, механизм, циклоида, усилие

Introduction

Effective and efficient interaction with the geo-environment requires progressive methods of labour distribution and modern equipment (Aksenov et al., 2012). Mining industry very closely connects man with the geo-environment. In the eighteenth and nineteenth centuries, an industrial revolution took place, which made it possible to begin the transition from manual to machine labour, including in the mining industry. An important role was played by the emergence of lifting mechanisms, which allowed to significantly increase the efficiency of the system, because to lift a load of a certain mass the number of people involved was reduced several times. Nowadays winches are used for lifting loads, electro-mechanical mixers for drilling mud preparation, transport systems with various drives and turning mechanisms are used for transporting minerals. All these mechanisms have gearboxes implemented using involute or cycloidal gearing (Aksenov et al., 2012; An I-Kan et al., 2016; Lustenkov et al., 2021; Sherov et al., 2021).

The involute gearboxes use spur or bevel gears. These gearboxes can be either planetary or classical gearboxes. Classic gearboxes are multi-stage gearboxes with parallel or intersecting axes and a single parting plane. These gearboxes have large overall dimensions, high mass and low relative load capacity.

Gearboxes based on cycloidal gearing are mainly performed only with planetary arrangement and have increased load capacity in relatively compact overall dimensions (Efremenkov et al., 2022). Chain gearboxes with cycloidal gearing are quite widely used in industry (Li et al., 2020; Wang et al., 2019; Zhang, et al., 2020; Hsieh et al., 2014; Li et al., 2018). But in mechanisms for mining equipment, intermediate rolling element (IRB) gearboxes are more often used because of their greater compactness and load capacity compared to chain gearboxes (Aksenov et al., 2012; Pankratov, 1998; Lustenkov et al., 2019; Lustenkov, 2010). In general, gears with PTC allow the mechanism to obtain a complex of advantages: compactness, high values of the overlap coefficient, a wide range of transmission ratios, sufficiently high efficiency, and continuity of contact in meshing (Pankratov, 1998; Lustenkov, et al., 2019; Lustenkov, 2010; Ivkina, et al., 2012; Prudnikov, 2018); Lustenkov, 2020; Mohamad et al., 2022). The most promising of the PTC gears for heavy-duty applications is the intermediate rolling element and free cage gear (IRIFG) (Efremenkov et al., 2021). This gear, and consequently the mechanisms based on it, has an increased efficiency due to the reduction of sliding friction in the meshing, greater compactness and load capacity due to better distribution of loads between the transmission links.




Figure 1 – Scheme of the gear with intermediate rolling elements and free cage (cross section)

The gear with PTC (Fig. 1) consists of input shaft 1 with eccentric, cam 2, rolling elements 3 located in the cage 5, crown 4 and rolling bearing 6 mounted on the eccentric shaft 1 and located under the cam 2. The output link in this transmission, i.e. the link connected to the output shaft of the mechanism, can be either cam 2 or crown 4. These links carry the greatest load when the mechanism is operating. As follows from the gear layout (Fig. 1), the transmission of forces and energy takes place in the meshing between links 2, 3 and 4. But the most loaded link is bearing 6 under cam 2, which is a satellite in the considered transmission. Such a bearing is present in the design of almost all PTC gears and chain gears with cycloidal meshing (Hsieh et al., 2014; Lustenkov et al., 2019).

The bearing beneath the satellite cam is the most heavily loaded element of the PTC transmission. Its reliability and proper selection in general determines the reliability

and durability of the entire mechanism and this is especially important for mechanisms operating in harsh conditions, such as mining equipment and transport systems used in human interaction with the geo-environment.

At present, very little information is found in scientific and methodological works on determining the load specifically on the bearing under the satellite of cycloidal gears. Various techniques for determining the load on this bearing are considered (Palyanitsina et al., 2021; Korshak et al., 2019; Korshak et al., 2020), but there are no recommendations on the application of one or the other. Therefore, the evaluation of techniques for determining the load capacity of the rolling bearing under the satellite of a transmission with PTC SO is relevant.

Thus, the aim of the work is to compare the methods of determining the load capacity of the cycloidal satellite bearing of the transmission with PTC SO and to formulate recommendations on the application of the obtained results.

Materials and equipment

Object of research. The object of the research is a mechanical cycloidal gear with PTC SO as the most promising for use in heavy-loaded mechanisms operating in cramped conditions of mine space, or with high overloads in the conditions of open-cut mining. In particular, the meshing and rolling bearing of the cycloidal satellite as a link subjected to the highest loads are considered in the PTC SO gear.

To determine the total force acting on the rolling bearing of a cycloidal satellite, we consider two methods: the vector force decomposition method and the reduced force method.

The first is the most commonly used and we have adapted it to determine the force on the satellite bearing in a PTC SO transmission.

The second method has not been found in the literature and will be discussed in detail for the first time, with respect to transmission with PTC SO.

Theoretical Provisions. As described earlier, the forces on the rolling bearing of the cycloidal satellite are derived from the forces in the gear meshing with the PTC SO. Thus, it is necessary to first determine the forces in the meshing, on each rolling element, and then proceed to determine the load on the rolling bearing.

It was noted in the literature (Pshenin et al., 2023; Kusimova et al., 2023; Korshak et al., 2023) that when a gear with PTC SO is operating, two forces occur in the meshing (Fig. 2): at the points of contact of the rolling element with the crown profile and with the satellite profile. The more important parameter for solving the task at hand is the force arising at the points of contact between the rolling elements and the satellite profile, because these forces form the load on the cycloidal satellite bearing.

As noted (Efremenkov, 2009), the determination of forces in the meshing of a gear with PTC SO is based on Hooke's law and begins with the determination of the maximum value of the force in the meshing:

$$F_{max} = \frac{T_k \cdot b}{\sum h_i^2} \tag{1}$$

where T_k is the torque on the cycloidal satellite;

b is the distance from the centre of the satellite to the meshing pole;

h_i - shoulder, the distance from the line of action of the i -th force to the centre of the satellite.




Figure 2 – Schematic of force distribution in the meshing of a gear with IRBFC

The distances h_i are calculated for each rolling element using the following formula:

$$h_i = b \cdot \sin \alpha_i \tag{2}$$

The values of the sine of the angle α_i for each rolling element involved in the load transmission can be found from the formula:

$$\sin \alpha_i = \frac{\sin \varphi_{2i} \cdot r_c}{L_i} \tag{3}$$

here L_i is the distance from the pole P to the centre of the i -th rolling element O .

Depending on the initial parameters, it is defined as:

$$L_i = \sqrt{r_2^2 + r_c^2 - 2r_2r_c \cos \varphi_{2i}} \tag{4}$$

Knowing the value of the maximum force in the meshing, we determine the force on each rolling element transmitting torque from the force-arm relationship:

$$F_i = \frac{F_{\max} \cdot h_i}{b} \tag{5}$$

Thus, the force acting at the point of contact of each rolling element with the cycloidal profile of the satellite is determined from expression (5). Now it is possible to determine the force acting on the satellite support, formed from the found forces in the meshing. First, we determine the total support force using the vector decomposition method.

Vector decomposition method. The vector decomposition method is based on the fact that the found forces in the meshing are decomposed into two components on the coor-

dinate axes, and then the projections on the coordinate axes are summed up and transferred to the centre of the rolling support of the cycloidal satellite and summed up analytically.

The point of contact of the rolling element with the cycloidal profile of the satellite cam will be taken as the origin of coordinates, the abscissa axis will be directed horizontally and the ordinate axis vertically (Fig. 3). Each force on the satellite cam is plotted on the abscissa and ordinate axes. The projections are determined from the following expressions:

on the X axis

$$F_{xi} = F_i \cdot \cos\theta_{1i}, \tag{6}$$

y-axis

$$F_{yi} = F_i \cdot \cos\theta_{2i}, \tag{7}$$

hence θ_{1i} - the angles formed by the force F_i to the X and Y axes.




Figure 3 – Schematic of the forces generated at the point of contact between the rolling body and the satellite, projected on the ordinate and abscissa axes

Angles θ_{1i} and θ_{2i} are determined from the geometry of the transmission:

$$\theta_{2i} = \alpha_i, \tag{8}$$

$$\theta_{1i} = 90^\circ - \alpha_i. \tag{9}$$

Now by parallel transfer all projections θ_{1i} concentrate in the centre of the support of the cycloidal satellite, - the point O_{TK_i} .

The total forces on the coordinate axes R_x and R_y are determined from the expressions:

$$R_x = \sum F_{xi}, \tag{10}$$

$$R_y = \sum F_{yi}, \tag{11}$$

Then the resultant reaction acting on the support of the cycloidal satellite is defined by the method of vector decomposition as:

$$R_{H_1} = \sqrt{R_x^2 + R_y^2}; \tag{12}$$

The resulting expression can be used to calculate the life expectancy of the satellite bearing.

The reduced force method. Let us now consider the determination of the total force on the support of the cycloidal satellite by the reduced force method. The essence of the method is that the forces in the meshing of rolling elements with a cycloidal cam by parallel transfer are immediately concentrated in the centre of the satellite support. Then an arbitrary straight line is drawn through the centre, on which all concentrated forces are projected (Fig. 4). The sum of the projections of these forces will give the reduced force on the satellite rolling bearing.

Thus, the forces in the rolling elements meshing with the satellite, found by the formulas (1)–(5), we concentrate in the point (Fig. 4).

Draw an arbitrary line $p-p$ through the centre O_1 and project all forces F_i onto it and find the projections of the forces from the following expression:

$$F_{Hi} = F_i \cdot \cos\mu_i, \tag{13}$$

where μ_i - angle formed by F_i and $p-p$.




Figure 4 – Determination of force projection on an arbitrary straight line

The angle μ_i is determined from the construction. After all forces have been projected onto the line $p-p$, we can determine the reduced force on the rolling bearing of the satellite:

$$R_H = \sum F_{Hi} \tag{14}$$

Evaluation of methods for determining the force on the rolling bearing of a cycloidal satellite. Let's carry out calculations of the force acting on the rolling bearing of the

cycloidal satellite using the two methods considered above. And then compare the obtained results.

To verify the convergence of the results obtained by the two methods, we will perform the calculations using the same initial transmission parameters with PTCSO:

- number of rolling elements $Z_2 = 13$;
- radius of the producing circle $r_2 = 35,1$ mm;
- offset coefficient $\chi = 1,3$;
- rolling element radius $r_b = 8,1$ mm

We assume the torque on the cam as for heavily loaded mechanisms, $T_k = 1000$ Nm.

Let us determine the forces in the meshing of each rolling element with the cycloidal satellite using equations (1)-(5). Let us present the obtained calculation results in the table (Table 1): forces F_i on each rolling element transmitting torque and angle α corresponding to each force.

Table 1 - Forces F_i and angles α_i in contact points of the rolling bodies with satellite profile

Rolling element no.	1	2	3	4	5	6
F_i , kN	9,47	9,47	8,20	6,20	3,87	1,33
α_i	75°58'	76°16'	56°50'	39°46'	23°36'	7°50'

Now let us calculate the force on the rolling bearing of the cycloidal satellite using the vector decomposition method. Determine the projections of the forces found (Table 1) on the abscissa and ordinate axes for each rolling element involved in the meshing according to equations (6) and (7). The results are summarised in Table 2. Also in Table 2 we enter the values of angles θ obtained from expressions (8) and (9).

Table 2 - Forces and angles of all rolling bodies involved in the engagement

Rolling element no.	1	2	3	4	5	6
F_{xi} , kN	9,17	9,17	6,90	3,97	1,53	0,20
F_{yi} , kN	2,27	2,27	4,50	4,77	3,57	1,30
θ_{1i}	14° 3'	13° 44'	33° 10'	50° 25'	66° 24'	82° 12'
θ_{2i}	75° 57'	76° 16'	56° 50'	39° 35'	23° 36'	7° 48'

Then, as described in the method above, we concentrate all projections of forces by parallel transfer and to the centre O_1 and determine the total projections of forces on each axis according to formulas (10) and (11):

$$R_{xi} = 30,94 \text{ кН}$$

$$R_{yi} = 18,68 \text{ кН}$$

Now let us calculate the resulting rolling support reaction of the cycloidal satellite using formula (12):

$$R_{H_1} = \sqrt{30,94^2 + 18,68^2} = 36,14 \text{ кН}$$

Next, we calculate the force on the rolling bearing of the cycloidal satellite using the reduced force method. We concentrate all forces F_i at point O_1 by parallel transfer. Let us determine the angles μ_i from the geometrical construction and, substituting into equation (13), determine the projections of these forces on an arbitrarily chosen line passing through the centre of the satellite support. The obtained results will be entered in Table 3.

Table 3 - Force projections and angles μ_i of all rolling bodies involved in meshing

Rollingelement	1	2	3	4	5	6
F_{H_i} , kN	6,73	9,03	8,20	5,83	3,17	0,83
μ_i	45° 2'	17° 16'	2° 10'	19° 34'	35° 24'	51° 12'

Using formula (14), we find the resultant force acting on the cycloidal satellite support using the reduced force method:

$$R_{H_2} = 6,73 + 9,03 + 8,20 + 5,83 + 3,17 + 0,83 = 33,79 \text{ kH}$$

Thus, the resultant force on the support of the cycloidal satellites of the transmission with PTCSO is determined by two different methods and to check the convergence, let us compare the obtained results (Table 4).

Table 4 - The values of the resulting force on the satellite support obtained by different methods

Parameter	kN	kN
Significance	36,14	33,79

The discrepancy of the obtained values of the bearing force is determined by the formula:

$$\Delta = \left| \frac{36,14 - 33,79}{36,14} \right| \cdot 100\% = 6,5 \%$$

The obtained discrepancy of 6.5 per cent between the calculation results of different methods shows satisfactory convergence of the results and indicates that both methods can be suitable for determining the force acting on the rolling bearing of the cycloidal satellite of the PTCSO transmission.

Conclusion

Thus, two different methods have been considered for determining the support force of a cycloidal satellite gear with PTCSO: the vector decomposition method and the reduced force method. After independent calculations, both methods showed satisfactory results, as evidenced by the difference in the obtained results of 6.5 %.

It should be noted that according to the method of vector decomposition the force on the support is $R_{H1} = 36.14$ kN, and according to the method of reduced force - $R_{H2} = 33.79$ kN. I.e. the value of force by the first method is greater than by the second method. Based on the results obtained and on the discrepancy of the final values, it is possible to recommend the method of the reduced force to be used for carrying out design, or preliminary, calculations, and the method of vector decomposition - for carrying out verification calculations. Such recommendations are justified by the time required to obtain the result of these methods. The reduced force method requires less time to perform calculations, and the result of the calculation is not significantly different from the vector decomposition method.

The latter method, however, allows the selected rolling bearing to be checked for increased load, thus improving the reliability of the selected bearing after the verification calculation. All this can generally improve the reliability and performance of equipment operating under severe conditions of limited space and increased loads.

In this work we used the equipment of the Central Research Centre of NMST TPU, supported by the project of the Ministry of Education and Science of Russia № 075-15-2021-710

REFERENCES

Aksenov V.V., Efremkov A.B., Blashchuk M.Yu., Ryltseva Y.G. (2012). Analysis of the possibility of using a gear drive in the geohod transmission. *VestniknaukiSibiri*, 2012. — № 1(2). — Pp. 372–378. <http://earchive.tpu.ru/bitstream/11683/16025/1/279.pdf>.

An I-Kan, Il'in A.S., Lazurkevich A.V. (2016). Load analysis of the planetary gear train with intermediate rollers. Part 2. *IOP Conf. Series: Materials Science and Engineering*, 2016. — V. 124. — P. 6.

Efremkov E.A., Efremkova S.K., Pashkov E.N. (2022). Design of cycloidal mechanical gears with intermediate rolling elements and free cage. — Tomsk: TPU, 2022. — 90 p.

Efremkov E.A. (2009). Determination of forces in the transmission with intermediate rolling elements and free cage. *Proceedings of the VI interbranch scientific and technical conference “Automation and advanced technologies in the nuclear industry”*. — Novouralsk: Novouralsk State Technological Institute, 2009. — Vol. I. — Pp. 123–126.

Hsieh C.F. (2014). Dynamics analysis of cycloidal speed reducers with pinwheel and non-pinwheel designs. *Journal of Mechanical Design*, 2014. — V. 136. — No. 9. — P. 11.

Ivkina O.P., I-Kan A., Cheremnov A.V., Pashkov E.N. (2012). Exposing static indeterminacy of dimensioned gear with packing rolling element. *7th International Forum on Strategic Technology, Conference “Strategic Technology (IFOST2012)”*. — Tomsk, 2012. — P. 6357717.

Korshak A.A., Vykhodtseva N.A., Gaysin M.T., Korshak A.A., Pshenin V.V. (2019). Influence of operating factors on the performance of oil vapor recovery adsorption plants. *Science and Technologies. Oil and Oil Products Pipeline Transportation*, 2019, — 9(5). — 550–557. <https://doi.org/10.28999/2541-9595-2019-9-5-550-557>

Korshak A.A., Nikolaeva A.V., Nagatkina A.S., Gaysin M.T., Korshak A.A., Pshenin V.V. (2020). Method for predicting the degree of hydrocarbon vapor recovery at absorption. *Science and Technologies. Oil and Oil Products Pipeline Transportation*, 2020. — 10(2). — 202–209. <https://doi.org/10.28999/2541-9595-2020-10-2-202-209>

Korshak A.A., Pshenin V.V. (2023). Determination of parameters of non-pump ejector gasoline vapor recovery unit. *Science and Technologies. Oil and Oil Products Pipeline Transportation*, 2023, — 13(1). — 25–31. <https://doi.org/10.28999/2541-9595-2023-13-1-25-31>

Kusimova E., Saychenko L., Islamova N., Drofa P., Safiullina E., Dengayev A. (2023). Application of machine learning methods for predicting well disturbances. *Journal of Applied Engineering Science*, 2023. — 21(1). — 76–86. <https://doi.org/10.5937/jaes0-38729>

Lustenkov M.E., Moiseenko A.N. (2021). Analysis of contact strength of spherical roller transmission with double-row pinion. *IOP Conf. Series: Materials Science and Engineering*, 2021. — V. 1118. — P.6.

Li T., Tian M., Xu H., Deng X., Su J. (2020). Meshing contact analysis of cycloidal-pin gear in RV reducer considering the influence of manufacturing error. *Journal of the Brazilian Society of Mechanical Sciences and Engineering*, 2020. — No. 42. — Pp. 1–14.

Li X.X. (2018). A dynamic model to predict the number of pins to transmit load in a cycloidal reducer with assembling clearance. *ProclMechE Part C: J. Mechanical Engineering Science*, 2018. — V. 233(12). — Pp. 4247–4269.

Lustenkov M.E., Lustenkova E.S. (2019). Load capacity of spherical roller transmission with double-row pinion. *IOP Conf. Series: Materials Science and Engineering*, 2019. — V. 795. — P. 6.

Lustenkov M.E. (2010). Planetary ball transmissions: strength calculations. *Russian Engineering Research*, 2010. — V. 30. — No. 9. — Pp. 862–866.

Lustenkov M.E. (2020). Experimental estimation of efficiency and kinematic accuracy of a spherical roller transmission. *IOP Conf. Series: Materials Science and Engineering*, 2020. — V. 1118. — P. 6.

Mohamad A., Quaglia G., Schulz I. (2022). Condition-Based Monitoring on High-Precision Gearbox for Robotic Applications. *Hindawi Shock and Vibration*, 2022. — V. 2022. — Art. 6653723. — P. 15. <https://doi.org/10.1155/2022/6653723>

org/10.1155/2022/6653723.

Pankratov E.N. (1998). Design of mechanical systems of automated complexes for machining production. *Practicum of leader-designer*. — Tomsk: TSU, 1998. — 296 p.

Prudnikov A.P. (2018). Thermal analysis of transmission with intermediate rolling bodies. *AER-Advances in Engineering Research (AviaENT 2018)*, 2018. — V. 158. — Pp. 338–342.

Palyanitsina A., Tananykhin D., Masoud R. (2021). Strategy of water-flooding enhancement for low-permeable polymictic reservoirs. — *Journal of Applied Engineering Science*, 2021. — 19(2). — 307–317. <https://doi.org/10.5937/jaes0-29693>

Pshenin V.V., Zakirova G.S. (2023). Improving the efficiency of oil vapor recovery units in the commodity transport operations at oil terminals. — *Journal of Mining Institute*, 2023. — 265. — 121–128. <https://doi.org/10.31897/PMI.2023.29>

Sherov A.K., Myrzakhmet B., Sherov K.T., Sikhimbayev M.R., Absadykov B.N. (2021). Gear pump quality improving by changing the design and size of the support bushings. *News of the National Academy of Sciences of the Republic of Kazakhstan. Series of Geology and Technical Sciences*. — ISSN 2224-5278. — Vol. 6. — No 450. (2021). — Pp. 155–162.

Wang H., Shi Z.Y., Yu B., Xu H. (2019). Transmission performance analysis of RV reducers influenced by profile modification and load. *Applied Sciences*, 2019. — No. 9. — P.19.

Zhang T., Li X., Wang Ya., Sun L. (2020). A semi-analytical load distribution model for cycloid drives with tooth profile and longitudinal modifications. *Applied Sciences*, 2020. — No. 10. — P.19.

CONTENT

A.E. Abetov, A.A. Auyesbek GEOLOGICAL-GEOPHYSICAL CRITERIA OF THE JEZKAZGAN ORE DISTRICT IN CENTRAL KAZAKHSTAN.....	6
K. Akishev, K. Aryngazin, A. Tleulessov, L. Bulyga, V. Stanevich THE USE OF SIMULATION MODELING IN CALCULATING THE PRODUCTIVITY OF THE TECHNOLOGICAL SYSTEM FOR THE PRODUCTION OF BUILDING PRODUCTS WITH FILLERS FROM MAN-MADE WASTE.....	22
V.V. Gerasidi, R.G. Dubrovin, V.V. Kukartsev, T.A. Panfilova, G.V. Stas BOOST SYSTEM DIAGNOSTIC PARAMETERS OF COHERENT GAS PISTON INSTALLATIONS OF MINING ENTERPRISES.....	33
E.M. Elekeev, B.P. Stepanov TO THE ISSUE OF EFFICIENCY OF APPLICATION OF THE SAFETY CONTROL PROGRAM AT NUCLEAR FACILITIES.....	48
A.I. Epikhin, A.A. Stupina, I.A. Panfilov, V.V. Bukhtoyarov, N.A. Shepeta DETERMINANTS FOR ASSESSING THE ENERGY EFFICIENCY OF A COAL MINING ENTERPRISE.....	61
E.A. Efremenkov, E.S. Chavrov, E.P. Khaleyeva, V.V. Tynchenko EVALUATION OF TECHNIQUES FOR DETERMINING THE LOADING OF A CYCLOIDAL SATELLITE ROLLING BEARING.....	72
Zh.A. Zhanabayeva, K.T. Narbayeva, G.K. Ismailova, M.S. Ospanova, J. Rodrigo-Illarri ASSESSMENT OF THE RESERVOIRS IMPACT ON THE MAXIMUM RUNOFF OF THE SYRDARYA RIVER.....	85
M.K. Jexenov, Zh.K. Tukhfatov, E.K. Bektay, R.Sh. Abdinov, G.S. Turysbekova STRUCTURAL-TECHTONIC AND MINERALOGICAL STRUCTURE OF INDER LIFTING FIELD, MINING AND CHEMICAL RAW MATERIALS IN ATYRAU REGION.....	96
G.M. Iskaliyeva^{1,2*}, N.K. Sydyk¹, A.K. Kalybayeva^{1,3}, M.S. Sagat¹, A. Samat USE OF WATER INDICES FOR WATERBODIES IN THE ESIL WATER MANAGEMENT BASIN.....	117
Z.M. Kerimbekova, A.A. Tashimova, G.I. Issayev, E.K. Ibragimova, M.Zh. Makhambetov CALCULATION OF ENVIRONMENTAL AND ECONOMIC DAMAGE CAUSED BY CURRENT SYSTEMS OF SOLID WASTE MOVEMENT IN OIL PRODUCTION..	131
M.Zh. Makhambetov, R. Izimova, G.I. Issayev, N.A. Akhmetov, E.K. Ibragimova ECOLOGICAL-GEOLOGICAL ASSESSMENT OF TECHNOGENICALLY DISTURBED TERRITORIES OF OIL FIELDS OF THE ATYRAU REGION.....	143

A.D. Mekhtiyev, V.V. Yugay, Y.G. Neshina, N.B. Kaliaskarov, P. Madi FIBER-OPTIC SYSTEM FOR CONTROLLING OPEN PIT SIDE ROCK DISPLACEMENT.....	157
A.S. Mussina, G.U. Baitasheva, B.S. Zakirov, Ye.P. Gorbulicheva CONDITIONS FOR PREPARING THE SURFACE OF CONTACT PARTS FOR WETTIBILITY WITH MERCURY.....	168
A.N. Muta, R.B. Baimakhan, G.I. Salgarayeva, N. Kurmanbekkyzy, A. Tileikhan STUDY OF THE STRENGTH PROPERTIES OF SOILS COMPOSING THE GEOLOGICAL STRUCTURE OF THE KOK TOBE MOUNTAIN.....	185
B. Mukhambetov, B. Nasiyev, Zh. Kadasheva, R. Abdinov, R. Meranzova ADAPTABILITY OF KOCHIA PROSTRATA (L.) SCHRAD AND CAMPHOROSMA MONSPELIACA AGRICULTURAL ECOSYSTEMS ON SALINE LANDS OF THE NORTHERN CASPIAN DESERT.....	197
M. Nurpeisova, G. Dzhangulova, O. Kurmanbaev, Z. Sarsembekova, A. Ormanbekova, Y.Kh. Kakimzhanov CREATION OF GEODETIC REFERENCE NETWORK FOR MONITORING TRANSPORT INTERCHANGES IN SEISMIC AREAS.....	209
B.T. Ratov, V.L. Khomenko, A.E. Kuttybayev, K.S. Togizov, Z.G. Utepov INNOVATIVE DRILL BIT TO IMPROVE THE EFFICIENCY OF DRILLING OPERATIONS AT URANIUM DEPOSITS IN KAZAKHSTAN.....	224
A.A.Tashimova, G.I. Issayev, Z.M. Kerimbekova, E.K. Ibragimova, A.M. Bostanova ANALYSIS OF THE RESOURCE POTENTIAL OF SOLID OIL PRODUCTION WASTE.....	237
M.K. Tynykulov, O.D. Shoykin, S.O. Kosanov, M.B. Khusainov, Zh.G. Ibraybekov BIOREMEDIATION OF ZONAL SOILS IN AYIRTAY DISTRICT OF NORTH KAZAKHSTAN REGION.....	246
A.S. Urazaliyev, D.A. Shoganbekova, R. Shults, M.S. Kozhakhmetov, G.M. Iskaliyeva INVESTIGATION OF LSMSA APPROACH IN LOCAL GEOID MODELING.....	261

Publication Ethics and Publication Malpractice in the journals of the National Academy of Sciences of the Republic of Kazakhstan

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the work described has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the originality detection service Cross Check <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайте:

[www:nauka-nanrk.kz](http://www.nauka-nanrk.kz)

ISSN 2518-1483 (Online), ISSN 2224-5227 (Print)

<http://geolog-technical.kz/en/archive/>

Подписано в печать 15.08.2024.

Формат 60x88¹/₈. Бумага офсетная. Печать - ризограф.

15,0 п.л. Тираж 300. Заказ 4.