

**ISSN 2518-170X (Online),
ISSN 2224-5278 (Print)**

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ФЫЛЫМ АКАДЕМИЯСЫНЫҢ
Satbayev University

Х А Б А Р Л А Р Ы

ИЗВЕСТИЯ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК
РЕСПУБЛИКИ КАЗАХСТАН
Satbayev University

NEWS

OF THE ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN
Satbayev University

**SERIES
OF GEOLOGY AND TECHNICAL SCIENCES**

6 (444)

NOVEMBER – DECEMBER 2020

THE JOURNAL WAS FOUNDED IN 1940

PUBLISHED 6 TIMES A YEAR

ALMATY, NAS RK

NAS RK is pleased to announce that News of NAS RK. Series of geology and technical sciences scientific journal has been accepted for indexing in the Emerging Sources Citation Index, a new edition of Web of Science. Content in this index is under consideration by Clarivate Analytics to be accepted in the Science Citation Index Expanded, the Social Sciences Citation Index, and the Arts & Humanities Citation Index. The quality and depth of content Web of Science offers to researchers, authors, publishers, and institutions sets it apart from other research databases. The inclusion of News of NAS RK. Series of geology and technical sciences in the Emerging Sources Citation Index demonstrates our dedication to providing the most relevant and influential content of geology and engineering sciences to our community.

Қазақстан Республикасы Ұлттық ғылым академиясы "ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы" ғылыми журналының Web of Science-тің жаңаланған нұсқасы Emerging Sources Citation Index-те индекстелуге қабылданғанын хабарлайды. Бұл индекстелу барысында Clarivate Analytics компаниясы журналды одан әрі the Science Citation Index Expanded, the Social Sciences Citation Index және the Arts & Humanities Citation Index-ке қабылдау мәселесін қарастыруды. Web of Science зерттеушілер, авторлар, баспашилар мен мекемелерге контент тереңдігі мен сапасын ұсынады. ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы Emerging Sources Citation Index-ке енүі біздің қоғамдастық үшін ең өзекті және беделді геология және техникалық ғылымдар бойынша контентке адалдығымызды білдіреді.

НАН РК сообщает, что научный журнал «Известия НАН РК. Серия геологии и технических наук» был принят для индексирования в Emerging Sources Citation Index, обновленной версии Web of Science. Содержание в этом индексировании находится в стадии рассмотрения компанией Clarivate Analytics для дальнейшего принятия журнала в the Science Citation Index Expanded, the Social Sciences Citation Index и the Arts & Humanities Citation Index. Web of Science предлагает качество и глубину контента для исследователей, авторов, издателей и учреждений. Включение Известия НАН РК. Серия геологии и технических наук в Emerging Sources Citation Index демонстрирует нашу приверженность к наиболее актуальному и влиятельному контенту по геологии и техническим наукам для нашего сообщества.

Бас редакторы
э. ф. д., профессор, КР ҮФА академигі
И.К. Бейсембетов

Бас редакторының орынбасары
Жолтаев Г.Ж. проф., геол.-мин. ф. докторы

Редакция алқасы:

Абаканов Т.Д. проф. (Қазақстан)
Абишева З.С. проф., академик (Қазақстан)
Абсадыков Б.Н. проф., корр.-мүшесі (Қазақстан)
Агабеков В.Е. академик (Беларусь)
Алиев Т. проф., академик (Әзірбайжан)
Бакиров А.Б. проф., (Қыргызстан)
Буктуков Н.С. проф., академик (Қазақстан)
Булат А.Ф. проф., академик (Украина)
Ганиев И.Н. проф., академик (Тәжікстан)
Грэвис Р.М. проф. (АҚШ)
Жарменов А.А. проф., академик (Қазақстан)
Конторович А.Э. проф., академик (Ресей)
Курскеев А.К. проф., академик (Қазақстан)
Курчавов А.М. проф., (Ресей)
Медеу А.Р. проф., академик (Қазақстан)
Мұхамеджанов М.А. проф., корр.-мүшесі (Қазақстан)
Оздоев С.М. проф., академик (Қазақстан)
Постолатий В. проф., академик (Молдова)
Степанец В.Г. проф., (Германия)
Хамфери Дж.Д. проф. (АҚШ)
Штейнер М. проф. (Германия)

«КР ҮФА Хабарлары. Геология және техникалық ғылымдар сериясы».

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Меншіктенуші: «Қазақстан Республикасының Үлттық ғылым академиясы» РКБ (Алматы қ.).

Қазақстан Республикасының Акпарат және қоғамдық даму министрлігінің Акпарат комитетінде 29.07.2020 ж. берілген № KZ39VPY00025420 мерзімдік басылым тіркеуіне қойылу туралы куәлік.

Тақырыптық бағыты: *геология және техникалық ғылымдар бойынша мақалалар жариялау.*

Мерзімділігі: жылына 6 рет.

Тиражы: 300 дана.

Редакцияның мекенжайы: 050010, Алматы қ., Шевченко көш., 28, 219 бөл., 220, тел.: 272-13-19, 272-13-18,
<http://www.geolog-technical.kz/index.php/en/>

© Қазақстан Республикасының Үлттық ғылым академиясы, 2020

Редакцияның Қазақстан, 050010, Алматы қ., Қабанбай батыр көш., 69а.

мекенжайы: Қ. И. Сәтбаев атындағы геология ғылымдар институты, 334 бөлме. Тел.: 291-59-38.

Типографияның мекенжайы: «NurNaz GRACE», Алматы қ., Рысқұлов көш., 103.

Г л а в н ы й р е д а к т о р
д. э. н., профессор, академик НАН РК
И. К. Бейсембетов

Заместитель главного редактора
Жолтаев Г.Ж. проф., доктор геол.-мин. наук

Р е д а к ц и о н на я к о л л е г и я:

Абаканов Т.Д. проф. (Казахстан)
Абишева З.С. проф., академик (Казахстан)
Абсадыков Б.Н. проф., чл.-корр. (Казахстан)
Агабеков В.Е. академик (Беларусь)
Алиев Т. проф., академик (Азербайджан)
Бакиров А.Б. проф., (Кыргызстан)
Буктуков Н.С. проф., академик (Казахстан)
Булат А.Ф. проф., академик (Украина)
Ганиев И.Н. проф., академик (Таджикистан)
Грэвис Р.М. проф. (США)
Жарменов А.А. проф., академик (Казахстан)
Конторович А.Э. проф., академик (Россия)
Курскеев А.К. проф., академик (Казахстан)
Курчавов А.М. проф., (Россия)
Медеу А.Р. проф., академик (Казахстан)
Мухамеджанов М.А. проф., чл.-корр. (Казахстан)
Оздоев С.М. проф., академик (Казахстан)
Постолатий В. проф., академик (Молдова)
Степанец В.Г. проф., (Германия)
Хамфери Дж.Д. проф. (США)
Штейнер М. проф. (Германия)

«Известия НАН РК. Серия геологии и технических наук».

ISSN 2518-170X (Online),
ISSN 2224-5278 (Print)

Собственник: Республиканское общественное объединение «Национальная академия наук Республики Казахстан (г. Алматы).

Свидетельство о постановке на учет периодического печатного издания в Комитете информации Министерства информации и общественного развития Республики Казахстан № KZ39VPY00025420, выданное 29.07.2020 г.

Тематическая направленность: *публикация статей по геологии и технических наукам.*

Периодичность: 6 раз в год.

Тираж: 300 экземпляров.

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, ком. 219, 220, тел.: 272-13-19, 272-13-18,
<http://www.geolog-technical.kz/index.php/en/>

© Национальная академия наук Республики Казахстан, 2020

Адрес редакции: Казахстан, 050010, г. Алматы, ул. Кабанбай батыра, 69а.

Институт геологических наук им. К. И. Сатпаева, комната 334. Тел.: 291-59-38.

Адрес типографии: «NurNaz GRACE», г. Алматы, ул. Рыскулова, 103.

Editor in chief
doctor of Economics, professor, academician of NAS RK
I. K. Beisembetov

Deputy editor in chief
Zholtayev G.Zh. prof., dr. geol-min. sc.

Editorial board:

Abakanov T.D. prof. (Kazakhstan)
Abisheva Z.S. prof., academician (Kazakhstan)
Absadykov B.N. prof., corr. member. (Kazakhstan)
Agabekov V.Ye. academician (Belarus)
Aliyev T. prof., academician (Azerbaijan)
Bakirov A.B. prof., (Kyrgyzstan)
Buktukov N.S. prof., academician (Kazakhstan)
Bulat A.F. prof., academician (Ukraine)
Ganiyev I.N. prof., academician (Tadzhikistan)
Gravis R.M. prof. (USA)
Zharmenov A.A. prof., academician (Kazakhstan)
Kontorovich A.Ye. prof., academician (Russia)
Kurskeyev A.K. prof., academician (Kazakhstan)
Kurchavov A.M. prof., (Russia)
Medeu A.R. prof., academician (Kazakhstan)
Muhamedzhanov M.A. prof., corr. member. (Kazakhstan)
Ozdoyev S.M. prof., academician (Kazakhstan)
Postolatii V. prof., academician (Moldova)
Stepanets V.G. prof., (Germany)
Humphery G.D. prof. (USA)
Steiner M. prof. (Germany)

News of the National Academy of Sciences of the Republic of Kazakhstan. Series of geology and technology sciences.

ISSN 2518-170X (Online),
ISSN 2224-5278 (Print)

Owner: RPA "National Academy of Sciences of the Republic of Kazakhstan" (Almaty).
The certificate of registration of a periodical printed publication in the Committee of information of the Ministry of Information and Social Development of the Republic of Kazakhstan **No. KZ39VPY00025420**, issued 29.07.2020.

Thematic scope: *publication of papers on geology and technical sciences.*

Periodicity: 6 times a year.

Circulation: 300 copies.

Editorial address: 28, Shevchenko str., of. 219, 220, Almaty, 050010, tel. 272-13-19, 272-13-18,
<http://www.geolog-technical.kz/index.php/en/>

© National Academy of Sciences of the Republic of Kazakhstan, 2020

Editorial address: Institute of Geological Sciences named after K.I. Satpayev
69a, Kabanbai batyr str., of. 334, Almaty, 050010, Kazakhstan, tel.: 291-59-38.

Address of printing house: «NurNaz GRACE», 103, Ryskulov str, Almaty.

N E W S

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN

SERIES OF GEOLOGY AND TECHNICAL SCIENCES

ISSN 2224-5278

Volume 6, Number 444 (2020), 83 – 89

<https://doi.org/10.32014/2020.2518-170X.134>

UDC 504.06

**M. T. Yermekov¹, O. V. Rozhkova¹, S. G. Sandibekova¹,
Ye. T. Tolysbayev¹, A. V. Vetyugov², O. A. Turbin³, E. V. Belenko⁴**

¹Parasat Scientific and Technological Center JSC, Nur-Sultan, Kazakhstan;

²Bentonit Ltd., Moscow, Russia;

³Altaiskie Materialy LLP, Ust-Kamenogorsk, Kazakhstan;

⁴Institute of Fine Chemical Technologies MIREA - Russian Technological University, Moscow, Russia.

E-mail: yermekov.m@parasat.kz

**STORAGE OF THE INDUSTRIAL WASTE
OF THE MINING AND SMELTING INDUSTRY
OF KAZAKHSTAN, LANDFILLS ARRANGEMENT,
EFFICIENCY AND OPERATIONAL FEATURES**

Abstract. The possibility of organizing the production of bentonite mats as multifunctional watertight screens was thoroughly studied on the basis of the Taganskoye deposit in East Kazakhstan that is represented by three industrial horizons of alkaline, alkaline-earth and pharmaceutical bentonites, by their characteristics being one of the highest quality not only in Kazakhstan, but outside the country as well. Tagansky bentonite has a wide range of applications in various industries due to its unique chemical composition, including as a multifunctional material for the installation of watertight screens in the construction and rehabilitation of waste landfills of various origins. The article raises the question of the use in current practice of mandatory requirements for the arrangement of artificial protective screens during the construction of landfills, which should completely eliminate or minimize pollution of environmental components, the introduction of which could contribute to the development of local production of innovative materials based on Kazakhstan's bentonite deposits.

Key words: mining and smelting industry, natural resources, industrial waste, geomembrane, watertight screen, bentonite mats.

At present, the activity of enterprises of the mining and smelting industry poses a very perceived threat to both the ecosystem as a whole, and the environment of the regions of Kazakhstan. Progressive depletion of ores leads to an increase of the man-made mineral formations in the form of waste, tailing, and slag dumps, and sludge collectors. In this regard, the problems of their safe disposal and storage are of a great relevance for the regions with developed mining and smelting industries.

The richest natural resources of Kazakhstan define the mining industry as one of the main sectors, which constitutes a significant economic value of the country [1]. Kazakhstan is the third country in the world in terms of proven uranium resources localized in six uranium regions: Shu-Sarysu, Syrdarya, Northern Kazakhstan, the Caspian, and Balkhash. Kazatomprom State Holding Company is a leading uranium producer in the world. Kazakhstan plays a major role in the world market of copper, uranium, titanium, ferrous alloys and steel, is a monopolist in the Eurasian subcontinent for chromium. The competitive environment development has a significant influence on the regional market of iron, manganese, coal and aluminum [2].

Mining and processing of minerals is accompanied by the formation of industrial wastes, which include:

- waste and overburden dumps;
- tailing dumps - concentration waste repositories for mineral or coal-containing rocks;

- slag and ash dumps - wastes of pyrometallurgical processing and burning of coal.

The main sources of industrial waste in Kazakhstan are enterprises for:

- mining and concentration of mineral ores, coal;
- large chemical plants;
- metal manufacturers;
- coke and by-product plants;
- thermal coal power plants.

According to the Ministry of Ecology, Geology and Natural Resources, more than 43 billion tons of waste has been accumulated in Kazakhstan, about 600 million tons of which are toxic and this number is increasing by 700 million tons annually, including about 250 million tons of toxic waste [3]. The country has accumulated significant amounts of persistent organic pollutants, chromium and heavy metals such as lead, cadmium and zinc [4].

An average of about 1.500 tons of industrial and municipal waste per country's citizen exceeds the level of waste accumulation by European states. The largest volume weight of wastes are from the mining and concentration plants of Karaganda - 29.4%, East Kazakhstan - 25.7%, Kostanay - 17% and Pavlodar - 14.6% regions. The enterprises engaged in the mining of coal, ferrous metals, and rock phosphates located in Kostanay, Karaganda, Aktobe, East Kazakhstan, Pavlodar, Zhambyl, West Kazakhstan and Atyrau regions have accumulated significant waste dumps from mining and processing industries. According to the Land Balance, as of November 1, 2018, the Republic of Kazakhstan has 248.42 thousand hectares of disturbed lands, which house overburden and rock dumps, tailing and ash dumps, coal and mining quarries, oil fields and pits. The largest number of disturbed lands is in Karaganda, Kostanay, Mangistau, Akmola, East Kazakhstan, Aktobe, and Pavlodar regions. There are environmentally fragile impact areas in all industrial regions: spoil heaps, dumps, quarries of territories disturbed by mining [5].

For instance, the development of gold and rare metal deposits in the area of the North Kazakhstan region causes arsenic and heavy metal pollution of lands. Disposal, neutralization, burial, trans-border transportation of waste is one of the most urgent issues in the country. Up until this day, toxic waste is dumped and stored in various storage facilities, often without observing relevant environmental standards and requirements. Soil, groundwater, and surface waters of many regions are subject to intense contamination as a result of that.

Currently, industrial waste burial at enterprises occurs in accordance with the hazard class outside the industrial site of the entity and the territory of inhabited locality, with the exception of ash and slag dumps/ash dumps of operating power and heating plants, thermal power plants when it is impossible to place them outside the settlement and production site.

Industrial landfills are usually located in pools - gorges, basins, at a distance of several kilometers from the enterprise. Natural clay deposits with low filtering properties are used as the landfill foundation; landfills are fenced off by a dam, which is sluiced from the tails, and additionally strengthened. In the landfill map, the solid phase of the tailings gradually settles, sometimes with the help of specially added reagents — coagulants and flocculants [6].

Despite the requirements strengthening in the field of environmental protection associated with the escalation of land pollution with toxic substances, enterprises strive to cut the cost of arranging landfills, as this significantly affects their economic performance. At the same time, this sector enterprises are offered new technologies and materials that are able to mitigate harmful impact on the environment [7,8]. Basic safety requirements for industrial waste landfills are aimed at minimizing the destruction damage, filtration losses and dusting, as well as the landfills should not obstruct the natural drainage of surface water from the adjacent territory, the bottom and sides must have the necessary, reliable waterproofing layer.

Application of new technologies and modern materials provides the opportunity to optimize the storage of industrial waste, as well as to prevent the penetration of pollutants into the environment when disposing of high hazard class waste by creating multifunctional watertight screens. Modern technologies for isolating the bottom and slopes of containers for waste disposal must meet multifunctional requirements, such as: possess a certain filtration factor throughout the entire period of operation, have thermal and chemical resistance, mechanical strength and structural homogeneity.

However, still, the general traditional materials for their construction are natural clay formations (from loam soil to bentonite-like clays), which may be present in sufficient quantities during the deposit development. Such watertight screens have a number of significant weaknesses: the lack of instrumental methods for monitoring the screen tightness; high risk of screen cracking; weakening of insulating properties; labour consuming construction technology; hence their negative impact on the natural environment.

Recently, the use of geosynthetic membranes has become widespread for the aggressive contents isolation [9]. Polymer watertight screens have a number of unequivocal advantages, including ease of arrangement, relatively low price, and this is a more modern solution in comparison with the traditional construction of landfills for industrial waste, tailing dumps and sludge collectors (figure 1).



Figure 1 – The Use of Geosynthetic Screens in the Development of industrial waste storage

However, the use of geosynthetic membranes does not dismiss the arrangement of combined screens together with a clay cushion, which serves as an additional insulating foundation, increasing reliability and watertight properties, and as a result of the susceptibility of membranes to mechanical damage, their effectiveness significantly increases over the long term.

The best solution for isolating the storage pot technologically is the use of bentonite mats - innovative in properties, which are a combination of polymer geomembranes with a layer of bentonite, a natural mineral component. Bentonite mats are a multifunctional composite material in the form of a needle-punched bracing made of polypropylene fibers, which has inside powder or granules of sodium bentonite - one of the montmorillonite clay types of natural origin, with mat sizes 4-5 m wide and up to 40-50 m long (figure 2).




Figure 2 – Bentonite mat structure

The main advantages of liner materials based on sodium bentonite are:

Self-repair - clay closes the damage occurring during the watertight screen installation or operation due to the swelling property when interacting with water, thereby restoring its water-proof properties

High water-proof properties - the filtration rate of bentonite mats of 10^{-11} - 10^{-12} m/s characterizes extremely low water permeability.

High strength, resistance to tearing and damage - bentonite mats are resistant to dynamic punctures, shear and soil settlement; they allow the movement of wheeled heavy equipment on them when bedding.

Low footprint - due to its high cation exchange capacity the bentonite clay exhibits sorption properties, absorbing heavy metal ions, halogens.

Cost effective and easy matting -

- does not require special preparation of the foundation;
- no need for welding seams;
- matting is not limited by weather conditions, mats remain flexible at temperatures up to -70 C°.

Durability - the operational period of bentonite mats is comparable with the service life of the structure.

With reference to the long-term functioning of landfills, the impact of which will affect future generations, the availability of already present technical solutions to minimize their adverse effects on the environment, there is a need to revise the design requirements for tailing dumps and process waste landfills.

In modern practice of the construction of landfills, the mandatory requirements for the arrangement of artificial protective screens must be introduced, which should eliminate or narrow down pollution of environmental components.




Figure 3 – BentIzol Bentonite Mats Application during Construction and Reclamation of the Landfill

The introduction of such requirements could contribute to the development of local innovative material production based on Kazakhstan's bentonite deposits. For instance, on the basis of the Taganskoye deposit in East Kazakhstan, which is represented by three industrial horizons of alkaline, alkaline-earth and pharmaceutical bentonites. They are one of the highest quality according to their characteristics, both in and out of Kazakhstan. Due to its unique chemical composition, Tagansky bentonite has a wide range of applications in various industries [10,11]. Bentonit Ltd. (Russian Federation) is one of the five world producers of bentonite products who owns the rights to develop the deposit through a subsidiary of Altaiskie Materialy LLP Bentonit Ltd. is considerably experienced in the bentonite mats production under the BentIzol brand, which is a new multifunctional material for the

installation of watertight screens in the construction and reclamation of landfills of various origins. The most effective compared to traditional and polymer materials (figure 3), the production of which can be established in Kazakhstan if there is an appropriate market niche.

Thus, bringing the norms for the arrangement of waterproof and watertight screens to world standards in the construction of industrial waste storage facilities will, on the one hand, solve the problems of their reliability and reduce environmental footprint over the long term, and on the other hand will also help to establish a new innovative production with the creation of the additional employment in Kazakhstan.

**М. Т. Ермеков¹, О. В. Рожкова¹, С. Ф. Сәндібекова¹,
Е. Т. Толысбаев¹, А. В. Ветюгов², О. А. Турбин³, Е. В. Беленко⁴**

¹«Парасат» ғылыми-технологиялық орталық АҚ, Нұр-Сұлтан, Қазақстан;

²«Бентонит» ЖШҚ, Мәскеу, Ресей;

³«Алтай минералдары» ЖШС, Өскемен, Қазақстан;

⁴МРЭАИ ұсақ химиялық технологиялар институты – Ресей технологиялық университеті, Мәскеу, Ресей

ҚАЗАҚСТАННЫҢ ТАУ-КЕН МЕТАЛЛУРГИЯ САЛАСЫНДАҒЫ ӨНЕРКӘСПІ ҚАЛДЫҚТАРЫН САҚТАУ, ПОЛИГОНДАРДЫ ЖАЙҒАСТЫРУ, ТИИМДЛІГІ МЕН ПАЙДАЛАНУ ЕРЕКШЕЛІКТЕРІ

Аннотация. Қазіргі уақытта тау-кен және металлургия саласындағы кәсіпорындар қызметі тұтастай алғанда экожүйеге де, Қазақстан аймақтарының экологиясына да айтарлыктай қауіп төндіреді. Кеннің прогрессивті жұтандануының бос жыныс үйіндісі, қалдық қоймасы, қожды үйінділер және қоқыржинағыш түрінде техногендік құралым көлемін ұлғайтады әкеледі. Жерді улы заттармен ластау процесінің күшеюіне байланысты қоршаған ортаны қорғау саласындағы қатаң талаптарға қарамастан, кәсіпорындар полигондарды ұйымдастыруға жұмысалатын шығынды барынша арзандатуға тырысады, өйткені олардың экономикалық қорсеткіштеріне айтарлыктай әсер етеді. Осыған байланысты қалдық қоймасын, қожды үйінділер мен қоқыржинағыштарды қауіпсіз орналастыру және сактау проблемалары тау-кен металлургия өнеркәсібі дамыған аймақтарда өте өзекті болып саналады.

Макалада авторлар Қазақстанның тау-кен және металлургия салаларындағы кәсіпорындар шығаратын өнеркәсіптік қалдық көлеміне талдау жасады. Қазақстан Республикасының тау-кен кәсіпорындарының полигондарында қалдық орналастыруда қолданылатын дәстүрлі және заманауи геосинтетикалық сүзгіге қарсы экран артықшылығы мен кемшіліктері егжей-тегжейлі қарастырылып талданды. Сонымен қатар, авторлар Шығыс Қазақстандағы «Таган» кен орны негізінде, сипаттамаға сәйкес, Қазақстандаған емес, одан тыс жерлерде де жоғары сапалы болып келетін сілтілік, сілтілі жер және фармацевтикалық бентониттердің үш өнеркәсіптік горизонтымен ұсынылған көп функционалды сүзгіге қарсы экрандар ретінде бентонит төсөніштерін өндіруді ұйымдастыру мүмкіндігі жете зерделенді. Таган бентонитінің бірегей химиялық құрамына байланысты түрлі салада, соның ішінде шығу тегі әртүрлі полигонды қалпына келтіру және құрылыш кезінде сүзгіге қарсы экранға арналған көпфункциялы материал ретінде кең қолданылады.

Макалада қазіргі тәжірибеде полигон құрылышы кезінде қоршаған орта компоненттерінің ластануын толығымен жоюға немесе азайтуға тиісті жасанды қорғаныс экрандарын орналастыруға койылатын талаптар міндетті түрде қолданылуы туралы мәселе көтерілді.

Мұндай талаптарды енгізу Қазақстандағы бентонит кен орындары негізінде жергілікті өндірісте инновациялық материалдарды дамытуға ықпал ете алады.

Түйін сөздер: тау-кен және металлургия саласы, табигат ресурстары, өндірістік қалдықтар, геомембрана, сүзгіге қарсы экран, бентонит төсөніші.

**М. Т. Ермеков¹, О. В. Рожкова¹, С. Г. Саншибекова¹,
Е. Т. Толысбаев¹, А. В. Ветюгов², О. А. Турбин³, Е. В. Беленко⁴**

¹АО «Научно-технологический центр «Парасат», Нур-Султан, Казахстан;

²ООО «Бентонит», Москва, Россия;

³ТОО «Алтайские материалы», Усть-Каменогорск, Казахстан;

⁴Институт тонких химических технологий МИРЭА –
Российский технологический университет, Москва, Россия

ХРАНЕНИЕ ПРОМЫШЛЕННЫХ ОТХОДОВ ГОРНО-МЕТАЛЛУРГИЧЕСКОЙ ОТРАСЛИ КАЗАХСТАНА, УСТРОЙСТВО ПОЛИГОНОВ, ЭФФЕКТИВНОСТЬ И ОСОБЕННОСТИ ЭКСПЛУАТАЦИИ

Аннотация. В настоящее время деятельность предприятий горно-металлургической отрасли несет весьма ощущимую угрозу как для экосистемы в целом, так и для экологии регионов Казахстана. Прогрессирующее обеднение руд влечет увеличение объемов формирования техногенных образований в виде отвалов пустых пород, хвостохранилищ, шлаковых отвалов и шламонакопителей. Несмотря на ужесточение требований в области охраны окружающей среды, связанного с усилением процесса загрязнения земель токсичными веществами, предприятия стремятся к максимальному удешевлению обустройства полигонов, так как это существенно влияет на их экономические показатели. В этой связи, проблемы безопасного размещения и хранения хвостохранилищ, шлаковых отвалов и шламонакопителей являются весьма актуальными для регионов с развитой горнодобывающей и металлургической промышленностью.

В данной статье авторами проведен анализ объемов промышленных отходов предприятий горнодобывающей и металлургической отраслей Казахстана. Подробно рассмотрены и проанализированы достоинства и недостатки традиционных и современных геосинтетических противофильтрационных экранов, используемых при размещении отходов на полигонах предприятий горнодобывающей промышленности Республики Казахстан. Также авторами детально изучена возможность организации производства бентонитовых матов в качестве многофункциональных противофильтрационных экранов, на базе месторождения «Таганское» в Восточном Казахстане, которое представлено тремя промышленными горизонтами щелочных, щелочноземельных и фармацевтических бентонитов, по своим характеристикам являющихся одними из наиболее высококачественных не только в Казахстане, но и за его пределами. Благодаря уникальному химическому составу, Таганский бентонит имеет широкий спектр применения в самых разных отраслях промышленности в том числе и в качестве многофункционального материала для устройства противофильтрационных экранов при строительстве и рекультивации полигонов отходов различного происхождения.

В статье поднимается вопрос использования в современной практике сооружения полигонов, в обязательном порядке требований по обустройству искусственных защитных экранов, которые должны полностью исключать или сводить к минимуму загрязнение компонентов окружающей среды.

Внесение таких требований могло бы способствовать развитию локального производства инновационных материалов на базе бентонитовых месторождений Казахстана.

Ключевые слова: горнодобывающая и металлургическая отрасль, природные ресурсы, промышленные отходы, геомембрана, противофильтрационный экран, бентонитовые маты.

Information about authors:

Yermekov M.T., Director of the Department of Strategic Planning and Analysis of the Parasat Scientific and Technological Center JSC, Nur-Sultan, Kazakhstan; yermekov.m@parasat.kz; <https://orcid.org/0000-0002-5226-2710>

Rozhkova O.V., Dr. of chemical sciences, Professor of the Kazakh Agrotechnical University, General manager of the Parasat Scientific and Technological Center JSC, Nur-Sultan, Kazakhstan; rozhkova.o@parasat.kz; <https://orcid.org/0000-0001-8163-7035>

Sandibekova S.G., MS, specialist of the Parasat Scientific and Technological Center JSC, Nur-Sultan, Kazakhstan; sandibekova.s@parasat.kz; <https://orcid.org/0000-0002-9454-840X>

Tolysbayev Ye.T., PhD student, Satbayev University, Almaty, Kazakhstan, Chairman of the Board of the Parasat Scientific and Technological Center JSC, Nur-Sultan, Kazakhstan; 1115263@mail.ru; <https://orcid.org/0000-0003-3122-9425>

Vetyugov A.V., General Director of the Bentonit Ltd., Moscow, Russia; info@bentonit.ru; <https://orcid.org/0000-0001-5213-2812>

Turbin O.A., Director of the Altaiskie Materialy LLP, Ust-Kamenogorsk, Kazakhstan; turbin@b-kh.ru; <https://orcid.org/0000-0002-9633-8131>

Belenko E.V., Dr. of chemical sciences, Professor Institute of Fine Chemical Technologies MIREA - Russian Technological University, Moscow, Russia; belkub@yandex.ru; <https://orcid.org/0000-0002-8381-9534>

REFERENCE

- [1] Rakishev B. Mining as part of accelerated industrial and innovative development of the Republic of Kazakhstan, 2007. N 12 (in Russ.).
- [2] Alshanov R. Economy of Kazakhstan for 20 years: Mining and smelting sector. Kazakhstanskaya Pravda, 2011, October 21. P. 4-5 (in Russ.).
- [3] Kazakhstan accumulates 43 billion tons of waste [Electronic resource]. URL:<https://tengrineznews.kz/news/kazakhstan-nakopil-43-milliarda-tonn-othodov-64701> (in Russ.).
- [4] Industrial waste storage for the mining industry [Electronic resource]. URL: <http://www.gidrokor.ru> (accessed on 11.20.2013) (in Russ.).
- [5] Kalybekov T., Suleimenova D. Rational ways to ensure environmental safety in the development of mineral deposits // Gorny zhurnal Kazakhstana. 2007. N 6 (in Russ.).
- [6] Dosmukhamedov N., Merkulova V., and others. Recycling of industrial waste and improving the environmental safety of production // Industry of Kazakhstan. 2009. N 6 (57) (in Russ.).
- [7] Smelting industry and ecology. Ust-Kamenogorsk: Zvetmet All-union Research and Development Centre, 2009. Vol. 2 (in Russ.).
- [8] Myrkhalikov Zh.U., Bazhirov T.S., Kemalov A.F., Kemalov R.A., Syrmanova K.K., Botashev Ye.T. Technological process of integrated modification of bitumen insulating materials // Izvestiya NAS RK. Ser. geolog. 2017. N 4 (in Russ.).
- [9] Sviridova T.V. The use of geomembranes for isolation of industrial waste storage [Primenenie geomembran dlja izoljacii hraniish promyshlennyh othodov] // Theory and technology of metallurgical production. 2014. N 1 (14). P. 74-76 (in Russ.).
- [10] Sapargaliyev Ye.M. Modern views on Kazakhstan bentonites // Izvestiya NAS RK. Geolog. ser. 2003. N 3 (in Russ.).
- [11] Sapargaliyev Ye.M. Taganskoe bentonite deposit in the Zaysan depression // Geology and protection of subsurface resources. 2008. N 4 (in Russ.).

**Publication Ethics and Publication Malpractice
in the journals of the National Academy of Sciences of the Republic of Kazakhstan**

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайте:

www:nauka-nanrk.kz

ISSN 2518-170X (Online), ISSN 2224-5278 (Print)

<http://www.geolog-technical.kz/index.php/en/>

Редакторы *M. С. Ахметова, Д. С. Аленов, А. Ахметова*
Верстка *Д. А. Абдрахимовой*

Подписано в печать 15.12.2020.
Формат 70x881/8. Бумага офсетная. Печать – ризограф.
17,6 п.л. Тираж 300. Заказ 6.