

ISSN 2518-170X (Online),
ISSN 2224-5278 (Print)

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ФЫЛЫМ АКАДЕМИЯСЫНЫҢ

Х А Б А Р Л А Р Ы

ИЗВЕСТИЯ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК
РЕСПУБЛИКИ КАЗАХСТАН

NEWS

OF THE ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN

ГЕОЛОГИЯ ЖӘНЕ ТЕХНИКАЛЫҚ ФЫЛЫМДАР
СЕРИЯСЫ

◆
СЕРИЯ
ГЕОЛОГИИ И ТЕХНИЧЕСКИХ НАУК

◆
SERIES
OF GEOLOGY AND TECHNICAL SCIENCES

2 (422)

НАУРЫЗ – СӘУІР 2017 ж.
МАРТ – АПРЕЛЬ 2017 г.
MARCH – APRIL 2017

ЖУРНАЛ 1940 ЖЫЛДАН ШЫҒА БАСТАФАН
ЖУРНАЛ ИЗДАЕТСЯ С 1940 г.
THE JOURNAL WAS FOUNDED IN 1940.

ЖЫЛЫНА 6 РЕТ ШЫҒАДЫ
ВЫХОДИТ 6 РАЗ В ГОД
PUBLISHED 6 TIMES A YEAR

АЛМАТЫ, ҚР ҰФА
АЛМАТЫ, НАН РК
ALMATY, NAS RK

Бас редакторы

Э. Ф. Д., профессор, КР ҰҒА корреспондент-мүшесі

И.К. Бейсембетов

Бас редакторының орынбасары

Жолтаев Г.Ж. проф., геол.-мин. ф. докторы

Редакция алқасы:

Абаканов Т.Д. проф. (Қазақстан)

Абишева З.С. проф., корр.-мүшесі (Қазақстан)

Алиев Т. проф., академик (Әзірбайжан)

Бакиров А.Б. проф., (Қыргызстан)

Беспаев Х.А. проф. (Қазақстан)

Бишимбаев В.К. проф., академик (Қазақстан)

Буктуков Н.С. проф., корр.-мүшесі (Қазақстан)

Булат А.Ф. проф., академик (Украина)

Ганиев И.Н. проф., академик (Тәжікстан)

Грэвис Р.М. проф. (АҚШ)

Ерғалиев Г.Х. проф., академик (Қазақстан)

Жуков Н.М. проф. (Қазақстан)

Кенжалиев Б.К. проф. (Қазақстан)

Қожахметов С.М. проф., академик (Казахстан)

Конторович А.Э. проф., академик (Ресей)

Курскеев А.К. проф., академик (Қазақстан)

Курчавов А.М. проф., (Ресей)

Медеу А.Р. проф., корр.-мүшесі (Қазақстан)

Мұхамеджанов М.А. проф., корр.-мүшесі (Қазақстан)

Нигматова С.А. проф. (Қазақстан)

Оздоев С.М. проф., академик (Қазақстан)

Постолатий В. проф., академик (Молдова)

Ракишев Б.Р. проф., академик (Қазақстан)

Сейтов Н.С. проф., корр.-мүшесі (Қазақстан)

Сейтмуратова Э.Ю. проф., корр.-мүшесі (Қазақстан)

Степанец В.Г. проф., (Германия)

Хамфери Дж.Д. проф. (АҚШ)

Штейнер М. проф. (Германия)

«ҚР ҰҒА Хабарлары. Геология мен техникалық ғылымдар сериясы».

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Меншіктенуші: «Қазақстан Республикасының Үлттық ғылым академиясы» РКБ (Алматы қ.).

Қазақстан республикасының Мәдениет пен ақпарат министрлігінің Ақпарат және мұрагат комитетінде 30.04.2010 ж. берілген №10892-Ж мерзімдік басылым тіркеуіне қойылу туралы қуәлік.

Мерзімділігі: жылына 6 рет.

Тиражы: 300 дана.

Редакцияның мекенжайы: 050010, Алматы қ., Шевченко көш., 28, 219 бөл., 220, тел.: 272-13-19, 272-13-18,
<http://nauka-namrk.kz/geology-technical.kz>

© Қазақстан Республикасының Үлттық ғылым академиясы, 2017

Редакцияның Қазақстан, 050010, Алматы қ., Қабанбай батыра көш., 69а.

мекенжайы: К. И. Сәтбаев атындағы геология ғылымдар институты, 334 бөлме. Тел.: 291-59-38.

Типографияның мекенжайы: «Аруна» ЖҚ, Алматы қ., Муратбаева көш., 75.

Г л а в н ы й р е д а к т о р

д. э. н., профессор, член-корреспондент НАН РК

И. К. Бейсембетов

Заместитель главного редактора

Жолтаев Г.Ж. проф., доктор геол.-мин. наук

Р е д а к ц и о н а я к о л л е г и я:

Абаканов Т.Д. проф. (Казахстан)

Абишева З.С. проф., чл.-корр. (Казахстан)

Алиев Т. проф., академик (Азербайджан)

Бакиров А.Б. проф., (Кыргызстан)

Беспаев Х.А. проф. (Казахстан)

Бишимбаев В.К. проф., академик (Казахстан)

Буктуков Н.С. проф., чл.-корр. (Казахстан)

Булат А.Ф. проф., академик (Украина)

Ганиев И.Н. проф., академик (Таджикистан)

Грэвис Р.М. проф. (США)

Ергалиев Г.Х. проф., академик (Казахстан)

Жуков Н.М. проф. (Казахстан)

Кенжалиев Б.К. проф. (Казахстан)

Кожахметов С.М. проф., академик (Казахстан)

Конторович А.Э. проф., академик (Россия)

Курскеев А.К. проф., академик (Казахстан)

Курчавов А.М. проф., (Россия)

Медеу А.Р. проф., чл.-корр. (Казахстан)

Мухамеджанов М.А. проф., чл.-корр. (Казахстан)

Нигматова С.А. проф. (Казахстан)

Оздоев С.М. проф., академик (Казахстан)

Постолатий В. проф., академик (Молдова)

Ракишев Б.Р. проф., академик (Казахстан)

Сеитов Н.С. проф., чл.-корр. (Казахстан)

Сейтмуратова Э.Ю. проф., чл.-корр. (Казахстан)

Степанец В.Г. проф., (Германия)

Хамфери Дж.Д. проф. (США)

Штейнер М. проф. (Германия)

«Известия НАН РК. Серия геологии и технических наук».

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Собственник: Республиканское общественное объединение «Национальная академия наук Республики Казахстан (г. Алматы)

Свидетельство о постановке на учет периодического печатного издания в Комитете информации и архивов Министерства культуры и информации Республики Казахстан №10892-Ж, выданное 30.04.2010 г.

Периодичность: 6 раз в год

Тираж: 300 экземпляров

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, ком. 219, 220, тел.: 272-13-19, 272-13-18,
<http://nauka-namrk.kz/geology-technical.kz>

© Национальная академия наук Республики Казахстан, 2017

Адрес редакции: Казахстан, 050010, г. Алматы, ул. Кабанбай батыра, 69а.

Институт геологических наук им. К. И. Сатпаева, комната 334. Тел.: 291-59-38.

Адрес типографии: ИП «Аруна», г. Алматы, ул. Муратбаева, 75

Editor in chief
doctor of Economics, professor, corresponding member of NAS RK

I. K. Beisembetov

Deputy editor in chief

Zholtayev G.Zh. prof., dr. geol-min. sc.

Editorial board:

Abakanov T.D. prof. (Kazakhstan)

Abisheva Z.S. prof., corr. member. (Kazakhstan)

Aliyev T. prof., academician (Azerbaijan)

Bakirov A.B. prof., (Kyrgyzstan)

Bespayev Kh.A. prof. (Kazakhstan)

Bishimbayev V.K. prof., academician (Kazakhstan)

Buktukov N.S. prof., corr. member. (Kazakhstan)

Bulat A.F. prof., academician (Ukraine)

Ganiyev I.N. prof., academician (Tadzhikistan)

Gravis R.M. prof. (USA)

Yergaliев G.Kh. prof., academician (Kazakhstan)

Zhukov N.M. prof. (Kazakhstan)

Kenzhaliyev B.K. prof. (Kazakhstan)

Kozhakhmetov S.M. prof., academician (Kazakhstan)

Kontorovich A.Ye. prof., academician (Russia)

Kurskeyev A.K. prof., academician (Kazakhstan)

Kurchavov A.M. prof., (Russia)

Medeu A.R. prof., corr. member. (Kazakhstan)

Muhamedzhanov M.A. prof., corr. member. (Kazakhstan)

Nigmatova S.A. prof. (Kazakhstan)

Ozdoyev S.M. prof., academician (Kazakhstan)

Postolatii V. prof., academician (Moldova)

Rakishev B.R. prof., academician (Kazakhstan)

Seitov N.S. prof., corr. member. (Kazakhstan)

Seitmuratova Ye.U. prof., corr. member. (Kazakhstan)

Stepanets V.G. prof., (Germany)

Humphery G.D. prof. (USA)

Steiner M. prof. (Germany)

News of the National Academy of Sciences of the Republic of Kazakhstan. Series of geology and technology sciences.

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Owner: RPA "National Academy of Sciences of the Republic of Kazakhstan" (Almaty)

The certificate of registration of a periodic printed publication in the Committee of information and archives of the Ministry of culture and information of the Republic of Kazakhstan N 10892-Ж, issued 30.04.2010

Periodicity: 6 times a year

Circulation: 300 copies

Editorial address: 28, Shevchenko str., of. 219, 220, Almaty, 050010, tel. 272-13-19, 272-13-18,
<http://nauka-namrk.kz/geology-technical.kz>

© National Academy of Sciences of the Republic of Kazakhstan, 2017

Editorial address: Institute of Geological Sciences named after K.I. Satpayev
69a, Kabanbai batyr str., of. 334, Almaty, 050010, Kazakhstan, tel.: 291-59-38.

Address of printing house: ST "Aruna", 75, Muratbayev str, Almaty

NEWS
**OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN
SERIES OF GEOLOGY AND TECHNICAL SCIENCES**

ISSN 2224-5278

Volume 2, Number 422 (2017), 149 – 156

UDC 621.3.032

M. Zh. Aitimov¹, K. A. Ozhikenov¹, U. Zh. Aitimova², A. O. Dauitbayeva³, O. A. Baimuratov⁴

¹Kazakh national research technical university named after K. I. Satpayev, Almaty, Kazakhstan,

²Kazakh agro technical university named after Saken Seifullin, Astana, Kazakhstan,

³Kyzylorda state university named after Korkyt Ata, Kyzylorda, Kazakhstan,

⁴Suleyman Demirel university, Almaty, Kazakhstan.

E-mail aitimovmurat07@gmail.com, olimzhon.baimuratov@sdu.edu.kz

ANALYSIS OF THE STRUCTURE AND CALCULATION OF TIME FOR THE ENVIRONMENTAL MONITORING SYSTEM WITH MULTI-PARAMETER SENSORS

Abstract. In the last decade, engineers, researchers and developers are paying more attention to development and development multi-function sensor is a new trend in modern sensor technology.

This paper discusses the structure of the information systems (IS) and mobile application (app) for the Control and Monitoring of the Environment [1-3, 7, 9-21], the main parameters, based on which developed the structure of IS and mobile application [1] developed a mobile app for the calculation of the time spent on the sending and receiving of information (one cycle) with all the delays in the system.

To date, known to a sufficient number, as well as scientific and practically realized works that perform the functions of control and monitoring of the environment [4, 11, 13-19, 25, 27, 28].

Ensuring control and monitoring objects today is a strategically important aspect to save the current condition, or prevent not desirable consequences in the environment, thanks to timely make the right decisions.

Keywords: environment, monitoring, control, multifunctional sensors.

Introduction. With the improvement of technology, software products, digital devices and sensors often found solutions that are more costly to service, on energy demand as well as on the reliability of information storage.

Development of multi-parameter sensor is one of the important goals of modern engineering, research and development. With the development of technology and the development of methods of multifunctional (multiparameter) sensors today expanded the following applications: robotics, automation, medicine, vehicles, etc. [5-11].

Multifunction sensors and systems for environmental monitoring and process parameters is suitable for indoor and outdoor use, and for all sectors of residential, industrial and tertiary. Depending on the sensor model, it is possible to measure one or more parameters, such as temperature, contact temperature, relative humidity, light, atmospheric pressure and counting pulses from the electrical energy, gas, water, etc. [1-20].

Remote access to devices and sensors using the mobile app provides a great opportunity to monitor performance of the entire system, which simplifies the process of monitoring of all system components. Data can be exported into various formats and programs to perform more complex statistical analysis.

Information System for Environmental Monitoring collects data from sensors for various purposes. Data processing time on each element of the structure, which are presented in Figures [1, 3] has a significant impact on the quality of the functioning of the entire system depends on the reliability of every element of the system, the overall processing the time and accuracy of information.

1. Environmental monitoring systems structures. As a result of analysis on modern environmental monitoring system (the system), and their structures were determined basic parameters, technical and

industrial areas, where it is often used multi-parameter sensors. Data collection and processing of information, depending on the elements of the system is carried out at different time intervals. Features of each system [13-19] are a little different, but perfectly perform the basic functions of collection, processing and storage of recorded data from the sensors.

Comparative analysis [13-19] made it possible to understand in more detail how the system is complex, what features are offered, what is the minimum number of elements should include, on the basis of data obtained by statistical analysis and environmental monitoring for specified parameters.




Figure 1 – Schematic structure of a multifunctional sensor [10]

Consider some of [10-21], which shows the scheme and structure of multifunctional sensors (Figure 1), Structure of water environmental monitoring structure of environmental monitoring systems in Figure 2 [13]:





Figure 2 – Structure of water environmental monitoring network based on space-earth integration system [13]

The structure of the information system (IS) [1] is essential to ensure the effective management of information resources. The structure of IS helps to identify some elements that complicate the passage of information flows and increase the risk of information loss, which has a negative impact on the quality of the functioning of IS.

Application of multifunctional sensors [2, 5-12, 21-23] are known to simplify the structure of control and environmental monitoring system, where the main purpose - providing a scalable, efficient and compact solution that integrates multi-parameter sensors (several sensors in one).



WWW – World Wide Web; Ard – Arduino uno; And – Android app; S₁, S₂, S₃... S_n – multifunctional sensors; s1, s2, s3, s4, ... sk – sensors.

Figure 3 – Structure of IS (A) [1] and functional structure of multifunctional sensor (B)

In [1] considers the analysis of problems and methods of implementation of information systems for monitoring natural and industrial facilities. The new approach of data storage, integration and retrieval developed. The practical applicability confirmed through experience in the development of information systems for the processing and analysis of spatial data using a mobile application. The structure of the software and information system allows both users and developers to understand the operation of IS, determine the number of its elements and learn what kind of details it consists.

Reducing the number of sensors and increase functional capabilities gives an advantage over the developed and the existing environmental monitoring systems, by reducing the physical parameters (volume, mass).

2. Software development of the android APP. There are several platforms for developing applications such as Windows Mobile, Symbian, iOS and Android. In the proposed system, the Android platform app is developed as most of the phones and handy devices support Android OS. Java programming




Figure 4 – Mobile application (A) and Example of Relay Configuration (B)

language using the Android Software Development Kit (SDK) has been used for the development and implementation of the app. The SDK includes a complete set of development tools such as debugger, libraries, a handset emulator with documentation, sample code and tutorials.

Mobile application is designed for checking sensors and recording time send and receive commands/data from the mobile device to the sensor and back Figure 4 (A).

Basically several types of the device can be used as a relay switch of electronic equipment, for example electric lights, electric motors, and a variety of other electronic devices. In this system, the relay is used to power-down automatically based on the order which is specified by the value of the output, which has been processed by microcontroller or controller device. The device is used to adjust the flame relay and the turning off of electronic devices. Relay is connected to the pin on the Arduino Mega Figure 4. (B) [19] and connected also with the electronic device. This device includes Kit Relay device for electrical appliances AC/DC and pin cables and connectors.

3. Device testing. Testing is carried out into three parts, namely turn on/off testing, dim testing and current electric record testing. Testing carried out Android smartphones (LG P500 ICS 4:04) and virtual iPhone. First, before the testing is conducted, it is executed to see how long the smartphone takes log time level to arrive in the Main Menu. The time is measured based on how long this application takes time to login and reverse current that is in the main menu. This test is needed to ensure the user waiting time is not too long, the result of this test is shown in Table 2. Table 1 show that the system needs maximum 5 seconds to achieve the main menu. Virtual iPhone and Virtual Android using wireless is the lowest time in achieving the main menu, while the highest is the virtual android using EDGE network. So based on the experiments done on two smartphone devices found that the likelihood of a successful login at least 100% on EDGE networks. With a maximum waiting time of four seconds. It can be concluded that the application is already running pretty fast.

Table 1 – Login Time Test

Device	Network	Time Request	Results
Virtual iPhone	Wireless	3s	Success
	Wireless	3s	Success
Virtual Android	3G	4s	Success
	EDGE	5s	Success

The next testing for this system is “Turn on/off” and dim testing. These testing are carried out using Android smartphones (LG P500 ICS 4:04) and virtual iPhone. The test is done to see how this app can turn on, turn off and dim the electronic device. The result of the “Turn on/off” and dim testing is shown in Table 2 and Table 3 respectively.

Table 2 – The Result of “Turn off/on” Testing

Device	Arduino Pin	Electronic Device	Dim
Virtual iPhone	Pin 5	Lamp	ok
	Pin 4	Lamp	ok
	Pin 3	Lamp	ok
Virtual Android	Pin 5	Lamp	ok
	Pin 4	Lamp	ok
	Pin 3	Lamp	ok

Table 3 – The Result of Dim Testing

Device	Arduino Pin	Electronic Device	ON	OFF
Virtual iPhone	Pin 5	Lamp	ok	ok
	Pin 4	Lamp	ok	ok
	Pin 3	Lamp	ok	ok
Virtual Android	Pin 5	Lamp	ok	ok
	Pin 4	Lamp	ok	ok
	Pin 3	Lamp	ok	ok

Table 2 and 3 show that the system is able to control turns on/off and dims the lamp correctly. So based on the experiments which is performed on two smartphone devices, it was found that the percentage probability of success in shutting down and turning on an electronic device is 100%. Table 4 shows time that how many time was take for transformation between android and Arduino.

Table 4-6 shows the results of testing the sensors, where T1 - the time of the Android smartphone to the Arduino Uno, T2 - the time from the Arduino Uno to a sensor, T3 - full time (one cycle).

Table 4 – The Result Testing (DHT11)

DHT11 - Temperature and humidity			
Nº	T1	T2	T3
1	1150,5	271	1421,5
2	1194,5	272	1466,5
3	1147	271	1418
4	1199	271	1470
5	1158	273	1431
6	1159	273	1432
7	1101	271	1372
8	1161	272	1433
9	1182	271	1453
10	1175	273	1448
11	1209	272	1481
12	1125	272	1397
13	1089	271	1360
14	1175	271	1446
15	1019	273	1292
AVG	1149,6	271,8	1421,4

Table 5 – The Result Testing (DHT22)

DHT22 - Temperature and humidity			
Nº	T1	T2	T3
1	1283	271	1554
2	1174	271	1445
3	1211	271	1482
4	1052	272	1324
5	1185	271	1456
6	1010	273	1283
7	1095	272	1367
8	91913	272	92185
9	1216	271	1487
10	1101	271	1372
11	91975	271	92246
12	1081	271	1352
13	1167	271	1438
14	1129	272	1401
15	92454	273	92727
AVG	19336,4	271,5333	19607,93

Table 6 – The Result Testing (BMP085)

BMP085– Barometric Pressure/Temperature			
Nº	T1	T2	T3
1	1752	67	1819
2	1285	67	1352
3	1212	67	1279
4	1249	66	1315
5	2677	68	2745
6	1215	66	1281
7	1216	67	1283
8	57816	68	57884
9	1155	67	1222
10	1205	68	1273
11	1680	69	1749
12	1207	67	1274
13	6660	68	6728
14	1262	68	1330
15	1247	68	1315
AVG	5522,533	67,4	5589,933

Figure 5 is a graph based on the result of testing time T2 of two sensors, where T2 – time Arduino Uno to sensor.




Figure 4 – Result of comparison time T2 of the sensors

Conclusion. The analysis of IS structures and mobile applications for the control and monitoring of environment, the basic parameters on which developed the structure of IS and mobile application for environmental monitoring, as developed a mobile app for the calculation of time spent on sending and receiving of information (one cycle). The focus is on the use of multi-parameter sensors and mobile application, through which defined the experimental results in this paper.

The results can be useful for engineers, developers and users of monitoring system with multi-parameter sensors as well as for device developers.

REFERENCES

- [1] Bakhytzhan Akhmetov, Murat Aitimov. Data Collection and Analysis Using the Mobile Application for Environmental Monitoring // The 10th International Conference on Future Networks and Communications (FNC 2015) / The 12th International Conference on Mobile Systems and Pervasive Computing (MobiSPC 2015) Affiliated Workshops. 2015. Vol. 56. P. 532-537.
- [2] Chunxia Feng, Lihua Huang, Jianbo Wang, Huijie Huang. Development of Multi-Parameter Measurement Apparatus for Up-Conversion Phosphor Particles // IEEE Sensors Journal. 2012. Vol. 12, Issue 6. P. 2150-2156. DOI: 10.1109/JSEN.2011.2182189.
- [3] Beigelbeck R., Cerimovic S., Kohl F., Voglhuber T., Jakoby B., Reyes-Romero D., Urban G. Transient measurement method for the thermal properties of the thin-film membrane in a multi-parameter wind sensor // SENSORS, IEEE. 2014. P. 1304-1307. DOI: 10.1109/ICSENS.2014.6985250.
- [4] Kanagaraj E., Kamarudin L.M., Zakaria A., Gunasagaran, R. Shakaff A.Y.M. Cloud-based Remote Environmental Monitoring System with Distributed WSN Weather Stations // SENSORS, IEEE. 2015. DOI: 10.1109/ICSENS.2015.7370449.
- [5] Alexander Klein, Andreas Gerritsen, Henning Schröder, Hermann Oppermann Fraunhofer. Electronic System-Integration Technology Conference (ESTC) // IEEE. 2010. DOI: 10.1109/ESTC.2010.5642958.
- [6] Shanshan Yao, Yong Zhu. Wearable multifunctional sensors using printed stretchable conductors made of silver nanowires // 2014. 6. P. 2345-2352. DOI: 10.1039/C3NR05496A.
- [7] Liu X., Wei G., Sun J.W., Liu D. Nonlinear multifunctional sensor signal reconstruction based on least squares support vector machines and total least squares algorithm // J. Zhejiang Univ. Sci. A 2009, 10. P. 497–503. DOI: 10.1631/jzus.A0820282.
- [8] Sun J.W., Liu X., Sun S.H. TLS algorithm-based study on multi-functional sensor data reconstruction // Acta Electron. Sin. 2004. 32(3): P. 391-394 (in Chinese).
- [9] Sun J.W., Shida K. Multilayer sensing and aggregation approach to environmental perception with one multi-functional sensor // IEEE Sensors. 2002. 2(2). P. 62-72. DOI:10.1109/JSEN.2002.1000243.
- [10] Xin LIU, Guo WEI, Jin-wei SUN, Dan LIU. Nonlinear multifunctional sensor signal reconstruction based on least squares support vector machines and total least squares algorithm // Journal of Zhejiang University SCIENCE A. 2009. 10. P. 497-503. DOI: 10.1631/jzus.A0820282.
- [11] Klasern Lena. Advanced Multifunctional Sensor Systems. Chapter Unexploded Ordnance Detection and Mitigation // Part of the series NATO Science for Peace and Security Series B: Physics and Biophysics. ISSN: 1874-6500. P. 165-187.
- [12] Ahlberg J., Klasern L., GroEnwall C., Ulvklo M., Jungert E. Automatic Target Recognition on a Multi-Sensor Platform Proceeding of Swedish Society of Automated Image Analysis Symposium on Image Analysis. 2003. P. 93-96.
- [13] Rei LIU, Tao XIE, Qiao WANG, Honghua LI. Space-earth based Integrated Monitoring System for Water Environment. International Society for Environmental Information Sciences 2010 Annual Conference. Procedia Environmental Sciences. 2010. Vol. 2. P. 1307-1314. DOI: 10.1016/j.proenv.2010.10.141.

- [14] Wang Q. Advance and challenges of satellite remote sensing technology application in environmental monitoring // Environmental Monitoring of China. 2009. Vol. 25. P. 53-56 (in Chinese).
- [15] Meera A., Swamynathan S. Agent based Resource Monitoring system in IaaS Cloud Environment. International Conference on Computational Intelligence: Modeling Techniques and Applications. 2013. Procedia Technology. 2013. Vol. 10. P. 200-207. DOI:10.1016/j.protcy.2013.12.353.
- [16] Benzidane Karim, Khoudali Saad, Sekkaki Abderrahim. Autonomous Agent-based Inspection for inter-VM Traffic in a Cloud Environment // The 7th International Conference for Internet Technology and Secured Transactions (ICITST-2012).
- [17] Penkova T.G., Korobko A.V., Nicheporchuk V.V., Nozhenkova L.F. On-line modelling and assessment of the state of technosphere and environment objects based on monitoring data // 18th International Conference on Knowledge-Based and Intelligent Information & Engineering Systems - KES2014. Procedia Computer Science. 2014. Vol. 35. P. 156-165.
- [18] Lionel Nkenyereye, Jong-wook Jang. A Remote System for Monitoring Auxiliary Data Center from Environmental threats with Lower Hardware Cost // The 7th International Conference on Emerging Ubiquitous Systems and Pervasive Networks (EUSPN 2016). Procedia Computer Science. 2016. Vol. 98. P. 187-192.
- [19] Dan Liu, Qisong Wang, Xin Liu, Ruixin Niu, Yan Zhang, Jinwei Sun. A Multifunctional Sensor in Ternary Solution Using Canonical Correlations for Variable Links Assessment Harbin Institute of Technology, School of Transportation Science and Engineering, Harbin 150090, China, 2016. DOI: 10.3390/s16101661.
- [20] Lei J.F., Fralick G.C., Krasowski M.J. Microfabricated Multifunction Strain-Temperature Gauge. U.S. Patent 5,979,243, Nov. 1999.
- [21] Yuji J., Shida K. A new multifunctional tactile sensing technique by selective data processing // IEEE Trans. Instrum. Meas. 2000. 49(5), P. 1091-1094. DOI:10.1109/19.872935.
- [22] Sun J.W., Liu X., Sun S.H. TLS algorithm-based study on multi-functional sensor data reconstruction // Acta Electron. Sin. 2004. 32(3). P. 391-394 (in Chinese).
- [23] Chun-Yi Liu, Cheng-Long Chuang, Chia-Pang Chen, Wan-Yi Chang. Sensing Technology (ICST) // Fifth International Conference on IEEE. 2011. DOI: 10.1109/ICST.2011.6137039.
- [24] Kanagaraj E., Kamarudin L.M., Zakaria A., Gunasagaran R., Shakaff A.Y.M. Cloud-based remote environmental monitoring system with distributed WSN weather stations Centre of Excellence for Advanced Sensor Technology SENSORS. 2015. IEEE. DOI: 10.1109/ICSENS.2015.7370449.
- [25] Dae-Heon Park, Jang-Woo Park Wireless Sensor Network-Based Greenhouse Environment Monitoring and Automatic Control System for Dew Condensation Prevention Sensors. 2011. Vol. 11. P. 3640-3651. DOI:10.3390/s110403640.
- [26] Nagaraj Patil, Anand K Warad. IOT and Raspberry PI Based Environmental Monitoring Application // International Journal of Electrical, Electronics and Computer Systems. 2016. Vol. 4. Issue 4.
- [27] Jun Yi Liu. Zigbee based intelligent environmental monitoring system designed coop // International Journal of Computer, Consumer and Control (IJ3C). 2013. Vol. 2, N 4.

М. Ж. Айтимов¹, Қ. Ә. Өжікенов¹, Ү. Ж. Айтимова², А. О. Даутбаева³, О. А. Баймуратов⁴

¹К. И. Сәтбаев атындағы қазақ ұлттық техникалық зерттеу университет, Алматы, Қазақстан

²С. Сейфуллин атындағы қазақ агротехникалық университет, Алматы, Қазақстан

³Қорқыт Ата атындағы қызылорда мемлекеттік университет, Алматы, Қазақстан

⁴Сұлейман Демирле атындағы университет, Алматы, Қазақстан

КӨПАТҚАРЫМДЫҚ ДАТЧИКТЕРИМЕН ҚОРШАҒАН ОРТАНЫ МОНИТОРИНГТЕУГЕ АРНАЛҒАН ЖҮЙЕНИҢ ҚҰРЫЛЫМЫН ТАЛДАУ ЖӘНЕ УАҚЫТЫН АНЫҚТАУ

Аннотация. Соңғы онжылдықтарда инженерлер, зерттеушілер мен өндөрүшілер заманауи сенсорлы технологияда жаңа бағыт болып табылатын көпатқарымдық датчиктердің дамуы мен зерттеліміне үлкен назар аударып жатыр.

Осы жұмыста ақпараттық жүйелер (АЖ) және қоршаган ортаны бақылау мен мониторингтеу бойынша мобиЛЬДІК қосымшалардың (МҚ) құрылымдары [1-3, 7, 9-21] қарастырылды, негіздерінде АЖ және МҚ [1] құрылымы жасалған негізгі параметрлер анықталды, жүйедегі барлық кірірулерді есепке ала отырып, ақпаратты жіберу және қабылдауга (бір цикл) жумсалған уақытты есептеу үшін мобиЛЬДІК қосымша жасалған.

Бүгінгі күні қоршаган ортаны бақылау мен мониторинг қызметтерін орындастын ғылыми жағынан да, практикалық жағынан да жүзеге асырылған жұмыстардың біразы белгілі [4, 11, 13-19, 25, 27, 28].

Нысандардағы бақылау мен мониторингті қамтамасыз ету бүгінгі күнде дұрыс шешімдерді уақытылы қабылдаудың арқасында ағымдағы жағдай сақтау мен қоршаган ортага тигізетін қажетсіз салдарын болдырmas үшін стратегиялық маңызды аспект болып табылады.

Түйін сөздер: қоршаган орта, мониторинг, бақылау, көпараметрлі датчиктер.

М. Ж. Айтимов¹, К. А. Ожикенов¹, У. Ж. Айтимова², А. О. Даутбаева³, О. А. Баймуратов⁴

¹Казахский национальный исследовательский технический университет им. К. И. Сатпаева,
Алматы, Казахстан,

²Казахский агротехнический университет им. С.Сейфуллина, Алматы, Казахстан,

³Кызылординский государственный университет им. Коркыт Ата, Алматы, Казахстан,

⁴Университет им. Сулеймана Демиреля, Алматы, Казахстан

**АНАЛИЗ СТРУКТУРЫ И ПОДСЧЕТ ВРЕМЕНИ СИСТЕМЫ
ПО МОНИТОРИНГУ ОКРУЖАЮЩЕЙ СРЕДЫ
С МНОГОПАРАМЕТРОВЫМИ ДАТЧИКАМИ**

Аннотация. В последнее десятилетие инженеры, исследователи и разработчики уделяют большее внимание к развитию и разработке многофункциональных датчиков представляющее собой новое направление в современной сенсорной технологии.

В данной работе рассмотрены структуры информационных систем (ИС) и мобильных приложений (МП) по контролю и мониторингу окружающей среды [1-3, 7, 9-21], определены основные параметры, на основе которых разработана структура ИС и МП [1], разработано мобильное приложение, для вычисления времени затраченное на отправку и прием информации (один цикл) с учетом всех задержек в системе.

На сегодняшний день известны достаточное количество, как и научных, так и практически реализованных работ, которые выполняют функции контроля и мониторинга окружающей среды [4, 11, 13-19, 25, 27, 28].

Обеспечение контроля и мониторинга в объектах на сегодняшний день является стратегически важным аспектом для сохранения текущего состояния или предотвращения не желательных последствий в окружающей среде, благодаря своевременному принятию правильных решений.

Ключевые слова: окружающая среда, мониторинг, контроль, многопараметровые датчики.

Сведения об авторах:

Айтимов Мурат Жолдасбекович – докторант кафедры робототехники и технические средства автоматики Казахского национального исследовательского технического университета имени К.И. Сатпаева, Казахстан, специальность 6D071600 – Приборостроение, e-mail: aitimovmurat07@gmail.com

Ожикенов Касымбек Адильбекович – кандидат технических наук, профессор, заведующий кафедрой «Робототехника и технические средства автоматики» Казахского национального исследовательского технического университета имени К.И. Сатпаева, Казахстан,. e-mail: kas_ozhiken@mail.ru, ozhikenovk@gmail.com

Баймуратов Олимжон Абдухакимович – PhD доктор в области информационных систем, старший преподаватель кафедры «Компьютерные науки» университета имени Сулеймана Демиреля, Казахстан, e-mail: olimzhon.baimuratov@sdu.edu.kz

**Publication Ethics and Publication Malpractice
in the journals of the National Academy of Sciences of the Republic of Kazakhstan**

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайте:

www:nauka-nanrk.kz

ISSN 2518-170X (Online), ISSN 2224-5278 (Print)

<http://geolog-technical.kz/index.php/kz/>

Верстка Д. Н. Калкабековой

Подписано в печать 12.04.2017.
Формат 70x881/8. Бумага офсетная. Печать – ризограф.
16,7 п.л. Тираж 300. Заказ 2.