

**ISSN 2518-170X (Online),
ISSN 2224-5278 (Print)**

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ

Х А Б А Р Л А Р Ы

ИЗВЕСТИЯ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК
РЕСПУБЛИКИ КАЗАХСТАН

NEWS

OF THE ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN

**ГЕОЛОГИЯ ЖӘНЕ ТЕХНИКАЛЫҚ ҒЫЛЫМДАР
СЕРИЯСЫ**

◆
СЕРИЯ
ГЕОЛОГИИ И ТЕХНИЧЕСКИХ НАУК

◆
SERIES
OF GEOLOGY AND TECHNICAL SCIENCES

5 (425)

ҚЫРҚҮЙЕК – ҚАЗАН 2017 ж.
СЕНТЯБРЬ – ОКТЯБРЬ 2017 г.
SEPTEMBER – OCTOBER 2017

ЖУРНАЛ 1940 ЖЫЛДАН ШЫГА БАСТАФАН
ЖУРНАЛ ИЗДАЕТСЯ С 1940 г.
THE JOURNAL WAS FOUNDED IN 1940.

ЖЫЛЫНА 6 РЕТ ШЫГАДЫ
ВЫХОДИТ 6 РАЗ В ГОД
PUBLISHED 6 TIMES A YEAR

АЛМАТЫ, ҚР ҰФА
АЛМАТЫ, НАН РК
ALMATY, NAS RK

Бас редакторы
э. ф. д., профессор, КР ҮФА академигі
И.К. Бейсембетов
Бас редакторының орынбасары
Жолтаев Г.Ж. проф., геол.-мин. ф. докторы
Редакция алқасы:

Абаканов Т.Д. проф. (Қазақстан)
Абишева З.С. проф., академик (Қазақстан)
Агабеков В.Е. академик (Беларусь)
Алиев Т. проф., академик (Әзірбайжан)
Бакиров А.Б. проф., (Қыргыстан)
Беспаев Х.А. проф. (Қазақстан)
Бишимбаев В.К. проф., академик (Қазақстан)
Буктуков Н.С. проф., академик (Қазақстан)
Булат А.Ф. проф., академик (Украина)
Ганиев И.Н. проф., академик (Тәжікстан)
Грэвис Р.М. проф. (АҚШ)
Ерғалиев Г.К. проф., академик (Қазақстан)
Жуков Н.М. проф. (Қазақстан)
Кенжалиев Б.К. проф. (Қазақстан)
Қожахметов С.М. проф., академик (Казахстан)
Конторович А.Э. проф., академик (Ресей)
Курскеев А.К. проф., академик (Қазақстан)
Курчавов А.М. проф., (Ресей)
Медеу А.Р. проф., академик (Қазақстан)
Мұхамеджанов М.А. проф., корр.-мүшесі (Қазақстан)
Нигматова С.А. проф. (Қазақстан)
Оздоев С.М. проф., академик (Қазақстан)
Постолатий В. проф., академик (Молдова)
Ракишев Б.Р. проф., академик (Қазақстан)
Сейтов Н.С. проф., корр.-мүшесі (Қазақстан)
Сейтмуратова Э.Ю. проф., корр.-мүшесі (Қазақстан)
Степанец В.Г. проф., (Германия)
Хамфери Дж.Д. проф. (АҚШ)
Штейнер М. проф. (Германия)

«ҚР ҮФА Хабарлары. Геология мен техникалық ғылымдар сериясы».

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Меншіктенуші: «Қазақстан Республикасының Ұлттық ғылым академиясы» РКБ (Алматы қ.).

Қазақстан республикасының Мәдениет пен ақпарат министрлігінің Ақпарат және мұрагат комитетінде 30.04.2010 ж. берілген №10892-Ж мерзімдік басылым тіркеуіне қойылу туралы куәлік.

Мерзімділігі: жылдана 6 рет.

Тиражы: 300 дана.

Редакцияның мекенжайы: 050010, Алматы қ., Шевченко көш., 28, 219 бөл., 220, тел.: 272-13-19, 272-13-18,
<http://nauka-namrk.kz/geology-technical.kz>

© Қазақстан Республикасының Ұлттық ғылым академиясы, 2017

Редакцияның Қазақстан, 050010, Алматы қ., Қабанбай батыра көш., 69а.

мекенжайы: Қ. И. Сәтбаев атындағы геология ғылымдар институты, 334 бөлме. Тел.: 291-59-38.

Типографияның мекенжайы: «Аруна» ЖҚ, Алматы қ., Муратбаева көш., 75.

Г л а в н ы й р е д а к т о р
д. э. н., профессор, академик НАН РК

И. К. Бейсембетов

Заместитель главного редактора

Жолтаев Г.Ж. проф., доктор геол.-мин. наук

Р е д а к ц и о н а я к о л л е г и я:

Абаканов Т.Д. проф. (Казахстан)
Абишева З.С. проф., академик (Казахстан)
Агабеков В.Е. академик (Беларусь)
Алиев Т. проф., академик (Азербайджан)
Бакиров А.Б. проф., (Кыргызстан)
Беспаев Х.А. проф. (Казахстан)
Бишимбаев В.К. проф., академик (Казахстан)
Буктуков Н.С. проф., академик (Казахстан)
Булат А.Ф. проф., академик (Украина)
Ганиев И.Н. проф., академик (Таджикистан)
Грэвис Р.М. проф. (США)
Ергалиев Г.К. проф., академик (Казахстан)
Жуков Н.М. проф. (Казахстан)
Кенжалиев Б.К. проф. (Казахстан)
Кожахметов С.М. проф., академик (Казахстан)
Конторович А.Э. проф., академик (Россия)
Курскеев А.К. проф., академик (Казахстан)
Курчавов А.М. проф., (Россия)
Медеу А.Р. проф., академик (Казахстан)
Мухамеджанов М.А. проф., чл.-корр. (Казахстан)
Нигматова С.А. проф. (Казахстан)
Оздоев С.М. проф., академик (Казахстан)
Постолатий В. проф., академик (Молдова)
Ракишев Б.Р. проф., академик (Казахстан)
Сейтов Н.С. проф., чл.-корр. (Казахстан)
Сейтмуратова Э.Ю. проф., чл.-корр. (Казахстан)
Степанец В.Г. проф., (Германия)
Хамфери Дж.Д. проф. (США)
Штейнер М. проф. (Германия)

«Известия НАН РК. Серия геологии и технических наук».

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Собственник: Республикаинское общественное объединение «Национальная академия наук Республики Казахстан (г. Алматы)

Свидетельство о постановке на учет периодического печатного издания в Комитете информации и архивов Министерства культуры и информации Республики Казахстан №10892-Ж, выданное 30.04.2010 г.

Периодичность: 6 раз в год

Тираж: 300 экземпляров

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, ком. 219, 220, тел.: 272-13-19, 272-13-18,
<http://nauka-nanrk.kz/geology-technical.kz>

© Национальная академия наук Республики Казахстан, 2017

Адрес редакции: Казахстан, 050010, г. Алматы, ул. Кабанбай батыра, 69а.

Институт геологических наук им. К. И. Сатпаева, комната 334. Тел.: 291-59-38.

Адрес типографии: ИП «Аруна», г. Алматы, ул. Муратбаева, 75

Editor in chief
doctor of Economics, professor, academician of NAS RK

I. K. Beisembetov

Deputy editor in chief

Zholtayev G.Zh. prof., dr. geol-min. sc.

Editorial board:

Abakanov T.D. prof. (Kazakhstan)
Abisheva Z.S. prof., academician (Kazakhstan)
Agabekov V.Ye. academician (Belarus)
Aliyev T. prof., academician (Azerbaijan)
Bakirov A.B. prof., (Kyrgyzstan)
Bespayev Kh.A. prof. (Kazakhstan)
Bishimbayev V.K. prof., academician (Kazakhstan)
Buktukov N.S. prof., academician (Kazakhstan)
Bulat A.F. prof., academician (Ukraine)
Ganiyev I.N. prof., academician (Tadzhikistan)
Gravis R.M. prof. (USA)
Yergaliев G.K. prof., academician (Kazakhstan)
Zhukov N.M. prof. (Kazakhstan)
Kenzhaliyev B.K. prof. (Kazakhstan)
Kozhakhetmetov S.M. prof., academician (Kazakhstan)
Kontorovich A.Ye. prof., academician (Russia)
Kurskeyev A.K. prof., academician (Kazakhstan)
Kurchavov A.M. prof., (Russia)
Medeu A.R. prof., academician (Kazakhstan)
Muhamedzhanov M.A. prof., corr. member. (Kazakhstan)
Nigmatova S.A. prof. (Kazakhstan)
Ozdoyev S.M. prof., academician (Kazakhstan)
Postolatii V. prof., academician (Moldova)
Rakishev B.R. prof., academician (Kazakhstan)
Seitov N.S. prof., corr. member. (Kazakhstan)
Seitmuratova Ye.U. prof., corr. member. (Kazakhstan)
Stepanets V.G. prof., (Germany)
Humphery G.D. prof. (USA)
Steiner M. prof. (Germany)

News of the National Academy of Sciences of the Republic of Kazakhstan. Series of geology and technology sciences.

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Owner: RPA "National Academy of Sciences of the Republic of Kazakhstan" (Almaty)

The certificate of registration of a periodic printed publication in the Committee of information and archives of the Ministry of culture and information of the Republic of Kazakhstan N 10892-Ж, issued 30.04.2010

Periodicity: 6 times a year

Circulation: 300 copies

Editorial address: 28, Shevchenko str., of. 219, 220, Almaty, 050010, tel. 272-13-19, 272-13-18,
<http://nauka-namrk.kz/geology-technical.kz>

© National Academy of Sciences of the Republic of Kazakhstan, 2017

Editorial address: Institute of Geological Sciences named after K.I. Satpayev
69a, Kabanbai batyr str., of. 334, Almaty, 050010, Kazakhstan, tel.: 291-59-38.

Address of printing house: ST "Aruna", 75, Muratbayev str, Almaty

NEWS

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN

SERIES OF GEOLOGY AND TECHNICAL SCIENCES

ISSN 2224-5278

Volume 5, Number 425 (2017), 17 – 19

UDC 549; 549.2/8; 549:548

T. A. Shabanova, B. A. Glagolev, A. V. Fatcheva

«K. I. Satpaev Institute of geological sciences», Almaty, Kazakhstan.
E-mail: Vaglag@mail.ru

GRAPHITE FROM GRAPHANE/GRAFENE LAYERS

Abstract. The work was carried out on the example of carbon particles of the Kazakhstan manifestations. By electron transmission microscopy (TEM) it is shown, that carbon particles are capable to split. In work there is shown one of the ways of graphite formation. The probable circuit of formation of area of stratification is given. Graphite packing can arise from local "graphite" orderliness graphane/graphene carbon layers. Zones of "graphite" orderliness are formed locally. This is confirmed by the shown morphological and diffraction pictures (by TEM method). Thus, one more phase of orderliness of the carbonaceous substance forming a structural number has appeared.

Key words: carbonaceous particles, stratification, local packing.

Introduction. In nanotechnologies the methods for achieving a certain dispersion size are divided into two: "from top to bottom" and "from bottom to top" [1]. In geology, during the extraction of minerals, a method of dispergation - "from top to bottom" - was adopted. A large ettle is crushed into a certain "small" size. In the analytical work of natural substances a "top-down" method is also adopted - dissection to the desired component. In the processes of synthesis and in the ground mass of theoretical research "from the bottom up" processes are often used. The properties of atoms, molecules, substance constructed from fixed condition of the molecules, a mixture of substances are investigated [2]. At the nano-micro level these approaches come close, but each direction comes to this level with its own knowledge. For chemical synthesis processes materials of natural origin are "new". In spite of the fact that all precursors have been previously taken from natural sources, they are purified from impurity substance. For example, carbon rocks. Determination of the substance by color is not always appropriate. It is known that carbon compounds do not always have black color. There are "white" compounds, for example, carbines. In the course of work on finding sources of nanocarbon in nature, it was found that so far many researchers in the field of chemical and geological sciences are still confused because of the misuse of carbon-graphite concepts.

We adhere to the classical definition that the structure of an ideal graphite is in a certain way connected in three-dimensional space of the carbon planes. Or graphite is a substance composed of crystalline packages consisting of 2–3 carbon layers parallel to each other. Not all carbonaceous matter can form a graphite structural order.

Result and discussion. The probability is high that individual layers of graphites are represented by graphene or graphane. (These formations are visible at considerable magnifications - probe microscopy and are calculated on mathematical schemes.) It is commonly known that, graphenes [3] are planar structures - slightly curved (wavy) sheets consisting of hexagonally packed carbon atoms. Graphene sheets [4] the tension of which is removed by hydrogen atoms are called graphan.

It is obvious that for incomplete [5] (insular) filling of graphane/graphene planes by hydrogen bonds, a local (nano-sized) occurrence of "graphite" orderliness is possible (Figure 2). And since the reflexes from the graphite packing are more intense (for electron diffraction in the TEM), then the manifestation of the "graphite" structure in the general non-graphite substance is expectable.




Figure 1 –
The schematic image:
the "graphite" structure
of a layer arising locally
(between two straight lines)




Figure 2 – TEM-photos, a, b – the negative image (light – a dense site)

The order of formation of the layers obviously looks as follows. Morphologically, a carbonaceous particle with rounded forms consists, as it were, of different clouds (Figure 2a). In this figure, clouds are located in three, in some places four layers. Or, in Figure 2b, a particle in the form of a fragment. The emergence of a dozen flakes can be seen from one edge - when appropriate conditions of future layers come. On the other side, the fragment looks "woolly" because of the apparent overlap of scales on each other. For TEM, spatial resolution is problematic.

In the general case, when electrons are diffracted on a carbon material, standard blurred three rings are formed (Figure 2c). The diffusion and "gravity" of the peak depends on the packing of carbon and on the degree of formation of individual layers of different carbon compounds.

The morphological photograph of the transmission electron microscope (TEM) shows that, probably, the presence of an impurity forms a more dense formation (Figure 3a, dense - light, negative image). In x-ray phase analysis, the same sample does not detect graphite ordering. This is possible when the carbonaceous matter is represented by nanosized particles or their percentage of "graphites" is lower than the sensitivity of the method. For microdiffraction from this particle in transmission electron microscopy (Figure 3b) local amplification and decrease of blurring reflexes (some texturing) are observed. In Figure 3b, (in its upper part) probably as noted above, the beginning of the formation of the "graphite" layer in the predominant carbonaceous matter having two-three-dimensional ordering is depicted [6].




Figure 3 – TEM-photos

During increase in the concentration of local "graphite" areas (Figure 3c), a graphite-like structure appears (Figure 3b, lower part).

The existence of local regions in the carbon corresponding to "graphites" can serve as an explanation for the blurring of reflections and the deviation of the graphite parameters from the classical value. In practice, in manifestations and deposits, more often there is no graphite in the classical sense, but graphite with broken structure - with slightly different or not manifested by X-ray (XFA) and electron-microscopic (TEM) parameters.

This same circumstance (the formation of local "graphite" areas) explains the existence of a combination in graphene/grafanic layers.

Probably, the formation of graphites occurs as follows. At first, the layers come closer/move away. The distance between atoms of one layer and atoms of another layer changes. Locally there is a connection between atoms (in the dimensions of the nano-region). "Graphite" order appears. In the case that the "graphite" ordering then passes to the entire foil, a graphite structural order is formed.

Therefore, it is also possible to talk about graphane/graphene layers in graphite of natural manifestations. And the fact that it is possible to single out one layer from a graphite package is shown in the works of Novoselov-Geim.

Conclusion. The local "graphite" structure can be connected with the segregation of carbonaceous formations and formed by graphene/graphan layers.

REFERENCES

- [1] Gusev A.I. Nanomaterialy, nanostructurye, nanotehnologii. M.: Fizmat, 2005. 416 p.
- [2] Suzdalev I.P., Burawcev E.W., Macsimov V.K., Imschenik C.V., Novistihin C.V., Matveev V.V., Plastinda A.S. Haracteristici necotoryh nanomaterialov // Ros. him. sturnal. 2001. Vol. 45. P. 66-73.
- [3] Elias D.C., Nair R.R. et al. Control of Graphene's Properties by Reversible Hydrogenation: Evidence for Graphane // Science. 2009. Vol. 323. P. 610-613.
- [4] Sofo J., Chaudhari A., Barber G. Graphane: a two-dimensional hydrocarbon // Physical Review B. 2007. Vol. 75. P. 153401.
- [5] Ilin A.M., Nemcaeva R.R. Komputerne modelirovanie i issledovanie gidrogenesirovannogo grafena i rodcenyh struktur // Trudy 8 mestgunar. konf. «Perspektivnye tehnologii, oborydovanie I analiticheskie sistemi dlya materialovedeniya I nanomaterialov». 9–10 maya 2011. P. 215-219.
- [6] Kyrmakaeva F.A., Shabanova T.A. Elektronno-mikroskopicheskoe izuchenie rasseyanogo yglerodistogo veshestva mestonahozhdenni Kazagstana // Izvestiya AN KazSSR. Ser. geologicheskaya. 1988. N 2. P. 81-86.

Т. А. Шабанова, В. А. Глаголев, А. В. Фатчева

Геологиялық ғылымдар институты "ЖШС-ның атындағы К. И. Сатпаева", Алматы, Казахстан

ГРАФИТ ГРАФАН/ГРАФЕН ТОПТАРЫН БІРІ

Аннотация. Қеміртегі бөлшектердің (TEM) электрондық микроскопиямен трансмиссиялық көріністерін, қазақстандық мысалында бұл қабілетті қеміртегі көрсетілуге бөлшектің жаңқалану. Жергілікті мінсіз аймақтары "графит" құрылады. Іштималдық облыстың қабыршақтануды жұмысында Білім беру схемасы келтірілген. Графит пайда болуы мүмкін жергілікті графан/графен бірі "графит" буып-тую мінсіз қеміртегі топтары. Морфологиялық әдіспен растау суреттермен берілген және дифракция (ПЭМ). Осылайша пайда болды, мінсіз жасаушысыға углеродистого заттар тағы бір фаза құрылымдық қатары.

Түйін сөздер: қеміртегі текстес бөлшектер, жіктелу, жергілікті қаптау.

Т. А. Шабанова, В. А. Глаголев, А. В. Фатчева

ТОО «Институт геологических наук им. К. И. Сатпаева», Алматы, Казахстан

ГРАФИТ ИЗ ГРАФАН/ГРАФЕНОВЫХ СЛОЁВ

Аннотация. Работа проводилась на примере углеродных частиц Казахстанских проявлений. Просвещивающей электронной микроскопией (ПЭМ) показано, что углеродные частицы способны расщепляться. В работе показан один из путей формирования графита. Приведена вероятная схема образования области расслоения. Графитовая упаковка может возникать из локальной «графитовой» упорядоченности графан/графеновых углеродных слоёв. Зоны «графитовой» упорядоченности образуются локально. Это подтверждается показанными морфологическими и дифракционными картинами (методом ПЭМ). Таким образом, появилась еще одна фаза упорядоченности углеродистого вещества, образующего структурный ряд.

Ключевые слова: углеродистые частицы, расслоение, локальная упаковка.

Publication Ethics and Publication Malpractice in the journals of the National Academy of Sciences of the Republic of Kazakhstan

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайте:

www:nauka-nanrk.kz

ISSN 2518-170X (Online), ISSN 2224-5278 (Print)

<http://geolog-technical.kz/index.php/kz/>

Верстка Д. Н. Калкабековой

Подписано в печать 16.10.2017.
Формат 70x881/8. Бумага офсетная. Печать – ризограф.
18,9 п.л. Тираж 300. Заказ 5.

*Национальная академия наук РК
050010, Алматы, ул. Шевченко 28, т. 272-13-19, 272-13-18*