

ISSN 2518-170X (Online),
ISSN 2224-5278 (Print)

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ
Қ. И. Сәтпаев атындағы Қазақ ұлттық техникалық зерттеу университеті

Х А Б А Р Л А Р Ы

ИЗВЕСТИЯ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК
РЕСПУБЛИКИ КАЗАХСТАН
Казахский национальный исследовательский
технический университет им. К. И. Сатпаева

NEWS

OF THE ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN
Kazakh national research technical university
named after K. I. Satpayev

ГЕОЛОГИЯ ЖӘНЕ ТЕХНИКАЛЫҚ ҒЫЛЫМДАР СЕРИЯСЫ



СЕРИЯ ГЕОЛОГИИ И ТЕХНИЧЕСКИХ НАУК



SERIES OF GEOLOGY AND TECHNICAL SCIENCES

5 (431)

ҚЫРКҮЙЕК – ҚАЗАН 2018 ж.
СЕНТЯБРЬ – ОКТЯБРЬ 2018 г.
SEPTEMBER – OCTOBER 2018

ЖУРНАЛ 1940 ЖЫЛДАН ШЫҒА БАСТАҒАН
ЖУРНАЛ ИЗДАЕТСЯ С 1940 г.
THE JOURNAL WAS FOUNDED IN 1940.

ЖЫЛЫНА 6 РЕТ ШЫҒАДЫ
ВЫХОДИТ 6 РАЗ В ГОД
PUBLISHED 6 TIMES A YEAR

NAS RK is pleased to announce that News of NAS RK. Series of geology and technical sciences scientific journal has been accepted for indexing in the Emerging Sources Citation Index, a new edition of Web of Science. Content in this index is under consideration by Clarivate Analytics to be accepted in the Science Citation Index Expanded, the Social Sciences Citation Index, and the Arts & Humanities Citation Index. The quality and depth of content Web of Science offers to researchers, authors, publishers, and institutions sets it apart from other research databases. The inclusion of News of NAS RK. Series of geology and technical sciences in the Emerging Sources Citation Index demonstrates our dedication to providing the most relevant and influential content of geology and engineering sciences to our community.

Қазақстан Республикасы Ұлттық ғылым академиясы "ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы" ғылыми журналының Web of Science-тің жаңаланған нұсқасы Emerging Sources Citation Index-те индекстелуге қабылданғанын хабарлайды. Бұл индекстелу барысында Clarivate Analytics компаниясы журналды одан әрі the Science Citation Index Expanded, the Social Sciences Citation Index және the Arts & Humanities Citation Index-ке қабылдау мәселесін қарастыруда. Web of Science зерттеушілер, авторлар, баспашылар мен мекемелерге контент тереңдігі мен сапасын ұсынады. ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы Emerging Sources Citation Index-ке енуі біздің қоғамдастық үшін ең өзекті және беделді геология және техникалық ғылымдар бойынша контентке адалдығымызды білдіреді.

НАН РК сообщает, что научный журнал «Известия НАН РК. Серия геологии и технических наук» был принят для индексирования в Emerging Sources Citation Index, обновленной версии Web of Science. Содержание в этом индексировании находится в стадии рассмотрения компанией Clarivate Analytics для дальнейшего принятия журнала в the Science Citation Index Expanded, the Social Sciences Citation Index и the Arts & Humanities Citation Index. Web of Science предлагает качество и глубину контента для исследователей, авторов, издателей и учреждений. Включение Известия НАН РК. Серия геологии и технических наук в Emerging Sources Citation Index демонстрирует нашу приверженность к наиболее актуальному и влиятельному контенту по геологии и техническим наукам для нашего сообщества.

Б а с р е д а к т о р ы

э. ғ. д., профессор, ҚР ҰҒА академигі

И.К. Бейсембетов

Бас редакторының орынбасары

Жолтаев Г.Ж. проф., геол.-мин. ғ. докторы

Р е д а к ц и я а л қ а с ы:

Абаканов Т.Д. проф. (Қазақстан)
Абишева З.С. проф., академик (Қазақстан)
Агабеков В.Е. академик (Беларусь)
Алиев Т. проф., академик (Әзірбайжан)
Бакиров А.Б. проф., (Қырғыстан)
Беспәев Х.А. проф. (Қазақстан)
Бишимбаев В.К. проф., академик (Қазақстан)
Буктуков Н.С. проф., академик (Қазақстан)
Булат А.Ф. проф., академик (Украина)
Ганиев И.Н. проф., академик (Тәжікстан)
Грэвис Р.М. проф. (АҚШ)
Ерғалиев Г.К. проф., академик (Қазақстан)
Жуков Н.М. проф. (Қазақстан)
Кенжалиев Б.К. проф. (Қазақстан)
Қожахметов С.М. проф., академик (Қазақстан)
Конторович А.Э. проф., академик (Ресей)
Курскеев А.К. проф., академик (Қазақстан)
Курчавов А.М. проф., (Ресей)
Медеу А.Р. проф., академик (Қазақстан)
Мұхамеджанов М.А. проф., корр.-мүшесі (Қазақстан)
Нигматова С.А. проф. (Қазақстан)
Оздоев С.М. проф., академик (Қазақстан)
Постолатий В. проф., академик (Молдова)
Ракишев Б.Р. проф., академик (Қазақстан)
Сейтов Н.С. проф., корр.-мүшесі (Қазақстан)
Сейтмуратова Э.Ю. проф., корр.-мүшесі (Қазақстан)
Степанец В.Г. проф., (Германия)
Хамфери Дж.Д. проф. (АҚШ)
Штейнер М. проф. (Германия)

«ҚР ҰҒА Хабарлары. Геология мен техникалық ғылымдар сериясы».

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Меншіктенуші: «Қазақстан Республикасының Ұлттық ғылым академиясы» РҚБ (Алматы қ.).

Қазақстан республикасының Мәдениет пен ақпарат министрлігінің Ақпарат және мұрағат комитетінде 30.04.2010 ж. берілген №10892-Ж мерзімдік басылым тіркеуіне қойылу туралы куәлік.

Мерзімділігі: жылына 6 рет.

Тиражы: 300 дана.

Редакцияның мекенжайы: 050010, Алматы қ., Шевченко көш., 28, 219 бөл., 220, тел.: 272-13-19, 272-13-18,
<http://nauka-nanrk.kz/geology-technical.kz>

© Қазақстан Республикасының Ұлттық ғылым академиясы, 2018

Редакцияның Қазақстан, 050010, Алматы қ., Қабанбай батыра көш., 69а.

мекенжайы: Қ. И. Сәтбаев атындағы геология ғылымдар институты, 334 бөлме. Тел.: 291-59-38.

Типографияның мекенжайы: «Аруна» ЖК, Алматы қ., Муратбаева көш., 75.

Г л а в н ы й р е д а к т о р
д. э. н., профессор, академик НАН РК

И. К. Бейсембетов

Заместитель главного редактора

Жолтаев Г.Ж. проф., доктор геол.-мин. наук

Р е д а к ц и о н н а я к о л л е г и я:

Абаканов Т.Д. проф. (Казахстан)
Абишева З.С. проф., академик (Казахстан)
Агабеков В.Е. академик (Беларусь)
Алиев Т. проф., академик (Азербайджан)
Бакиров А.Б. проф., (Кыргызстан)
Беспаяев Х.А. проф. (Казахстан)
Бишимбаев В.К. проф., академик (Казахстан)
Буктуков Н.С. проф., академик (Казахстан)
Булат А.Ф. проф., академик (Украина)
Ганиев И.Н. проф., академик (Таджикистан)
Грэвис Р.М. проф. (США)
Ергалиев Г.К. проф., академик (Казахстан)
Жуков Н.М. проф. (Казахстан)
Кенжалиев Б.К. проф. (Казахстан)
Кожаметов С.М. проф., академик (Казахстан)
Конторович А.Э. проф., академик (Россия)
Курскеев А.К. проф., академик (Казахстан)
Курчавов А.М. проф., (Россия)
Медеу А.Р. проф., академик (Казахстан)
Мухамеджанов М.А. проф., чл.-корр. (Казахстан)
Нигматова С.А. проф. (Казахстан)
Оздоев С.М. проф., академик (Казахстан)
Постолатий В. проф., академик (Молдова)
Ракишев Б.Р. проф., академик (Казахстан)
Сейтов Н.С. проф., чл.-корр. (Казахстан)
Сейтмуратова Э.Ю. проф., чл.-корр. (Казахстан)
Степанец В.Г. проф., (Германия)
Хамфери Дж.Д. проф. (США)
Штейнер М. проф. (Германия)

«Известия НАН РК. Серия геологии и технических наук».

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Собственник: Республиканское общественное объединение «Национальная академия наук Республики Казахстан (г. Алматы)

Свидетельство о постановке на учет периодического печатного издания в Комитете информации и архивов Министерства культуры и информации Республики Казахстан №10892-Ж, выданное 30.04.2010 г.

Периодичность: 6 раз в год

Тираж: 300 экземпляров

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, ком. 219, 220, тел.: 272-13-19, 272-13-18,
<http://nauka-nanrk.kz/geology-technical.kz>

© Национальная академия наук Республики Казахстан, 2018

Адрес редакции: Казахстан, 050010, г. Алматы, ул. Кабанбай батыра, 69а.

Институт геологических наук им. К. И. Сатпаева, комната 334. Тел.: 291-59-38.

Адрес типографии: ИП «Аруна», г. Алматы, ул. Муратбаева, 75

E d i t o r i n c h i e f

doctor of Economics, professor, academician of NAS RK

I. K. Beisembetov

Deputy editor in chief

Zholtayev G.Zh. prof., dr. geol-min. sc.

E d i t o r i a l b o a r d:

Abakanov T.D. prof. (Kazakhstan)
Abisheva Z.S. prof., academician (Kazakhstan)
Agabekov V.Ye. academician (Belarus)
Aliyev T. prof., academician (Azerbaijan)
Bakirov A.B. prof., (Kyrgyzstan)
Bespayev Kh.A. prof. (Kazakhstan)
Bishimbayev V.K. prof., academician (Kazakhstan)
Buktukov N.S. prof., academician (Kazakhstan)
Bulat A.F. prof., academician (Ukraine)
Ganiyev I.N. prof., academician (Tadjikistan)
Gravis R.M. prof. (USA)
Yergaliev G.K. prof., academician (Kazakhstan)
Zhukov N.M. prof. (Kazakhstan)
Kenzhaliyev B.K. prof. (Kazakhstan)
Kozhakhmetov S.M. prof., academician (Kazakhstan)
Kontorovich A.Ye. prof., academician (Russia)
Kurskeyev A.K. prof., academician (Kazakhstan)
Kurchavov A.M. prof., (Russia)
Medeu A.R. prof., academician (Kazakhstan)
Muhamedzhanov M.A. prof., corr. member. (Kazakhstan)
Nigmatova S.A. prof. (Kazakhstan)
Ozdoev S.M. prof., academician (Kazakhstan)
Postolatii V. prof., academician (Moldova)
Rakishev B.R. prof., academician (Kazakhstan)
Seitov N.S. prof., corr. member. (Kazakhstan)
Seitmuratova Ye.U. prof., corr. member. (Kazakhstan)
Stepanets V.G. prof., (Germany)
Humphery G.D. prof. (USA)
Steiner M. prof. (Germany)

News of the National Academy of Sciences of the Republic of Kazakhstan. Series of geology and technology sciences.

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Owner: RPA "National Academy of Sciences of the Republic of Kazakhstan" (Almaty)

The certificate of registration of a periodic printed publication in the Committee of information and archives of the Ministry of culture and information of the Republic of Kazakhstan N 10892-Ж, issued 30.04.2010

Periodicity: 6 times a year

Circulation: 300 copies

Editorial address: 28, Shevchenko str., of. 219, 220, Almaty, 050010, tel. 272-13-19, 272-13-18,
<http://nauka-nanrk.kz/geology-technical.kz>

© National Academy of Sciences of the Republic of Kazakhstan, 2018

Editorial address: Institute of Geological Sciences named after K.I. Satpayev
69a, Kabanbai batyr str., of. 334, Almaty, 050010, Kazakhstan, tel.: 291-59-38.

Address of printing house: ST "Aruna", 75, Muratbayev str, Almaty

NEWS

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN

SERIES OF GEOLOGY AND TECHNICAL SCIENCES

ISSN 2224-5278

<https://doi.org/10.32014/2018.2518-170X.7>

Volume 5, Number 431 (2018), 32 – 37

UDC669.213.6

B. Surimbayev^{1,2}, L. Bolotova², B. Mishra³, A. Baikonurova¹

¹Satbayev University, Almaty, Republic of Kazakhstan,

²The Branch of the RSE «NC CPMS RK» State Scientific-Industrial Association
of Industrial Ecology "Kazmekhanobr", Almaty, Kazakhstan,

³Worcester Polytechnic Institute, Worcester, USA.

E-mail: surimbaev@gmail.com, L_bolotova@yahoo.com, bmishra@wpi.edu, a.baikonurova@yandex.kz

INTENSIVE CYANIDATION OF GOLD FROM GRAVITY CONCENTRATES INA DRUM-TYPE APPARATUS

Abstract. Gravimetric, chemical, and mineralogical analyses of a gold-bearing gravity concentrate have been performed. Intensive cyanidation process of the concentrate was carried out in the presence of an organic reagent, while the concentration of sodium cyanide was changed in a drum-type reactor. The use of a reagent activator increased the gold extraction, reduced the time of the reaction, and reduced the leaching losses of gold in to tailings, even when using low concentrations of sodium cyanide.

Keywords: intensive cyanidation, gravity concentration, reagent-activator, gold, leaching.

Introduction. Since the early 1990s, the introduction of centrifugal concentrators, such as Knelson or Falcon concentrators, has significantly increased the percentage of extraction of gold into gravity concentrates by 1-3%, including the processing of ores with a high sulfide content [1-3]. However, standard methods for processing gravity concentrates allow gold recovery at a level of no more than 70% [4]. To solve this problem, intensive cyanidation plants have been tested, which have made it possible to achieve a high extraction of gold from gravity concentrates in an acceptable amount of time for a general technological cycle [5, 6].

The behavior of gold during cyanidation depends on many factors; the main factor is the relationship of gold to ore and rock-forming minerals. Gold can be present in both a free state and in the form of splices with minerals. Any of these conditions can affect the under-extraction of gold during dissolution and can cause an increase in the consumption of reagents. The presence of sulfides in cyanate pulp often inhibits the dissolution of gold, as it tends to form a protective film on the surface of gold. As a result of the oxidation of sulfide minerals in an alkaline solution (pH 10-11) insoluble compounds, such as Ag₂O, FeOOH, CuO, Cu(OH)₂ and Zn(OH)₂ [7-13], can form on the surface of gold. The intensification of the process of gold leaching uses chemical additives to dissolve passivating films of insoluble compounds on the gold surface. However, these additives are expensive and use an increasing concentration of sodium cyanide that ranges from 2–4% [10, 14-16].

The intensive cyanidation of gravity concentrates on an industrial scale has been successfully demonstrated using a drum machine-reactor ILR (Gekko). The drum-type apparatus contains a different prostate device that consists of built ribs, which can improve mass transfer [1, 10].

Therefore, we examined the parameters of intensive cyanidation of gold-bearing concentrate in a drum-type apparatus, along with the addition of a reagent-activator that was based on an aliphatic acid. This process does not require the use of high concentrations of sodium cyanide.

Experimental. The original composition of the gravity concentrate, as determined by an x-ray fluorescence technique on a portable analyzer [Alpha InnovX Systems] shows (in %): Ti – 0.68; Mn – 0.09; Fe – 27.87; Co – 0.15; Cu – 0.16; Zn – 0.04; Pb – 0.05 and Zr – 0.08 as main metals with other

materials adding up to 70.88%. A wet chemical analysis of the gravity concentrate of the major components shows (in %): Cu – 0.11; Zn – 0.025; Fe – 35.02; S_{total} – 32.14; S_{sulphate} – 0.034; and S_{sulfide} – 32.1. The gold content used for research on the gravity concentrate ranged between 77–92 g/t [17], and silver content ranged from 39.7–49.8 g/t. It was previously determined [18, 19] that the gravity concentration and cyanidation of the original ore indicates that the gold is in free form and dissolves easily, which is consistent with the results of optical analysis (figure 1).




Figure 1 – Micrograph of gravity concentrate: 1 – gold; 2 – pyrite

Through an X-ray diffraction method using an automated diffractometer DRON-3, it was revealed that the concentrate is represented by the following percentages of minerals: pyrite – 78.5; chalcopyrite – 5.5; feldspars – 5.9; and quartz – 10.0. Magnetite, covellite, and iron hydroxides are all present in small quantities (figure 2 and table 1).




Figure 2 – X-ray diffraction of gravity concentrate

Table 1 – Interplanar distances and phase composition of the gravity concentrate

d-spacing, Å	Rel.int. %	Mineral	Chemical formula
4.25085	15.3	quartz	SiO ₂
3.34411	24.9	quartz	SiO ₂
3.24011	16.6	feldspars	KAlSi ₃ O ₈
3.12762	32.2	pyrite	FeS ₂
3.02968	15.6	chalcopyrite	CuFeS ₂
2.99745	18.4	feldspars	KAlSi ₃ O ₈
2.70819	100.0	pyrite	FeS ₂
2.53647	15.5	magnetite	Fe ₃ O ₄
2.42236	48.2	pyrite	FeS ₂
2.21099	31.5	pyrite	FeS ₂
1.91515	25.2	pyrite	FeS ₂
1.63378	50.7	pyrite	FeS ₂
1.56390	17.2	pyrite	FeS ₂
1.50184	21.2	pyrite	FeS ₂
1.44801	20.0	pyrite	FeS ₂

The results of physico-chemical analysis confirmed that the concentrate mainly consists of sulfide minerals that can form through the dissolution of oxide films on the surface of gold. To destroy the oxide films that passivate the gold surface requires the introduction of special reagent activators under intensive mass-transfer phases.

To achieve this goal, we used a drum apparatus ILR[17], an intensive cyanidation reactor, that simulates industrial installation. The parameters of the drum-type laboratory agitator were as follows: drum diameter, 98 mm; drum length, 214 mm; drum full volume, 1.6dm³; drum usable volume, 0.38 dm³; and rotation speed of the agitator, 4.25 rpm.


The conditions for leaching of the gold-containing gravity concentrate in the laboratory apparatus were: mass of the gravity concentrate, 0.05 kg; a solid-to-liquid ratio of 1:14; volume of cyanide-containing solution, 0.7 dm³; and a pH of 10.5. As an additive, a reagent activator based on an aliphatic acid with 1.5 and 3.0 kg/t of sodium cyanide was used at a concentration of 0.1, 0.3, and 0.5%.

After the completion of leaching, the filtered solutions were analyzed by atomic-absorption spectroscopy to determine their gold content. Solid phase tailings were washed with water, dried, and were also analyzed for gold content with the assay-gravimetric method.


Results and discussion. Figure 3 shows the results of studies on intensive cyanidation of gravity concentrate in a drumtype apparatus.

The data obtained shows that the extraction of gold from the gravity concentrate in a drum-type apparatus, with the addition of a reagent-activator based on an aliphatic acid, was up to 95,5%, while without the addition, it did not exceed 94.5%. It should be noted that in the presence of a reagent-activator, gold dissolves quite rapidly. The duration of the process to dissolve gold is ~12 hours, which shortens the process by more than half of its normal duration.


It has been established that the content of gold in tailings after intensive cyanidation by using a reagent-activator falls below 0.5-0.6 g/t, in contrast with the same process without the use of this reagent (table 2).



C_{NaCN} = 0,1%



C_{NaCN} = 0,3%



C_{NaCN} = 0,5%

Figure 3 – Degree of gold extraction in solutions from gravity concentrates.
 Line 1 – without the addition of a reagent-activator; Line 2 – with the addition of a reagent-activator at 1.5 kg/t;
 Line 3 – with the addition of a reagent-activator at 3.0 kg/t

Table 2 – Gold content in the tails after the process of leaching the gravity concentrate

Name of materials	Indicators								
	0,1			0,3			0,5		
Concentration of NaCN, %									
Content of reagent-activator, kg/t	w/o*	1,5	3,0	w/o	1,5	3,0	w/o	1,5	3,0
Content of gold in tailings, g/t	4,33	3,80	3,90	4,40	3,83	3,85	4,33	3,83	3,70
<i>Note: *w/o – without the addition of a reagent-activator based on an aliphatic acid.</i>									

Conclusion. The data presented show that the use of an effective reagent-activator based on an aliphatic acid as a chemical additive in intensive cyanidation of gold-bearing concentrates in a drumtype apparatus increases gold extraction by 0.7–1.1%, reduces the overall leaching time by half, and reduces the loss of gold with tailings, even when using low concentrations of sodium cyanide.

REFERENCES

- [1] Longley R., McCallum A., Katsikaris N. Intensive cyanidation: onsite application of the InLine Leach Reactor to gravity gold concentrates // *Minerals Engineering*. 2003. Vol. 16. P. 411-419. [https://doi.org/10.1016/S0892-6875\(03\)00054-2](https://doi.org/10.1016/S0892-6875(03)00054-2) (in Eng.)
- [2] Ancia P.H., Frenay J., Dandois P.H. Comparison of the Knelson and Falcon centrifugal separators // In: Richard M. Mozley International Symposium. 1997 (in Eng.)
- [3] Marsden J., House I. *The Chemistry of Gold Extraction*. Society for Mining, Metallurgy and Exploration / 2nd edition. West Sussex, England: Ellis Horwood. 2006. ISBN 10: 0873352408 / ISBN 13: 9780873352406 (in Eng.)
- [4] Laplante A., Staunton W. Pros. 5th Int. Symp.: Hydrometallurgy 2003 // Vancouver, Canada. 2003. Vol. 1. P. 65-74 (in Eng.)
- [5] Dewhirst R.F., Moulton S.P., Coetzee J.A. Intensive cyanidation for the recovery of coarse gold // *Journal of the South African Institute of Mining and Metallurgy*. Vol. 84. 1984. P. 159-163 (in Eng.)
- [6] Davidson J.D., Brown G.A., Schmidt C.G., Hanf N.W., Duncanson, D., Taylor, J.D. The intensive cyanidation of gold-plant gravity concentrates // *Journal of the South African Institute of Mining and Metallurgy*. 1978. Vol. 78. P. 146-165 (in Eng.)
- [7] Karimi P., Abdollahi H., Amini A., Noaparast M., Shafaei S.Z., Habashi F. Cyanidation of gold ores containing copper, silver, lead, arsenic and antimony // *Inter. J. Miner. Process*. 2010. Vol. 95 P. 68-77. <https://doi.org/10.1016/j.minpro.2010.03.002> (in Eng.)
- [8] Dai X., Simons A., Breuer P. A review of copper cyanide recovery technologies for the cyanidation of copper containing gold ores. *Miner. Eng.* 2012. Vol. 25. P. 1-13. <https://doi.org/10.1016/j.mineng.2011.10.002> (in Eng.)
- [9] Deschênes G., Lacasse S., Fulton M. Improvement of Cyanidation Practice at Goldcorp Red Lake Mine // *Miner. Eng.* 2003. Vol. 16. P. 503-509. [https://doi.org/10.1016/S0892-6875\(03\)00079-7](https://doi.org/10.1016/S0892-6875(03)00079-7) (in Eng.)
- [10] Surimbayev B.N., Baikonurova A.O., Bolotova L.S. Prospects for the development of the process of intensive cyanidation of gold-containing products in the Republic of Kazakhstan // *News Natl. Acad. Sci. Repub. Kaz., Ser. Geol. Tech. Sci.* 2017. Vol. 4, N 424. P. 133-141. ISSN 2518-170X (Online), ISSN 2224-5278 (Print). (in Eng.)
- [11] Parga J.R., Valenzuela J.L., Francisco C.T. Pressure Cyanide Leaching for Precious Metals Recovery // *JOM*. 2007. Vol. 59. P. 43-47. <https://doi.org/10.1007/s11837-007-0130-4> (in Eng.)
- [12] Senanayake G. Kinetics and Reaction Mechanism of Gold Cyanidation: Surface Reaction Model via Au (I)-OH-CN Complexes // *Hydrometallurgy*. 2005. Vol. 80. P. 1-12. <https://doi.org/10.1016/j.hydromet.2005.08.002> (in Eng.)
- [13] Ghobadi B., Noaparast M., Shafaei S. Z., Unesi M. Optimization of cyanidation parameters to increase the capacity of Aghdarre gold mill // *JME*. 2014. Vol. 5. P. 121-128 (in Eng.)
- [14] Sandenbergh R.F., Miller J.D. Catalysis of the leaching of gold in cyanide solutions by lead, bismuth and thallium // *Miner. Eng.* 2001. Vol. 14. P. 1379- 1386. [https://doi.org/10.1016/S0892-6875\(01\)00152-2](https://doi.org/10.1016/S0892-6875(01)00152-2) (in Eng.)
- [15] Bayat O., Vapur H., Akyol F., Poole C. Effects of oxidizing agents on dissolution of Gumuskoy silver ore in cyanide solution // *Miner. Eng.* 2003. Vol. 16. P. 395-398. [https://doi.org/10.1016/S0892-6875\(03\)00050-5](https://doi.org/10.1016/S0892-6875(03)00050-5) (in Eng.)
- [16] Surimbayev B., Bolotova L., Baikonurova A., YesengarayevYe. Application of chemical additives on leaching gold [Primenenie himicheskikh dobavok pri vyshhelachivanii zolota] // *Materials of the International Scientific and Practical Conference «Intensification of hydrometallurgical processes of recycling of natural and technogenic raw materials. Technologies and equipment»*, St. Petersburg, Russia, 2018. P. 294-296. ISBN 978-5-905240-63-8 (In Rus.).
- [17] Surimbayev B., Bolotova L., Baikonurova A., Mishra B. Study on intensive cyanidation of gold from gravity concentrates [Issledovaniya po intensivnomu cianirovaniyu zolota iz gravitacionnykh koncentratov] // *Materials of the International Scientific Conference «Modern problems of complex processing complex ores and technogenic raw materials»*, Plaksin Readings – 2017, Krasnoyarsk, Russia, 2017. P. 273-275. ISBN 978-5-7638-3734-6 (In Rus.).
- [18] Surimbayev B., Baikonurova A., Bolotova L. Studying of the process of gravity concentration of gold-containing ores // *The 49th International October Conference on Mining and Metallurgy*. Bor, Serbia. 2017. P. 160-162. ISBN 978-86-6305-066-2 (in Eng.)
- [19] Surimbayev B., Baikonurova A., Bolotova L. Investigation of the process of gravity concentration of gold-containing sulfide ores [Issledovanie processa gravitacionnogo obogashheniya zolotosoderzhashhih sul'fidnyh rud] // *Reports of the National Academy of Sciences of the Republic of Kazakhstan*, 2017. Vol. 3, N 313. P. 55-60. ISSN 2518-1483 (Online), ISSN 2224-5277 (Print). (In Rus.).

Б. Сүрімбаев^{1,2}, Л. Болотова², Б. Мишра³, Ә. Байқоңырова¹

¹Сәтбаев университеті, Алматы, Қазақстан,

²«ҚР МШКҚӨҰО» РМК Мемлекеттік өнеркәсіптік экология ғылыми-өндірістік бірлестігі филиалы
«Қазмеханообр», Алматы, Қазақстан,

³Вустер политехникалық институты, Вустер, АҚШ

БАРАБАН ТИПТЕС ҚҰРЫЛҒЫДА ГРАВИТАЦИЯЛЫҚ КОНЦЕНТРАТТАН АЛЫНҒАН АЛТЫНДЫ ҚАРҚЫНДЫ ЦИАНИРЛЕУ

Аннотация. Алтынкұрамды гравитациялық концентратта пробирді-гравиметриялық, химиялық және минералдық талдау әдістері жүргізілді. Барабан типтес құрылғыда гравитациялық концентратты қарқынды цианерлеу үрдісі бойынша зерттеу жұмыстары жүргізілді. Қарқынды цианерлеу үрдісін натрий цианидінің концентрациясының өзгеруімен алифаттық қышқылға негізделген органикалық реагентті қолдану арқылы жүргізілді. Жұмыс нәтижесі бойынша, гравитациялық концентратты қарқынды цианерлеуде реагент-активаторды қолдану арқылы алтынды өндіру мөлшері ұлғайтылатыны, байыту уақытын қысқартылатыны, сонымен қатар натрий цианидінің төмен концентрациясын пайдаланған кезде алтынның қалдықтармен жоғалуы азаятыны анықталып көрсетілді.

Түйін сөздер: қарқынды цианерлеу, гравитациялық концентрат, реагент-активатор, алтын, байыту.

Б. Суримбаев^{1,2}, Л. Болотова², Б. Мишра³, А. Байқоңырова¹

¹Satbayev University, Алматы, Казахстан,

²Филиал РГП «НЦ КПМС РК» Государственное научно-производственное объединение
промышленной экологии «Казмеханообр», Алматы, Казахстан,

³Вустерский политехнический институт, Вустер, США

ИНТЕНСИВНОЕ ЦИАНИРОВАНИЕ ЗОЛОТА ИЗ ГРАВИТАЦИОННЫХ КОНЦЕНТРАТОВ В АППАРАТЕ БАРАБАННОГО ТИПА

Аннотация. Проведены пробирно-гравиметрические, химические и минералогические анализы золотосодержащего гравитационного концентрата. Проведены исследования по интенсивному цианированию гравитационного концентрата в аппарате барабанного типа. Процесс интенсивного цианирования проводили в присутствии органического реагента на основе алифатической кислоты при изменении концентрации цианида натрия. Показано, что использование реагента-активатора при интенсивном цианировании увеличивает извлечение золота, сокращает время выщелачивания, а также снижает потери золота с хвостами даже при использовании низкой концентрации цианида натрия.

Ключевые слова: интенсивное цианирование, гравитационный концентрат, реагент-активатор, золото, выщелачивание.

Information about the authors:

Bauyrzhan Surimbayev – PhD student, Satbayev University, Satpayevstr 22a, Almaty, Kazakhstan; Research scientist, laboratory of precious metals, The Branch of the RSE «NC CPMS RK» State Scientific-Industrial Association of Industrial Ecology "Kazmekhanobr", 67b, Jandosovstr, Almaty, Kazakhstan; surimbaev@gmail.com; <https://orcid.org/0000-0002-3988-8444>

Lyudmila Bolotova – Candidate of Chemical Sciences, Head of the laboratory of precious metals, The Branch of the RSE «NC CPMS RK» State Scientific-Industrial Association of Industrial Ecology «Kazmekhanobr», 67b, Jandosovstr, Almaty, Kazakhstan; L_bolotova@yahoo.com; <https://orcid.org/0000-0003-0828-9817>

Brajendra Mishra – Ph.D, professor, Worcester Polytechnic Institute, Worcester, Massachusetts, USA; bmishra@wpi.edu; <https://orcid.org/0000-0001-7897-1817>

Aliya Baikonurova – Doctor of Technical Sciences, Professor, Satbayev University, 22a, Satpayevstr, Almaty, Kazakhstan; a.baikonurova@yandex.kz

**Publication Ethics and Publication Malpractice
in the journals of the National Academy of Sciences of the Republic of Kazakhstan**

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайте:

www.nauka-nanrk.kz

ISSN 2518-170X (Online), ISSN 2224-5278 (Print)

<http://geolog-technical.kz/index.php/kz/>

Верстка *Д. Н. Калкабековой*

Подписано в печать 08.10.2018.

Формат 70x881/8. Бумага офсетная. Печать – ризограф.
15,0 п.л. Тираж 300. Заказ 5.