

ISSN 2518-170X (Online),
ISSN 2224-5278 (Print)

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ
Қ. И. Сәтпаев атындағы Қазақ ұлттық техникалық зерттеу университеті

Х А Б А Р Л А Р Ы

ИЗВЕСТИЯ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК
РЕСПУБЛИКИ КАЗАХСТАН
Казакский национальный исследовательский
технический университет им. К. И. Сатпаева

NEWS

OF THE ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN
Kazakh national research technical university
named after K. I. Satpayev

**SERIES
OF GEOLOGY AND TECHNICAL SCIENCES**

1 (433)

JANUARY – FEBRUARY 2019

THE JOURNAL WAS FOUNDED IN 1940

PUBLISHED 6 TIMES A YEAR

ALMATY, NAS RK

NAS RK is pleased to announce that News of NAS RK. Series of geology and technical sciences scientific journal has been accepted for indexing in the Emerging Sources Citation Index, a new edition of Web of Science. Content in this index is under consideration by Clarivate Analytics to be accepted in the Science Citation Index Expanded, the Social Sciences Citation Index, and the Arts & Humanities Citation Index. The quality and depth of content Web of Science offers to researchers, authors, publishers, and institutions sets it apart from other research databases. The inclusion of News of NAS RK. Series of geology and technical sciences in the Emerging Sources Citation Index demonstrates our dedication to providing the most relevant and influential content of geology and engineering sciences to our community.

Қазақстан Республикасы Ұлттық ғылым академиясы "ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы" ғылыми журналының Web of Science-тің жаңаланған нұсқасы Emerging Sources Citation Index-те индекстелуге қабылданғанын хабарлайды. Бұл индекстелу барысында Clarivate Analytics компаниясы журналды одан әрі the Science Citation Index Expanded, the Social Sciences Citation Index және the Arts & Humanities Citation Index-ке қабылдау мәселесін қарастыруда. Web of Science зерттеушілер, авторлар, баспашылар мен мекемелерге контент тереңдігі мен сапасын ұсынады. ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы Emerging Sources Citation Index-ке енуі біздің қоғамдастық үшін ең өзекті және беделді геология және техникалық ғылымдар бойынша контентке адалдығымызды білдіреді.

НАН РК сообщает, что научный журнал «Известия НАН РК. Серия геологии и технических наук» был принят для индексирования в Emerging Sources Citation Index, обновленной версии Web of Science. Содержание в этом индексировании находится в стадии рассмотрения компанией Clarivate Analytics для дальнейшего принятия журнала в the Science Citation Index Expanded, the Social Sciences Citation Index и the Arts & Humanities Citation Index. Web of Science предлагает качество и глубину контента для исследователей, авторов, издателей и учреждений. Включение Известия НАН РК. Серия геологии и технических наук в Emerging Sources Citation Index демонстрирует нашу приверженность к наиболее актуальному и влиятельному контенту по геологии и техническим наукам для нашего сообщества.

Б а с р е д а к т о р ы
э. ғ. д., профессор, ҚР ҰҒА академигі

И.К. Бейсембетов

Бас редакторының орынбасары

Жолтаев Г.Ж. проф., геол.-мин. ғ. докторы

Р е д а к ц и я а л қ а с ы:

Абаканов Т.Д. проф. (Қазақстан)
Абишева З.С. проф., академик (Қазақстан)
Агабеков В.Е. академик (Беларусь)
Алиев Т. проф., академик (Әзірбайжан)
Бакиров А.Б. проф., (Қырғыстан)
Беспәев Х.А. проф. (Қазақстан)
Бишимбаев В.К. проф., академик (Қазақстан)
Буктуков Н.С. проф., академик (Қазақстан)
Булат А.Ф. проф., академик (Украина)
Ганиев И.Н. проф., академик (Тәжікстан)
Грэвис Р.М. проф. (АҚШ)
Ерғалиев Г.К. проф., академик (Қазақстан)
Жуков Н.М. проф. (Қазақстан)
Қожахметов С.М. проф., академик (Қазақстан)
Конторович А.Э. проф., академик (Ресей)
Курскеев А.К. проф., академик (Қазақстан)
Курчавов А.М. проф., (Ресей)
Медеу А.Р. проф., академик (Қазақстан)
Мұхамеджанов М.А. проф., корр.-мүшесі (Қазақстан)
Нигматова С.А. проф. (Қазақстан)
Оздоев С.М. проф., академик (Қазақстан)
Постолатий В. проф., академик (Молдова)
Ракишев Б.Р. проф., академик (Қазақстан)
Сейтов Н.С. проф., корр.-мүшесі (Қазақстан)
Сейтмуратова Э.Ю. проф., корр.-мүшесі (Қазақстан)
Степанец В.Г. проф., (Германия)
Хамфери Дж.Д. проф. (АҚШ)
Штейнер М. проф. (Германия)

«ҚР ҰҒА Хабарлары. Геология мен техникалық ғылымдар сериясы».

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Меншіктенуші: «Қазақстан Республикасының Ұлттық ғылым академиясы» РҚБ (Алматы қ.).

Қазақстан республикасының Мәдениет пен ақпарат министрлігінің Ақпарат және мұрағат комитетінде
30.04.2010 ж. берілген №10892-Ж мерзімдік басылым тіркеуіне қойылу туралы куәлік.

Мерзімділігі: жылына 6 рет.

Тиражы: 300 дана.

Редакцияның мекенжайы: 050010, Алматы қ., Шевченко көш., 28, 219 бөл., 220, тел.: 272-13-19, 272-13-18,
<http://www.geolog-technical.kz/index.php/en/>

© Қазақстан Республикасының Ұлттық ғылым академиясы, 2019

Редакцияның Қазақстан, 050010, Алматы қ., Қабанбай батыра көш., 69а.

мекенжайы: Қ. И. Сәтбаев атындағы геология ғылымдар институты, 334 бөлме. Тел.: 291-59-38.

Типографияның мекенжайы: «Аруна» ЖК, Алматы қ., Муратбаева көш., 75.

Г л а в н ы й р е д а к т о р
д. э. н., профессор, академик НАН РК

И. К. Бейсембетов

Заместитель главного редактора

Жолтаев Г.Ж. проф., доктор геол.-мин. наук

Р е д а к ц и о н н а я к о л л е г и я:

Абаканов Т.Д. проф. (Казахстан)
Абишева З.С. проф., академик (Казахстан)
Агабеков В.Е. академик (Беларусь)
Алиев Т. проф., академик (Азербайджан)
Бакиров А.Б. проф., (Кыргызстан)
Беспаяев Х.А. проф. (Казахстан)
Бишимбаев В.К. проф., академик (Казахстан)
Буктуков Н.С. проф., академик (Казахстан)
Булат А.Ф. проф., академик (Украина)
Ганиев И.Н. проф., академик (Таджикистан)
Грэвис Р.М. проф. (США)
Ергалиев Г.К. проф., академик (Казахстан)
Жуков Н.М. проф. (Казахстан)
Кожаметов С.М. проф., академик (Казахстан)
Конторович А.Э. проф., академик (Россия)
Курскеев А.К. проф., академик (Казахстан)
Курчавов А.М. проф., (Россия)
Медеу А.Р. проф., академик (Казахстан)
Мухамеджанов М.А. проф., чл.-корр. (Казахстан)
Нигматова С.А. проф. (Казахстан)
Оздоев С.М. проф., академик (Казахстан)
Постолатий В. проф., академик (Молдова)
Ракишев Б.Р. проф., академик (Казахстан)
Сейтов Н.С. проф., чл.-корр. (Казахстан)
Сейтмуратова Э.Ю. проф., чл.-корр. (Казахстан)
Степанец В.Г. проф., (Германия)
Хамфери Дж.Д. проф. (США)
Штейнер М. проф. (Германия)

«Известия НАН РК. Серия геологии и технических наук».

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Собственник: Республиканское общественное объединение «Национальная академия наук Республики Казахстан (г. Алматы)

Свидетельство о постановке на учет периодического печатного издания в Комитете информации и архивов Министерства культуры и информации Республики Казахстан №10892-Ж, выданное 30.04.2010 г.

Периодичность: 6 раз в год

Тираж: 300 экземпляров

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, ком. 219, 220, тел.: 272-13-19, 272-13-18,
<http://nauka-nanrk.kz/geology-technical.kz>

© Национальная академия наук Республики Казахстан, 2019

Адрес редакции: Казахстан, 050010, г. Алматы, ул. Кабанбай батыра, 69а.

Институт геологических наук им. К. И. Сатпаева, комната 334. Тел.: 291-59-38.

Адрес типографии: ИП «Аруна», г. Алматы, ул. Муратбаева, 75

E d i t o r i n c h i e f

doctor of Economics, professor, academician of NAS RK

I. K. Beisembetov

Deputy editor in chief

Zholtayev G.Zh. prof., dr. geol-min. sc.

E d i t o r i a l b o a r d:

Abakanov T.D. prof. (Kazakhstan)
Abisheva Z.S. prof., academician (Kazakhstan)
Agabekov V.Ye. academician (Belarus)
Aliyev T. prof., academician (Azerbaijan)
Bakirov A.B. prof., (Kyrgyzstan)
Bespayev Kh.A. prof. (Kazakhstan)
Bishimbayev V.K. prof., academician (Kazakhstan)
Buktukov N.S. prof., academician (Kazakhstan)
Bulat A.F. prof., academician (Ukraine)
Ganiyev I.N. prof., academician (Tadjikistan)
Gravis R.M. prof. (USA)
Yergaliev G.K. prof., academician (Kazakhstan)
Zhukov N.M. prof. (Kazakhstan)
Kozhakhmetov S.M. prof., academician (Kazakhstan)
Kontorovich A.Ye. prof., academician (Russia)
Kurskeyev A.K. prof., academician (Kazakhstan)
Kurchavov A.M. prof., (Russia)
Medeu A.R. prof., academician (Kazakhstan)
Muhamedzhanov M.A. prof., corr. member. (Kazakhstan)
Nigmatova S.A. prof. (Kazakhstan)
Ozdoyev S.M. prof., academician (Kazakhstan)
Postolatii V. prof., academician (Moldova)
Rakishev B.R. prof., academician (Kazakhstan)
Seitov N.S. prof., corr. member. (Kazakhstan)
Seitmuratova Ye.U. prof., corr. member. (Kazakhstan)
Stepanets V.G. prof., (Germany)
Humphery G.D. prof. (USA)
Steiner M. prof. (Germany)

News of the National Academy of Sciences of the Republic of Kazakhstan. Series of geology and technology sciences.

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Owner: RPA "National Academy of Sciences of the Republic of Kazakhstan" (Almaty)

The certificate of registration of a periodic printed publication in the Committee of information and archives of the Ministry of culture and information of the Republic of Kazakhstan N 10892-Ж, issued 30.04.2010

Periodicity: 6 times a year

Circulation: 300 copies

Editorial address: 28, Shevchenko str., of. 219, 220, Almaty, 050010, tel. 272-13-19, 272-13-18,
<http://nauka-nanrk.kz/geology-technical.kz>

© National Academy of Sciences of the Republic of Kazakhstan, 2019

Editorial address: Institute of Geological Sciences named after K.I. Satpayev
69a, Kabanbai batyr str., of. 334, Almaty, 050010, Kazakhstan, tel.: 291-59-38.

Address of printing house: ST "Aruna", 75, Muratbayev str, Almaty

NEWS

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN

SERIES OF GEOLOGY AND TECHNICAL SCIENCES

ISSN 2224-5278

Volume 1, Number 433 (2019), 127 – 132

<https://doi.org/10.32014/2019.2518-170X.16>

UDC 545.25

**A. S. Mussina, G. U. Baitasheva, N. O. Myrzakhmetova,
M. A. Zholmaganbetova, E. M. Imanova, A. A. Sartayeva**

The Kazakh State Women's Teacher Training University of the Republic of Kazakhstan, Almaty, Kazakhstan.

E-mail: mussina_as@mail.ru; musina.63@mail.ru

**HIGHLY SENSITIVE METHODS
FOR DETERMINING TRACE AMOUNTS OF MERCURY
IN THE ENVIRONMENTAL OBJECTS**

Abstract. The studies for the development of highly sensitive methods for determining heavy metals in the environmental objects have been carried out, using the example of determining mercury by the inversion voltammetry method, based on the investigation of the regularities of mercury electro-deposition and electro-oxidation on a solid electrode.

Key words: toxic substances, mercury, indicating electrodes, inversion voltammetry, environment.

An increased interest to the problem of determining mercury in the environmental objects is caused by the wide occurrence of this element, its greater toxicity in comparison with the other heavy metals, and its ability to bioconcentration [1]. The major part of mercury, reaching the environment, is of a technology-related character [2]. Maximum permissible concentrations (MPC) of elemental mercury in the atmospheric air are standardized at the level of $0.3 \mu\text{g}/\text{m}^3$, in water bodies – at the level of $0.0005 \text{ mg}/\text{l}$, and in soils – at the level of $2.1 \text{ mg}/\text{kg}$, and MPC of the alkyl derivatives of mercury, most dangerous by their physiological effect, make up $0.1 \mu\text{g}/\text{l}$ in water bodies [3].

The issues of global environmental monitoring include monitoring the pollution levels not only in the industrial, but also in the relatively environmentally clean areas for detecting the so-called natural background [4]. The concentration of mercury in the atmosphere varies from 0.005 to $50 \text{ ng}/\text{m}^3$, and in waters from 2 ng to $2\text{-}3 \mu\text{g}/\text{l}$. In the contaminated rocks, sand and soil an average content of mercury is $0.1\text{-}0.5 \text{ mg}/\text{kg}$ [5].

The data of analytical control alone may offer people a thread to managing the environmental purity and indicate the moment of the required intervention to protect it from the accumulation of toxic substances and environmental poisons, whereto heavy metals and mercury, in particular, are directly related.

Procedure for carrying out an electrochemical analysis. Voltammetric measurements were carried out on a PI-50.1.1 potentiostat, which made it possible to work in the mode of cyclic and inversion voltammetry with different potential sweep rates [6]. An analysis was carried out in a three-electrode cell upon stirring the solution ($V = 25 \text{ ml}$) due to the electrode rotation at the rate of $900\text{-}960 \text{ rpm}$. Nickel electrode and mercury-film, nickel-based electrode, with a visible surface area from 0.03 to 0.013 cm^2 , served as working electrodes.

Voltammograms were recorded on a two-coordinate self-recording potentiometer UI-21 with a potential sweep rate of $100\text{-}200 \text{ mV}/\text{s}$. A silver-chloride electrode EVL-1M3.1, the potential of which in relation to the saturated hydrogen electrode in a saturated solution of KCl at $20 \text{ }^\circ\text{C}$ was equal to 0.237 V . Pt - wire was used as an auxiliary electrode. Removal of oxygen from the solution was achieved by purging with argon for 15 min . The studied solutions were prepared from the salts of CP and AR grades. The solutions of lower concentrations were obtained by diluting the initial solutions with the background electrolytes.

For increasing the efficiency of the study and optimizing the process through the implementation of the step-by-step principle, moving towards the optimum, the Box-Wilson mathematical planning method (the steepest ascent method) was applied [7].

Experimental. Mercury is one of the most toxic elements, widely used in various fields of science and technology. A great interest in the issue of determining mercury is caused by its wide occurrence in the environmental objects, its greater toxicity in comparison with the other metals, its ability to accumulate in living organisms and migration in the environmental objects.

High toxicity of mercury stipulates its low MPC value, which requires using the sensitive methods of analytical chemistry. One of the methods, meeting the requirements for determining the detection limit and concentration range is inversion voltammetry. A large number of works are devoted to mercury determination by the inversion voltammetry method.

Most of the published works are mainly related to the development of procedures for quantitative determination of mercury on various electrodes. The physical and chemical regularities of the process of mercury electro-deposition are insufficiently studied, and the results of the conducted studies do not provide a complete picture of the initial stages of electrochemical isolation of mercury on the electrode. The most promising and modern methods of analysis are electrochemical ones (inversion voltammetry), the value and significance of which are characterized by rapidity of chemical analysis, high sensitivity and good reproducibility of the results, which is determined by the quality of the indicating microelectrodes used.

With the purpose of further developing mercury inversion voltammetry, a more detailed study of the regularities of the electro-deposition and electro-oxidation of mercury is required.

The developed indicating microelectrodes, which may be safely attributed to the new means for controlling toxic substances, were proposed as means for controlling heavy metals [8].

The physical and chemical characteristics of these electrodes and the mechanism of the processes, taking place at the electrode-solution interface at the stages of preparing their surface and subsequent amalgamation, were studied. The optimal parameters of their functioning were determined. The factors influencing the sensitivity and resolution of the film microelectrode were studied. As noted in [9], when carrying out an electrochemical analysis of the compounds of toxic metals, the nature of the indicating electrode matrix, the background composition and the presence of other components produce a great influence upon the cathode-anodic processes. The factors influencing the sensitivity and resolution of the film electrode were studied. The prospects of using new electrodes, made of refractory materials, in an electrochemical analysis for controlling toxic and heavy metals in the technology-related and mineral raw materials of Kazakhstan were shown.

The indicated circumstances determine the necessity to solve a complex problem - the development of highly sensitive methods for the determination of heavy metals, using inexpensive and available materials with the valuable physical, chemical and electrochemical properties. Metals of iron series may be related to such materials.

We studied the processes of Hg reduction and oxidation on the nickel electrode, determined the clear maxima of the cathodic ($E_{\text{Hg}} = + 0.29 \text{ V}$) and anodic ($E_{\text{Hg}} = + 0.76 \text{ V}$) peaks. As it can be seen from Figure 1, the recovery of Hg (II) on the nickel electrode begins at a potential of -0.25 V with the formation of a single cathode wave, reaching a value of the limiting current of 0.925, 0.65 and 0.35 for the concentrations of 10^{-4} , 10^{-5} and 10^{-6} mol/l , respectively.

At the polarization curves of mercury oxidation two waves are expressed: at $E = +0.60 \text{ V}$ and $E = +0.85 \text{ V}$. This testifies to the complex character of the process of mercury oxidation. In our opinion, the effect of a possible formation in the process of cathodic reduction of mercury of oversaturated amalgams, containing cluster forms of nickel compounds with mercury of non-equilibrium composition, with an increased electrochemical activity, upon the course of the anodic polarization curves, is not excluded. It is also seen from the curves of figure 1, that a concentration dependence of the cathode waves is observed, which may be used for the quantitative determination of bivalent mercury in the solution.

As for the anodic curves, in view of their complex nature, for quantitative accurate analysis it is better to use the cathodic reduction waves (figure 2). However, in case of a less accurate analysis and with the very low mercury content in the analyzed objects, the anode currents may be also used, since they surpass by their value the cathode currents.




Figure 1 – Cathode-anodic voltammograms of mercury on a nickel electrode horizontal axis: potential (E), V; vertical axis: current strength (I), μA ; $C_{\text{Hg(II)}}$, mol/l: 1 – 10^{-6} ; 2 – 10^{-5} ; 3 – 10^{-4}




Figure 2 – Calibration chart for determining mercury on a nickel electrode horizontal axis: concentration (C), mol/l; vertical axis: current strength (I), μA

With the purpose of finding the optimal conditions for the determination of low mercury contents by the method of inversion voltammetry, the method of mathematical planning of the experiment (the Box – Wilson method) was used [7].

The study of the single-factor dependencies of the completeness of mercury isolation upon a number of factors (the concentration of ME, the nature and concentration of the background electrolyte, the surface area of the film and solid electrodes, the solution volume and rate of mixing) showed, that the most significant factors were the concentrations of Me and the background electrolyte, the surface area of the indicating electrode, and the remaining factors were insignificant and stabilized subsequently.

Therefore, when determining mercury by the inversion voltammetry method, the planning matrix 2^3 was used. The results of the experiment, related to choosing the optimal conditions for mercury determination by the inversion voltammetry method are presented in table.

Experiment planning matrix 2³ for mercury determination

| Factors | C _M (Hg ²⁺) | C _M (H ₂ SO ₄) | S _{electr.} | | | | | |
|---------------------------|------------------------------------|--|----------------------|----------------------|------|----------------|-------|----------------|
| Dimension | mol/l | mol/l | cm ² | | | | | |
| Basic level | 10 ⁻⁵ | 0.75 | 0.09 | | | | | |
| Varying interval | 10 ⁻¹ | 0.25 | 0.04 | | | | | |
| Upper level | 10 ⁻⁴ | 1.0 | 0.13 | | | | | |
| Lower level | 10 ⁻⁶ | 0.5 | 0.05 | | | | | |
| Code | X ₁ | X ₂ | X ₃ | Y | Y | S ² | y | y ² |
| Experiment 1 | 10 ⁻⁶ | 0.5 | 0.05 | 80.7 82.0 81.5 | 81.4 | 0.43 | 80.5 | 0.80 |
| Experiment 2 | 10 ⁻⁴ | 0.5 | 0.05 | 83.4 87.0 88.0 | 83.5 | 0.43 | 82.65 | 0.72 |
| Experiment 3 | 10 ⁻⁶ | 1.0 | 0.05 | 83.4 83.7 84.4 | 83.5 | 0.43 | 82.65 | 0.72 |
| Experiment 4 | 10 ⁻⁴ | 1.0 | 0.05 | 90.2 91.0 89.5 | 90.2 | 0.56 | 91.2 | 1.00 |
| Experiment 5 | 10 ⁻⁶ | 0.5 | 0.13 | 83.6 84.8 83.5 | 84.0 | 0.52 | 84.4 | 0.16 |
| Experiment 6 | 10 ⁻⁴ | 0.5 | 0.13 | 93.5 93.0 93.1 | 93.2 | 0.37 | 92.95 | 0.06 |
| Experiment 7 | 10 ⁻⁶ | 1.0 | 0.13 | 85.3 85.0 85.2 | 85.1 | 0.03 | 86.55 | 2.10 |
| Experiment 8 | 10 ⁻⁴ | 1.0 | 0.13 | 97.0 96.8 96.0 | 96.6 | 0.28 | 95.1 | 1.21 |
| Step | | 0.09 | 0.03 | | | | | |
| Supposed experiments 1 | 10 ⁻⁶ | 0.84 | 0.12 | | | | | |
| Implemented experiments 2 | 10 ⁻⁶ | 0.93 | 0.15 | | 85.3 | | | |
| Supposed experiments 3 | 10 ⁻⁶ | 1.02 | 0.18 | | | | | |
| Implemented experiments 4 | 10 ⁻⁶ | 1.11 | 0.21 | | 97.7 | | | |
| Implemented experiments 5 | 10 ⁻⁶ | 1.20 | 0.24 | | 98.8 | | | |
| Implemented experiments 6 | 10 ⁻⁶ | 1029 | 0.27 | | 97.2 | | | |
| Supposed experiments 7 | 10 ⁻⁶ | 1.38 | 0.30 | | | | | |
| Optimum | 10 ⁻⁶ | 1.2 | 0.29 | | | | | |

The calculated regression coefficients for mercury determination have the following values:

$$b_0 = 87.8$$

$$b_1 = 4.275$$

$$b_2 = 1.075$$

$$b_3 = 1.95$$

The regression equation is as follows:

$$Y = 87.8 + 4.275X_1 + 1.075X_2 + 1.95X_3$$

Checking:

1. reproducibility of the experiment

$$S^2 \{y\} = \sum S^2 / N = 2.75 / 8 + 0.34$$

2. dispersion homogeneity

$$G = S_{\max}^2 \sum S^2 = 0.565 / 2.75 = 0.205$$

$$G_{\text{table}} = 0.51 \text{ at } f_1 = 2 \text{ and } f_2 = 8$$

$G_{\text{table}} > G_{\text{exp}}$. - dispersion is homogeneous

3. the values of the regression coefficients:

$$S^2 \{bj\} = S^2 \{y\} / N = 0.34 / 8 = 0.0425$$

$$bj = \sqrt{S^2 \{bj\}} = \sqrt{0.0425} = 0.206$$

$$\Delta bj = \pm t \cdot \{bj\} = 2.12 \cdot 0.206 = 0.44$$

$$\Delta bj = 0.44$$

$0.44 < 3.26$ (1.53; 2.76) – all coefficients are valuable.

4. adequacy of the model:

$$S_{\text{ad.}}^2 = \sum y^2 / f_1$$

$$\Delta y = y_i - y_1$$

$$f_1 = N - (k + 1) = 8 - (3 + 1) = 4$$

$$S_{\text{ad.}}^2 = 1,695 / 4 = 0.42$$

$$F(f_1; f_2) = S_{\text{ad.}}^2 / S^2 \{y\} = 0.42 / 0.34 + 1.25$$

$$F_{\text{table}} = 3.0 \text{ at } f_1 = 4 \text{ and } f_2 = 16,$$

where $f_2 = N(n-1) = 8(3-1) = 16$.

$F_{\text{exp.}} < F_{\text{table}}$ – the model is adequate

The calculations testify to the fact, that the dispersion of the optimization parameter is homogeneous, the model is adequate, i.e. the steepest ascent method can be applied. The component gradients were calculated by regression. Moving to the optimum was performed by adding the factors, constituting the gradient, to the basic level. Since the determination of small mercury quantities of the order of 10^{-6} - 10^{-7} mol/l on the surface of the film and solid electrodes is of a practical interest, so while calculating the step-by-step procedure, moving to the optimum, we stabilized the mercury concentration by the lower level of the factor (10^{-6} M), and we carried out the step-by-step procedure by only two factors: the concentration of the background solution and the electrode surface area.

From the implemented experiments of the step-by-step procedure the optimal conditions were established for the quantitative determination of low mercury concentrations on the film electrode:

1 – the concentration of mercury at 10^{-6} mol/l;

2 – the concentration of the background solution – 1.2 M;

3 – the electrode surface – 0.24 cm^2 .

Thus, as a result of the conducted studies, the methods for analytical control of mercury in the technology-related raw materials were developed by the inversion voltammetry method on the nickel indicating microelectrode in the concentration range of 10^{-5} - 10^{-6} mol/l, ensuring the selectivity of metal determination.

**А. С. Мусина, Г. У. Байташева, Н. О. Мырзахметова,
М. А. Жолмаганбетова, Э. М. Иманова, А. А. Сартаева**

¹Қазақ мемлекеттік қыздар педагогикалық университеті, Алматы, Қазақстан

ҚОРШАҒАН ОРТА ОБЪЕКТІЛЕРІНДЕГІ СЫНАП ҚАЛДЫҚТАРЫН АНЫҚТАУДЫҢ ЖОҒАРЫ СЕЗІМТАЛ ӘДІСТЕРІ

Аннотация. Сынапты инверсионды вольтамперметрия әдісімен оның қатты электродта тұнбаға түсу және тотығу заңдылықтарын зерттеу негізінде қоршаған ортадағы объектілердегі ауыр металдарды анықтаудың жоғары сезімтал әдістерін анықтауға арналған зерттеулер жүргізілген.

Түйін сөздер: уытты заттар, сынап, индикаторлық электродтар, инверсия вольтаметр, қоршаған орта.

**А. С. Мусина, Г. У. Байташева, Н. О. Мырзахметова,
М. А. Жолмаганбетова, Э. М. Иманова, А. А. Сартаева**

Женский государственный педагогический университет РК, Алматы, Казахстан

**ВЫСОКОЧУВСТВИТЕЛЬНЫЕ МЕТОДЫ
ОПРЕДЕЛЕНИЯ СЛЕДОВЫХ КОЛИЧЕСТВ РТУТИ
В ОБЪЕКТАХ ОКРУЖАЮЩЕЙ СРЕДЫ**

Аннотация. Проведены исследования по разработке высокочувствительных методов определения тяжелых металлов в объектах окружающей среды на примере определения ртути методом инверсионной вольтамперометрии на основании изучения закономерностей её электроосаждения и электроокисления на твердом электроде.

Ключевые слова: токсичные вещества, ртуть, индикаторные электроды, инверсионные вольтамперометрия, окружающая среда.

Information about authors:

Mussina A.S., Doctor of Technical Sciences, Professor, The Kazakh State Women's Teacher Training University of the Republic of Kazakhstan; mussina_as@mail.ru; <https://orcid.org/0000-0002-4140-4816>

Baitasheva G.U., candidate of agricultural sciences, Acting Professor, Head of the Department of Science, The Kazakh State Women's Teacher Training University of the Republic of Kazakhstan; Gauhar75e@mail.ru; <https://orcid.org/0000-0002-1299-4896>

Myrzakhmetova N.O., candidate of chemical sciences, Head of the Chair of Chemistry, The Kazakh State Women's Teacher Training University of the Republic of Kazakhstan; nmyrzahmetova64@mail.ru; <https://orcid.org/0000-0001-6589-1578>

Zholmaganbetova M.A., Doctoral student of the Chair of Chemistry, The Kazakh State Women's Teacher Training University of the Republic of Kazakhstan; marzhan.zholmaganbetova.75@mail.ru; <https://orcid.org/0000-0002-7057-3969>

Иманова Э. М., The Kazakh State Women's Teacher Training University of the Republic of Kazakhstan
Сартаева А. А., The Kazakh State Women's Teacher Training University of the Republic of Kazakhstan

REFERENCES

- [1] Simonova L.N. Concentration of mercury upon its determination in the environmental objects // *Journal of Analytical Chemistry*. 1989. 44,4. P. 581-584.
- [2] Gvardzhanchich I., Kosta L., Zelenko V. A Simplified method for determining methylmercury in the biological objects, using gas chromatography // *Journal of Analytical Chemistry*. 1978. 33.4. P. 812-815.
- [3] Environmental protection. Directory. L.: Shipbuilding, 1978. P. 204.
- [4] Andreyev T., Sametov D. Problems of background monitoring of the state of natural resources. 1985. 3. P. 44.
- [5] Simonova L.I., Bruskina I.I., Ivanov V.I. Concentrating mercury upon its determination in the environmental objects // *Journal of Analytical Chemistry*. 1981. 45.4. P. 581-596.
- [6] Brainina Kh.Z, Neiman E.Ya., Slepushkin V.V. Inversion electroanalytical methods. M.: Khimiya, 1988. P. 239.
- [7] Adler Yu.P. Planning an experiment upon searching for the optimal conditions. M., 1972. P. 152.
- [8] Mussina A.S. Theoretical and technological bases for creating liquid metal reed relays and indicating electrodes from new materials. Almaty, 2003. P. 256.
- [9] Musina E.S., Mussina A.S., Baitasheva G.U., Kalmenova A., Kuansheva Zh. Control of next amounts of metals in the environmental objects with the use of mercury-film indicating microelectrodes // *News of the Ministry of Education and Science of the Republic of Kazakhstan. Geology and Engineering Sciences Series*. 2018. N 4(430). P. 195-200. (Scopus). ISSN 2518-170X (Online). ISSN 2224-5278 (Print).

**Publication Ethics and Publication Malpractice
in the journals of the National Academy of Sciences of the Republic of Kazakhstan**

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайте:

[www:nauka-nanrk.kz](http://www.nauka-nanrk.kz)

ISSN 2518-170X (Online), ISSN 2224-5278 (Print)

<http://www.geolog-technical.kz/index.php/en/>

Верстка Д. Н. Калкабековой

Подписано в печать 06.02.2019.

Формат 70x881/8. Бумага офсетная. Печать – ризограф.

16,7 п.л. Тираж 300. Заказ 1.