

ISSN 2518-170X (Online),
ISSN 2224-5278 (Print)

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ
Қ. И. Сәтпаев атындағы Қазақ ұлттық техникалық зерттеу университеті

Х А Б А Р Л А Р Ы

ИЗВЕСТИЯ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК
РЕСПУБЛИКИ КАЗАХСТАН
Казакский национальный исследовательский
технический университет им. К. И. Сатпаева

NEWS

OF THE ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN
Kazakh national research technical university
named after K. I. Satpayev

**SERIES
OF GEOLOGY AND TECHNICAL SCIENCES**

1 (433)

JANUARY – FEBRUARY 2019

THE JOURNAL WAS FOUNDED IN 1940

PUBLISHED 6 TIMES A YEAR

ALMATY, NAS RK

NAS RK is pleased to announce that News of NAS RK. Series of geology and technical sciences scientific journal has been accepted for indexing in the Emerging Sources Citation Index, a new edition of Web of Science. Content in this index is under consideration by Clarivate Analytics to be accepted in the Science Citation Index Expanded, the Social Sciences Citation Index, and the Arts & Humanities Citation Index. The quality and depth of content Web of Science offers to researchers, authors, publishers, and institutions sets it apart from other research databases. The inclusion of News of NAS RK. Series of geology and technical sciences in the Emerging Sources Citation Index demonstrates our dedication to providing the most relevant and influential content of geology and engineering sciences to our community.

Қазақстан Республикасы Ұлттық ғылым академиясы "ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы" ғылыми журналының Web of Science-тің жаңаланған нұсқасы Emerging Sources Citation Index-те индекстелуге қабылданғанын хабарлайды. Бұл индекстелу барысында Clarivate Analytics компаниясы журналды одан әрі the Science Citation Index Expanded, the Social Sciences Citation Index және the Arts & Humanities Citation Index-ке қабылдау мәселесін қарастыруда. Web of Science зерттеушілер, авторлар, баспашылар мен мекемелерге контент тереңдігі мен сапасын ұсынады. ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы Emerging Sources Citation Index-ке енуі біздің қоғамдастық үшін ең өзекті және беделді геология және техникалық ғылымдар бойынша контентке адалдығымызды білдіреді.

НАН РК сообщает, что научный журнал «Известия НАН РК. Серия геологии и технических наук» был принят для индексирования в Emerging Sources Citation Index, обновленной версии Web of Science. Содержание в этом индексировании находится в стадии рассмотрения компанией Clarivate Analytics для дальнейшего принятия журнала в the Science Citation Index Expanded, the Social Sciences Citation Index и the Arts & Humanities Citation Index. Web of Science предлагает качество и глубину контента для исследователей, авторов, издателей и учреждений. Включение Известия НАН РК. Серия геологии и технических наук в Emerging Sources Citation Index демонстрирует нашу приверженность к наиболее актуальному и влиятельному контенту по геологии и техническим наукам для нашего сообщества.

Б а с р е д а к т о р ы
э. ғ. д., профессор, ҚР ҰҒА академигі

И.К. Бейсембетов

Бас редакторының орынбасары

Жолтаев Г.Ж. проф., геол.-мин. ғ. докторы

Р е д а к ц и я а л қ а с ы:

Абаканов Т.Д. проф. (Қазақстан)
Абишева З.С. проф., академик (Қазақстан)
Агабеков В.Е. академик (Беларусь)
Алиев Т. проф., академик (Әзірбайжан)
Бакиров А.Б. проф., (Қырғыстан)
Беспәев Х.А. проф. (Қазақстан)
Бишимбаев В.К. проф., академик (Қазақстан)
Буктуков Н.С. проф., академик (Қазақстан)
Булат А.Ф. проф., академик (Украина)
Ганиев И.Н. проф., академик (Тәжікстан)
Грэвис Р.М. проф. (АҚШ)
Ерғалиев Г.К. проф., академик (Қазақстан)
Жуков Н.М. проф. (Қазақстан)
Қожахметов С.М. проф., академик (Қазақстан)
Конторович А.Э. проф., академик (Ресей)
Курскеев А.К. проф., академик (Қазақстан)
Курчавов А.М. проф., (Ресей)
Медеу А.Р. проф., академик (Қазақстан)
Мұхамеджанов М.А. проф., корр.-мүшесі (Қазақстан)
Нигматова С.А. проф. (Қазақстан)
Оздоев С.М. проф., академик (Қазақстан)
Постолатий В. проф., академик (Молдова)
Ракишев Б.Р. проф., академик (Қазақстан)
Сейтов Н.С. проф., корр.-мүшесі (Қазақстан)
Сейтмуратова Э.Ю. проф., корр.-мүшесі (Қазақстан)
Степанец В.Г. проф., (Германия)
Хамфери Дж.Д. проф. (АҚШ)
Штейнер М. проф. (Германия)

«ҚР ҰҒА Хабарлары. Геология мен техникалық ғылымдар сериясы».

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Меншіктенуші: «Қазақстан Республикасының Ұлттық ғылым академиясы» РҚБ (Алматы қ.).

Қазақстан республикасының Мәдениет пен ақпарат министрлігінің Ақпарат және мұрағат комитетінде
30.04.2010 ж. берілген №10892-Ж мерзімдік басылым тіркеуіне қойылу туралы куәлік.

Мерзімділігі: жылына 6 рет.

Тиражы: 300 дана.

Редакцияның мекенжайы: 050010, Алматы қ., Шевченко көш., 28, 219 бөл., 220, тел.: 272-13-19, 272-13-18,
<http://www.geolog-technical.kz/index.php/en/>

© Қазақстан Республикасының Ұлттық ғылым академиясы, 2019

Редакцияның Қазақстан, 050010, Алматы қ., Қабанбай батыра көш., 69а.

мекенжайы: Қ. И. Сәтбаев атындағы геология ғылымдар институты, 334 бөлме. Тел.: 291-59-38.

Типографияның мекенжайы: «Аруна» ЖК, Алматы қ., Муратбаева көш., 75.

Г л а в н ы й р е д а к т о р
д. э. н., профессор, академик НАН РК

И. К. Бейсембетов

Заместитель главного редактора

Жолтаев Г.Ж. проф., доктор геол.-мин. наук

Р е д а к ц и о н н а я к о л л е г и я:

Абаканов Т.Д. проф. (Казахстан)
Абишева З.С. проф., академик (Казахстан)
Агабеков В.Е. академик (Беларусь)
Алиев Т. проф., академик (Азербайджан)
Бакиров А.Б. проф., (Кыргызстан)
Беспаяев Х.А. проф. (Казахстан)
Бишимбаев В.К. проф., академик (Казахстан)
Буктуков Н.С. проф., академик (Казахстан)
Булат А.Ф. проф., академик (Украина)
Ганиев И.Н. проф., академик (Таджикистан)
Грэвис Р.М. проф. (США)
Ергалиев Г.К. проф., академик (Казахстан)
Жуков Н.М. проф. (Казахстан)
Кожаметов С.М. проф., академик (Казахстан)
Конторович А.Э. проф., академик (Россия)
Курскеев А.К. проф., академик (Казахстан)
Курчавов А.М. проф., (Россия)
Медеу А.Р. проф., академик (Казахстан)
Мухамеджанов М.А. проф., чл.-корр. (Казахстан)
Нигматова С.А. проф. (Казахстан)
Оздоев С.М. проф., академик (Казахстан)
Постолатий В. проф., академик (Молдова)
Ракишев Б.Р. проф., академик (Казахстан)
Сейтов Н.С. проф., чл.-корр. (Казахстан)
Сейтмуратова Э.Ю. проф., чл.-корр. (Казахстан)
Степанец В.Г. проф., (Германия)
Хамфери Дж.Д. проф. (США)
Штейнер М. проф. (Германия)

«Известия НАН РК. Серия геологии и технических наук».

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Собственник: Республиканское общественное объединение «Национальная академия наук Республики Казахстан (г. Алматы)

Свидетельство о постановке на учет периодического печатного издания в Комитете информации и архивов Министерства культуры и информации Республики Казахстан №10892-Ж, выданное 30.04.2010 г.

Периодичность: 6 раз в год

Тираж: 300 экземпляров

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, ком. 219, 220, тел.: 272-13-19, 272-13-18,
<http://nauka-nanrk.kz/geology-technical.kz>

© Национальная академия наук Республики Казахстан, 2019

Адрес редакции: Казахстан, 050010, г. Алматы, ул. Кабанбай батыра, 69а.

Институт геологических наук им. К. И. Сатпаева, комната 334. Тел.: 291-59-38.

Адрес типографии: ИП «Аруна», г. Алматы, ул. Муратбаева, 75

E d i t o r i n c h i e f

doctor of Economics, professor, academician of NAS RK

I. K. Beisembetov

Deputy editor in chief

Zholtayev G.Zh. prof., dr. geol-min. sc.

E d i t o r i a l b o a r d:

Abakanov T.D. prof. (Kazakhstan)
Abisheva Z.S. prof., academician (Kazakhstan)
Agabekov V.Ye. academician (Belarus)
Aliyev T. prof., academician (Azerbaijan)
Bakirov A.B. prof., (Kyrgyzstan)
Bespayev Kh.A. prof. (Kazakhstan)
Bishimbayev V.K. prof., academician (Kazakhstan)
Buktukov N.S. prof., academician (Kazakhstan)
Bulat A.F. prof., academician (Ukraine)
Ganiyev I.N. prof., academician (Tadjikistan)
Gravis R.M. prof. (USA)
Yergaliev G.K. prof., academician (Kazakhstan)
Zhukov N.M. prof. (Kazakhstan)
Kozhakhmetov S.M. prof., academician (Kazakhstan)
Kontorovich A.Ye. prof., academician (Russia)
Kurskeyev A.K. prof., academician (Kazakhstan)
Kurchavov A.M. prof., (Russia)
Medeu A.R. prof., academician (Kazakhstan)
Muhamedzhanov M.A. prof., corr. member. (Kazakhstan)
Nigmatova S.A. prof. (Kazakhstan)
Ozdoiyev S.M. prof., academician (Kazakhstan)
Postolatii V. prof., academician (Moldova)
Rakishev B.R. prof., academician (Kazakhstan)
Seitov N.S. prof., corr. member. (Kazakhstan)
Seitmuratova Ye.U. prof., corr. member. (Kazakhstan)
Stepanets V.G. prof., (Germany)
Humphery G.D. prof. (USA)
Steiner M. prof. (Germany)

News of the National Academy of Sciences of the Republic of Kazakhstan. Series of geology and technology sciences.

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Owner: RPA "National Academy of Sciences of the Republic of Kazakhstan" (Almaty)

The certificate of registration of a periodic printed publication in the Committee of information and archives of the Ministry of culture and information of the Republic of Kazakhstan N 10892-Ж, issued 30.04.2010

Periodicity: 6 times a year

Circulation: 300 copies

Editorial address: 28, Shevchenko str., of. 219, 220, Almaty, 050010, tel. 272-13-19, 272-13-18,
<http://nauka-nanrk.kz/geology-technical.kz>

© National Academy of Sciences of the Republic of Kazakhstan, 2019

Editorial address: Institute of Geological Sciences named after K.I. Satpayev
69a, Kabanbai batyr str., of. 334, Almaty, 050010, Kazakhstan, tel.: 291-59-38.

Address of printing house: ST "Aruna", 75, Muratbayev str, Almaty

NEWS

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN

SERIES OF GEOLOGY AND TECHNICAL SCIENCES

ISSN 2224-5278

Volume 1, Number 433 (2019), 68 – 72

<https://doi.org/10.32014/2019.2518-170X.8>

UDC 541.053.669

V. K. Bekbayeva¹, A. T. Kanayev¹,
Xinze Luo²,
G. P. Metaksa³, N. Zhalgassuly³

¹Kazakh National Agrarian University, Almaty, Kazakhstan,

²Kuldzhinsk Pedagogical University (CNR),

³D.A. Kunaev Mining Institute, Almaty, Kazakhstan.

E-mail: ashim1959@mail.ru; 643389520@qq.com;

aliya-ismailova@inbox.ru; gmetaksa@mail.ru

FEATURES OF THE CHANGE IN THE PHYSICAL PROPERTIES OF QUARTZ IN ALTERNATING ELECTRIC FIELDS

Abstract. The paper presents the results of experimental work on mechano-chemical activation (MCA) of quartz. MCA was carried out with different duration from 3 to 20 minutes. Polyhydric alcohols were used as catalysts. The magnetic properties of dispersed compositions were measured. It is shown that new properties of quartz with MCA arise due to the processes of the nanoscale of analysis.

Key words: quartz, mechanochemical activation, properties, magnetic permeability, electric effect.



Crystalline quartz has a hexagonal close-packed lattice with parameters $a = 4.913\text{Å}$ and $c = 5.405\text{Å}$ [1-4]. The pronounced anisotropy of properties in different crystallographic planes is used in the electrical industry: piezoelectric element, frequency stabilizers, ultrasonic equipment, etc. When dispersing quartz in conditions of mechanochemical activation (MCA), powders with magnetic properties of [5-8] were obtained. Moreover, the magnetic properties varied depending on the duration of activation, the time of aging. Therefore, it became necessary to study these properties when changing external conditions in order to reveal the mechanism of interaction with the environment [9-15]. Electric fields superimposed on the test sample are selected as external changing factors in static (0.05 V - 5 V) and dynamic modes (frequency 5-5000 Hz). According to N.N. Mofa and V.P. Ryabikin [16-20] In activated quartz, the number of paramagnetic centers varies depending on the milling time, i.e. the duration of the MCA promotes an increase in the magnetic susceptibility of small quartz particles. Therefore, the behavior of these particles, structured by surface-active substances (surfactants) of one nature, but with different structure and density, is of interest. Alcohols are selected as surfactants: one, two and three-atom, i.e. ethanol, ethylene glycol and glycerin.

Methods of research. The actuality of the work is conditioned by a large number of contaminants arising during the production and transportation of oils. For elimination of large volumes of oil waste, appropriate devices have been developed and used, the operation of which is cost-effective at specified volumes. For small-scale contamination, such devices are not available. Hence, there is a need to search for new cost-cutting ways to solve problems associated with the restoration of disturbed soils. In this work we investigate the properties of quartz subjected to MCA.

Figures 1 and 2 show the experimental data on the change in the magnetic permeability of quartz milled during 20 min placed in a variable field of different voltages (0.5, 5 V). For low-energy action ($u = 0.5\text{ V}$), a change in the magnetic permeability μ was observed as a function of the frequency of the action with maximum values near 30, 50, and 500 Hz, where the amplitude of μ increases with respect to

EXPERIMENTAL PROCEDURE

Quartz activation 20 min

Figure 1 – Change in the magnetic permeability of quartz in variable fields ($u = 0,5 \text{ V}$)Figure 2 – Change in the magnetic permeability of quartz in variable fields ($u = 5 \text{ V}$)

the background to 500-800%. The increase in the impact potential by 10 times (5 V) at the same frequencies showed the reverse effects, i.e. the magnetic permeability decreased sharply at all frequencies, and its maximums were detected near 36, 100 and 300 Hz. These facts indicate a shift in the balance between the electrical and magnetic components of the milled quartz structure.

Milling with surfactants (figure 3) leads to an acceleration of MCA and the samples show the maximum values of μ after a 5-minute milling, increase in the milling time leads to a sharp decrease in magnetic activity. All samples have maximum near 10 Hz and 50 Hz, and samples with a minimum MCA time (5 min) show a sharp increase in μ at 400 and 800 Hz. The absolute values of μ range between 0 and 2.7. An increase in voltage in the same experimental conditions up to 5 V (figure 4) leads to a redistribution of the maximums on the frequency scale and a decrease in the absolute values of $0 \leq \mu \leq 0.78$. Here the samples with the maximum MCA time (20 min), which showed maximum at 50, 70, 300-200, 900 Hz are most active.

A change in the form of surfactant (ethylene glycol) leads to an increase in the absolute values of μ at the extreme points, which are distributed for low-energy effects near 10, 50 Hz. There is also a special maximum near 500 Hz for a sample with $T_{MCA}=15$ min. The increase in voltage helps to reduce the absolute values of μ , and the maximums arise for samples with a higher activation time near 50, 200 and 900 Hz.

Quartz activated with glycerin shows the highest values of μ , which for a low-energy variable effect are $0 \leq \mu \leq 0.32$, and for $u = 5 \text{ V}$ $0 \leq \mu \leq 5.4$. Frequency maximums in the first case occur near 10, 50 Hz, and for $u = 5 \text{ V}$ - near 500 Hz.

Due to the fact that all quartz samples activated in different conditions show maximums near the frequency - 50 Hz, we conducted an additional experiment in which the external action was performed at a frequency of 50 Hz, and the voltage in the range of $0.05 \leq u \leq 5 \text{ V}$ varied. The results of this experiment

Quartz activation 20 min.
Quartz + ethanol 0,5 V





Figure 3 – Magnetic permeability of quartz + ethanol in a low-energy variable field ($u = 0,5 V$)

Quartz + ethanol



Activation time
 Figure 4 – Magnetic permeability of quartz + ethanol in a variable field ($u = 5 V$)

showed that the highest values of μ correspond to the minimum voltage $u = 0.05$ V, here: $3.59 \leq \mu \leq 17.93$. As voltage increases it can be observed that at this frequency there are abrupt readings near 0.5; 1.0; 3.0 V for samples with surfactant - ethanol. Zero values are observed for samples with 5-minute activation near 5 V, with 15 minutes - near 4.5 V, and 20 minutes - 0.15; 0.25; 0.4 V.

In the same conditions, but with surfactant-ethylene glycol, quartz samples showed the highest $\mu = 17.93$ with a 5-minute MCA. As voltage increases, μ falls as in the previous case, showing jumps near 0.45; 2.5; 3.5 and 4.5 V. Zero values were shown in samples with $T_{MCA}=10$ min at 0.1; 0.25; 0.3; 0.4 - 1.0 V, with $T_{MCA}=15$ min: at 0,1 - 0,15; 0,25 - 0,3 V.

The highest magnetic properties showed quartz samples activated with glycerin, here $7.17 \leq \mu \leq 39.45$. With an activation time of 15 minutes, it reaches its limit value and then, as the duration of the MCA increases, begins to decrease. Here we also see jumps in properties near $u = 0.5$; 1.5-4.5 V. Zero values are only shown by samples with $T_{MAX} = 5$ min near 0.1; 0.25-0.35, 3-3.5 V.

The presented experimental facts altogether indicate that the behavior of quartz in alternating fields depends both on the frequency and the magnitude of the applied voltage. In order to identify the mechanism of interaction in these conditions, it is necessary to know the algorithm for the correspondence of dynamic attributes of the external field and the form of the dynamic response to this effect. For this purpose, it is necessary to develop a compliance matrix for quartz and the surfactants used.

The obtained experimental data make it possible to make the following conclusions:

1. It is shown that in the MCA process quartz acquires the ability to attract oppositely charged particles, especially of organic origin. This effect is proposed to be used in the liquidation of small-scale oil waste.

2. Mechano-chemical activation of quartz with different milling duration has shown that the achievement of maximum dispersion depends both on the milling time and on the selection of the quality of the catalytic active substances. The optimal mode for conducting an MCA shall be determined experimentally.

В. К. Бекбаева¹, А. Т. Қанаев¹, Лошын Зы², Г. П. Метакса³, Н. Жалғасұлы³

¹Қазақ ұлттық аграрлық университеті, Алматы, Қазақстан,

²Құлжа педагогикалық университеті (ҚХР),

³Д. А. Қонаев атындағы Кен істері институты, Алматы, Қазақстан

АУЫСПАЛЫ ЭЛЕКТР ӨРІСІНДЕ КВАРЦТЫҢ ФИЗИКАЛЫҚ ҚАСИЕТТЕРІНІҢ ӨЗГЕРУ ЕРЕКШЕЛІКТЕРІ

Аннотация. Жұмыста кварцты механохимиялық белсендіру (МХБ) бойынша жүргізілген эксперименталды жұмыстардың нәтижелері ұсынылды. МХБ әртүрлі ұзақтыпен 3-тен 20 мин аралығында жүргізілді. Катализатор ретінде көп атомды спирттер қолданылды. Ұсақталған композициялардың магниттік қасиеттері өлшенді. Көрсетілгендей, МХБ кезінде кварцтың жаңа қасиеттері наноденгейлік процестік қарау есебінен пайда болды.

Түйін сөздер: кварц, механохимиялық белсендіру, қасиеттері, магниттік өтімділік, электр әсері.

В. К. Бекбаева¹, А. Т. Қанаев¹, Лошын Зы², Г. П. Метакса³, Н. Жалғасұлы³

¹Казахский национальный аграрный университет, Алматы, Казахстан,

²Кульджинский педагогический университет (КНР),

³Институт горного дела им. Д. А. Кунаева, Алматы, Казахстан

ОСОБЕННОСТИ ИЗМЕНЕНИЯ ФИЗИЧЕСКИХ СВОЙСТВ КВАРЦА В ПЕРЕМЕННЫХ ЭЛЕКТРИЧЕСКИХ ПОЛЯХ

Аннотация. В работе представлены результаты экспериментальных работ по механо-химической активации (МХА) кварца. МХА проводили с разной продолжительностью от 3 до 20 мин. В качестве катализаторов использовали многоатомные спирты. Измерены магнитные свойства диспергированных композиций. Показано, что новые свойства кварца при МХА возникают за счет процессов наноуровня рассмотрения.

Ключевые слова: кварц, механо-химическая активация, свойства, магнитная проницаемость, электрическое воздействие.

Information about authors:

Bekbayeva Vinera Koshanovna, PhD, Kazakh National Agrarian University, Almaty, Kazakhstan

Kanaev Ashimhan Toktasynovich, Candidate of Biological Sciences, Kazakh National Agrarian University, Almaty, Kazakhstan; ashim1959@mail.ru

Xinze Luo, Kuldzhinsk Pedagogical University; 643389520@qq.com

Metaksa Galina Pavlovna, Doctor of Technical Sciences, D. A. Kunaev Mining Institute, Almaty, Kazakhstan; gmetaksa@mail.ru

Nariman Zhalgassuly, Head of the Department of "Ecology and Safety of Mining", Doctor of Technical Sciences, D. A. Kunaev Mining Institute, Almaty, Kazakhstan

REFERENCES

- [1] Bokiy G.B. Crystal chemistry. Moscow State University, 1960. 840 p.
- [2] Handbook of the Chemist. Vol. 1 // Ed. V. P. Nikolskiy. M-L., 1070 p.
- [3] Krasilnikov V.A. Sound and ultrasonic waves in air, water and solids. M., 1960. 560 p.
- [4] Khodakov G.S. The physics of grinding. M.: Nauka, 1972. 308 p.
- [5] Berestetskaya I.V., Bystrikov A.V. Mechanochemistry of the surface of quartz // Kinetics and catalysis, HH1, 1 edition. P. 1019-1022.
- [6] Metaksa G.P., Clays, Quartzites and shungites of Kazakhstan. Ecological aspect. Almaty, 2006. 146 p.
- [7] Kolbanev I.V., Butyagin P.Yu. Study of the process of quartz dispersion by the EPR method // Mechanoemission and mechanochemistry of solids. Frunze: Ilim, 1974. P. 215-217.
- [8] Lapteva Ye.S., Yusupov T.S. Physico-chemical changes of layered silicates in the process of MCA. Novosibirsk, 1981. 88 p.
- [9] Metaksa G.P., Mofa N.N. Mechano-chemical properties of natural aluminosilicates. Analytical review. Almaty, 1995. 22 p.
- [10] Beresteckaja I.V., Bystrikov A.V. Mehanohimija poverhnosti kvarca // Kinetika i kataliz, HH1, vyp. 1. P. 1019-1022.
- [11] Koroleva S.M., Arhipenko D.K., Grigor'eva T.N., Jusupov T.S. Obrazovanie struktur, podobnyh β -kvarcu i β -kristobalitu pri mehanicheskoj aktivacii α -kvarca // Tez. dokl. XI Vses. simp. po mehanohimii i mehanojemissii TT. Chernigov, 1990. Vol. 2. P. 7-8, 454.
- [12] Metaksa G.P. Gliny, Kvarcity i shungity Kazahstana. Jekologicheskij aspekt. Almaty, 2006. 146 p.
- [13] Kolbanev I.V., Butjagin P.Ju. Izuchenie processa dispergirovanija kvarca metodom JePR // Mehanojemissija i mehanohimija tverdyh tel. Frunze: Ilim, 1974. P. 215-217.
- [14] Lapteva E.S., Jusupov T.S. Fiziko-himicheskie izmenenija sloistyh silikatov v processe MHA. Novosibirsk, 1981. 88 p.
- [15] Metaksa G.P., Mofa N.N. Mehanohimicheskie svojstva prirodnyh aljmosilikatov. Analiticheskij obzor. Almaty, 1995. 22 p.
- [16] Radcig V.A. Paramagnitnye centry na poverhnosti raskola kvarca // Kinetika i kataliz. 1979. Vol. 20, N 2. P. 456-464.
- [17] Gorobec L.Zh., Gorobec V.I., Kulebakin V.G. i dr. Issledovanie mehanicheskoj aktivacii magnetitovyh kvarcitov v razlichnyh izmel'chitel'nyh apparatah // Tez. dokl. VIII Vses. simp. po mehanojemissii i mehanohimii TT. Tallin, 1981. P. 159-160.
- [18] Paje A.Ja., Ujbo L.Ja., Hint I.A. O nekotoryh jeffektah, voznikajushhijh pri dezintegratornom dispergirovanii kvarca // Dokl. AN SSSR. 1971. Vol. 199, N 1. P. 66-68.
- [19] Isaev V.A. Termicheskie prevrashhenija molochno-belogo kvarca. M.: MGGU, 2003. 99 p.
- [20] Rjabikin Ju.A., Zashkvara O.V., Mofa N.N., Chervjakova O.V., Mansurov Z.A. Magnitnye svojstva dioksida kremnija, modifirovannogo v mehanicheskom reaktore // Zhurnal NAN RK. 2001. P. 358-359.

**Publication Ethics and Publication Malpractice
in the journals of the National Academy of Sciences of the Republic of Kazakhstan**

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайте:

[www:nauka-nanrk.kz](http://www.nauka-nanrk.kz)

ISSN 2518-170X (Online), ISSN 2224-5278 (Print)

<http://www.geolog-technical.kz/index.php/en/>

Верстка Д. Н. Калкабековой

Подписано в печать 06.02.2019.

Формат 70x881/8. Бумага офсетная. Печать – ризограф.

16,7 п.л. Тираж 300. Заказ 1.